

HP Insight Management WBEM Providers for ESXi 5.0

SNMP Data Migration

Version 1.0



Table of Contents

1	INTRODUCTION	3
2	OVERVIEW OF THE INSIGHT MANAGEMENT MIB.....	4
3	HIGH LEVEL MAPPING.....	7
4	SERVER MIB VARIABLE TO WBEMPROPERTY MAPPINGS	10
4.1	CPQSTDEQ	10
4.2	CPQSINFO.....	59
4.3	CPQHLTH.....	93
4.4	CPQHOST	130
4.5	CPQRACK	151
4.6	CPQSM2	151
4.7	CPQSTAT	167
4.8	CPQTHRSH	167
4.9	CPQWINOS	167
5	STORAGE MIB VARIABLE TO WBEM PROPERTY MAPPINGS.....	167
5.1	CPQIDA	167
5.2	CPQIDE.....	217
5.3	CPQSCSI.....	217
5.4	CPQSTSYS	259
5.5	CPQFCA	284
6	NETWORK MIB VARIABLE TO WBEM PROPERTY MAPPINGS	325
6.1	CPQNIC	325
7	SERVER TRAP TO INDICATION MAPPINGS	340
7.1	CPQSTEQ TRAPS	340
7.2	CPQSINFO TRAPS.....	342
7.3	CPQHLTH TRAPS	345
7.4	CPQHOST TRAPS.....	360
7.5	CPQRACK TRAPS	360
7.6	CPQSM2 TRAPS	360
	CPQTHRSH TRAPS	364
7.7	CPQWINOS TRAPS	364
8	STORAGE TRAP TO INDICATION MAPPINGS	364
8.1	CPQIDA TRAPS	364
8.2	CPQIDE TRAPS	376
8.3	CPQSCSI TRAPS.....	376
8.4	CPQSTSYS TRAPS	382
	CPQFCA TRAPS	391
9	NETWORK TRAP TO INDICATION MAPPINGS	391
9.1	CPQNIC TRAPS	391
10	REVISIONS	394

1 Introduction

The purpose of this document is to assist customers in mapping the Compaq enterprise SNMP MIB variables and traps to corresponding WBEM properties and indications in the root\hpq namespace provided by the HP Insight Management WBEM Providers. No attempt has been made to map into any other namespaces, except specific functionality in the root/cimv2 namespace.

The tables will give the class and property of the WBEM value. These tables will also note where properties have been deprecated in the Compaq enterprise MIB. There will be no WBEM implementations for these deprecated items. Additionally, only MIB leaf nodes are candidates for WBEM properties. The trap tables will give the Indication class and the ProviderName and EventID properties.

This document corresponds to the following versions of MIBs, schemas and profiles:

- HP Insight Management MIB version 8.40
- DMTF CIM Schema version 2.23
- DMTF SMASH Profiles version 1.0.0

2 Overview of the Insight Management MIB

The Insight Management MIB is a modular definition that follows IETF RFC 1212 for manageable objects and RFC 1215 for traps. Each piece of information is an object and related objects represent a group. The information in the MIB represents important device hardware and device software information. For example, the MIB includes server and component device information about the operation, performance, security and configuration of the devices.

The Insight MIB is modular. The following table provides information about the different files that compose the Insight Management MIB.

MIB File	Description
CPQSTDEQ.MIB	Standard PC Server Equipment information
CPQSINFO.MIB	ProLiant Specific PC Server information
CPQHOST.MIB	Host Server Operating System information
CPQHLTH.MIB	Server Health information
CPQTHRSH.MIB	Settable Threshold information
CPQSM2.MIB	Remote Insight and iLO information
CPQSTAT.MIB	External Status information
CPQIDA.MIB	Intelligent Drive Array information
CPQIDE.MIB	IDE information
CPQSCSI.MIB	SCSI Device information
CPQSTSYS.MIB	Storage Systems information
CPQFCA.MIB	Fibre Array information
CPQNIC.MIB	Network Interface Card information

The Insight MIBs represent an extension to the standard MIB information already defined in several standard MIB documents (for example, RFC 1213 or RFC 1271). These extensions offer additional information that will be available to any SNMP management application supporting the Insight MIBs.

The Insight MIBs are defined to be modular. A series of MIBs address various aspects of the computer system. A standard equipment MIB provides information about the standard equipment of any Industry Standard PC. A ProLiant system specific MIB provides information about ProLiant specific extensions to the standard PC information. Other MIBs provide information about specific sub-systems developed by HP; for example Drive Array or Server Health sub-systems.

Using the Insight MIBs in no way affects the standard information already available with SNMP or the access method for obtaining standard information.

The Insight MIBs conform to the Concise MIB format and are suitable for use by most MIB compilers used to assimilate MIB documents. The main portion of the tree with respect to the HP instrumented management information is:

```
(root)
|-CCITT(0)
|-ISO(1)
|  |-Org(3)
|  |  |-DOD(6)
|  |  |  |-Internet(1)
|  |  |  |  |-Directory(1)
|  |  |  |  |-Mgnt(2)
|  |  |  |  |  |-MIB2(1)
|  |  |  |  |  |-Experimental(3)
|  |  |  |  |  |-Private(4)
|  |  |  |  |  |-Enterprises(1)
|  |  |  |  |  |  |-Compaq(232)
|  |  |  |  |  |  |  |-cpqStdEquipment(1)
|  |  |  |  |  |  |  |-cpqSystemInfo(2)
|  |  |  |  |  |  |  |-cpqDriveArray(3)
|  |  |  |  |  |  |  |-cpqServerManager(4)
|  |  |  |  |  |  |  |-cpqScsi(5)
|  |  |  |  |  |  |  |-cpqHealth(6)
|  |  |  |  |  |  |  |-RESERVED(7)
|  |  |  |  |  |  |  |-cpqSsStorageSys(8)
|  |  |  |  |  |  |  |-cpqSm2(9)
|  |  |  |  |  |  |  |-cpqThresholdMgmt(10)
|  |  |  |  |  |  |  |-cpqHostOS(11)
|  |  |  |  |  |  |  |-cpqUps(12)
|  |  |  |  |  |  |  |-cpqRecovery(13)
|  |  |  |  |  |  |  |-cpqIde(14)
|  |  |  |  |  |  |  |-cpqCluster(15)
|  |  |  |  |  |  |  |-cpqFibreArray(16)
|  |  |  |  |  |  |  |-cpqExternalMgmt(17)
|  |  |  |  |  |  |  |-cpqNic(18)
|  |  |  |  |  |  |  |-cpqWinOsMgmt(19)
|  |  |  |  |  |  |  |-cpqApplianceMgmt(21)
|  |  |  |  |  |  |  |-cpqRackInfo(22)
```

Every piece of information is referred to by its full name so each piece of information can be unambiguously specified. Full names are commonly

given in dotted decimal notation. Dotted decimal notation specifies all the branch numbers, separated by periods, needed to reach the particular item. For example the number 1.3.6.1.4.1.232.1 stands for the Standard Equipment MIB. All information in the Standard Equipment MIB will start with this prefix and then continue on to distinguish different pieces of information within the MIB.

The name of each branch is specified in MIB documents. The number series, in parentheses after the name, is what is sent over the network in an SNMP packet when referring to a specific item in the tree. Sending a series of numbers specifying a tree location in a packet rather than a text description of the item as a name lessens network traffic. However, this protocol requires that both ends involved in the protocol understand the meanings of these code numbers and the structure of the information. This scheme requires a precise grammar to document the MIB structure to avoid confusion between the agent and the management station. The grammar typically used is called the Concise MIB format and is defined in RFC 1212.

3 High Level Mapping

The following table provides a general mapping of the MIB files to corresponding WBEM classes. For greater detail, see the following section, which gives a MIB variable to WBEM property view of the data.

MIB File	Corresponding WBEM Class
CPQSTDEQ.MIB	SMX_ProcessorChip SMX_Processor SMX_ProcessorCapabilities SMX_HardwareThread SMX_CacheMemorySMX_ProcessorLocation SMX_ProcessorCore SMX_SystemFirmware SMX_MPFirmware SMX_PCISlot SMX_PCIDevice SMX_PCISlotElementLocation
CPQSINFO.MIB	SMX_ComputerSystemChassis SMX_ComputerSystem SMX_MemoryModule SMX_MemoryModuleSlot SMX_MemoryModuleSlotLocation SMX_MemoryBoard SMX_PCISlot SMX_BladeEnclosureCS SMX_BladeEnclosureFW SMX_BladeEnclosureLocation SMX_ManagementProcessor
CPQHOST.MIB	SMX_OperatingSystem SMX_ComputerSystem SMX_SMXSoftwareIdentity SMX_XXXDriver versions SMX_EthernetSoftwareIdentity SMX_EthernetPortControllerSoftwareIdentity SMX_FCHBASoftwareIdentityDrv SMX_ComputerSystemPackage SMX_SystemFirmware SMX_BladeEnclosureFW SMXEthernetPortControllerFirmwareIdentity SMX_FCHBAFirmwareIdentityBIOS

	SMX_FCHBAFirmwareIdentityFW SMX_MPFirmware SMX_PowerControllerFirmware SMX_SASFirmware SMX_SASDiskDriveFirmware SMX_SASEnclosureFirmware SMX_SAFirmware SMX_SADiskDriveFirmware SMX_SAEnclosureFirmware
CPQHLTH.MIB	SMX_SensorCollection SMX_FanCollection SMX_Fan SMX_NumericSensor SMX_PowerCollection SMX_PowerSupply SMX_IMLRecordLog SMX_IMLLogEntry SMX_ComputerSystem SMX_MemoryRedundancySet SMX_MemoryBoard SMX_MemoryModule
CPQSM2.MIB	SMX_MPCollection SMX_MPFirmware SMX_ManagementProcessor
CPQWINOS.MIB	Not implemented
CPQSCSI	SMX_SASDiskPhysicalPackage SMX_SASPhysicalPackage SMX_SASDiskDrive SMX_SASMediaAccessStatData SMX_SASFirmware SMX_SASDiskDriveFirmware SMX_SASStorageExtent SMX_SASArraySystemLocation
CPQIDA	SMX_SADiskDrive SMX_SADiskPhysicalPackage SMX_SAPhysicalPackage SMX_SAMediaAccessStatData SMX_SASStorageExtent SMX_SASFirmware SMX_SASDiskDriveFirmware SMX_SASStorageVolume SMX_SASArraySystemLocation SMX_SAProduct

CPQSTSYS	SMX_SADriveCage SMX_SASStorageEnclosure SMX_SASStorageEnclosureProcessor SMX_SASDriveCage SMX_SASStorageEnclosure SMX_SASStorageEnclosureProcessor
CPQFCA	SMX_FCHBAPhysicalPackage SMX_FCHBAFirmware SMX_FCHBAComputerSystem SMX_FCHBAProduct SMX_FCHBALocation SMX_FCHBAFCPort
CPQNIC	SMX_EthernetPort SMXEthernetPortControllerFirmwareIdentity

4 Server MIB Variable to WBEMProperty Mappings

4.1 CPQSTDEQ

MIB OID	1.3.6.1.4.1.232.1.1.1
MIB OID Name	cpqSeMibRevMajor
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.1.2
MIB OID Name	cpqSeMibRevMinor
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.1.3
MIB OID Name	cpqSeMibCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.1.4.1
MIB OID Name	cpqSeOsCommonPollFreq
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.1.4.2
MIB OID Name	cpqSeOsCommonModuleTable
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.1.2.1.4.2.1
MIB OID Name	cpqSeOsCommonModuleEntry
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.1.2.1.4.2.1.1
MIB OID Name	cpqSeOsCommonModuleIndex
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.1.2.1.4.2.1.2
MIB OID Name	cpqSeOsCommonModuleName
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.1.2.1.4.2.1.3
MIB OID Name	cpqSeOsCommonModuleVersion
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.1.2.1.4.2.1.4
MIB OID Name	cpqSeOsCommonModuleDate
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.1.2.1.4.2.1.5
MIB OID Name	cpqSeOsCommonModulePurpose
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.1.2.2.1
MIB OID Name	cpqSeCpuTable
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1
MIB OID Name	cpqSeCpuEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.1
MIB OID Name	cpqSeCpuUnitIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.2
MIB OID Name	cpqSeCpuSlot
WBEM Class and Property	SMXSMX_ProcessorLocation.LocationInfoDesc and SMX_ProcessorLocation.LocationInformation
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.3
MIB OID Name	cpqSeCpuName
WBEM Class and Property	SMX_ProcessorChip.ElementName/SMX_ProcessorChip.Name
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.4
MIB OID Name	cpqSeCpuSpeed
WBEM Class and Property	SMX_Processor.CurrentClockSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.5
MIB OID Name	cpqSeCpuStep
WBEM Class and Property	SMX_Processor.Stepping
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.6
----------------	-----------------------------

MIB OID Name	cpqSeCpuStatus
WBEM Class and Property	SMX_ProcessorChip.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.7
MIB OID Name	cpqSeCpuExtSpeed
WBEM Class and Property	SMX_Processor.ExternalBusClockSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.8
MIB OID Name	cpqSeCpuDesigner
WBEM Class and Property	SMX_ProcessorChip.Manufacturer
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.9
MIB OID Name	cpqSeCpuSocketNumber
WBEM Class and Property	SMX_ProcessorLocation.LocationInfoDesc and SMX_ProcessorLocation.LocationInformation
Notes	See the P00124 – HP Location Profile document for determining location information

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.10
MIB OID Name	cpqSeCpuThreshPassed
WBEM Class and Property	SMX_ProcessorChip.OperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.11
MIB OID Name	cpqSeCpuHwLocation
WBEM Class and Property	SMX_ProcessorLocation.PhysicalPosition
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.12
MIB OID Name	cpqSeCpuCellTablePtr
WBEM Class and Property	Not implemented

Notes	HP Integrity systems only
--------------	---------------------------

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.13
MIB OID Name	cpqSeCpuPowerpodStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.14
MIB OID Name	cpqSeCpuArchitectureRevision
WBEM Class and Property	SMX_ProcessorChip.Version
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.15
MIB OID Name	cpqSeCpuCore
WBEM Class and Property	SMX_ProcessorCapabilities.NumberOfProcessorCores
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.16
MIB OID Name	cpqSeCPUSerialNumber
WBEM Class and Property	SMX_ProcessorChip.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.17
MIB OID Name	cpqSeCPUPartNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.18
MIB OID Name	cpqSeCPUSerialNumberMfgr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.19
----------------	------------------------------

MIB OID Name	cpqSeCPUPartNumberMfgr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.20
MIB OID Name	cpqSeCPUCoreIndex
WBEM Class and Property	SMX_ProcessorCore.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.21
MIB OID Name	cpqSeCPUMaxSpeed
WBEM Class and Property	SMX_Processor.MaxClockSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.22
MIB OID Name	cpqSeCPUCoreThreadIndex
WBEM Class and Property	SMX_HardwareThread.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.23
MIB OID Name	cpqSeCPUChipGenerationName
WBEM Class and Property	NotImplemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.24
MIB OID Name	cpqSeCPUMultiThreadStatus
WBEM Class and Property	SMX_ProcessorCapabilities.NumberOfHardwareThreads
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.25
MIB OID Name	cpqSeCPUCoreMaxThreads
WBEM Class and Property	SMX_ProcessorCapabilities.NumberOfHardwareThreads
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.26
MIB OID Name	cpqSeCpuLowPowerStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.27
MIB OID Name	cpqSeCpuPrimary
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.28
MIB OID Name	cpqSeCpuCoreSteppingText
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.29
MIB OID Name	cpqSeCpuCurrentPerformanceState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.30
MIB OID Name	cpqSeCpuMinPerformanceState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.1.1.31
MIB OID Name	cpqSeCpuMaxPerformanceState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2
MIB OID Name	cpqSeFpuTable

WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1
MIB OID Name	cpqSeFpuEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1.1
MIB OID Name	cpqSeFpuUnitIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1.2
MIB OID Name	cpqSeFpuChipIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1.3
MIB OID Name	cpqSeFpuSlot
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1.4
MIB OID Name	cpqSeFpuName
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1.5
MIB OID Name	cpqSeFpuSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1.6
MIB OID Name	cpqSeFpuType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.2.1.7
MIB OID Name	cpqSeFpuHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3
MIB OID Name	cpqSeCpuCacheTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1
MIB OID Name	cpqSeCpuCacheEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.1
MIB OID Name	cpqSeCpuCacheUnitIndex
WBEM Class and Property	SMX_CacheMemory.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.2
MIB OID Name	cpqSeCpuCacheLevelIndex
WBEM Class and Property	HP_AssociatedProcessorCacheMemory.Level
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.3
MIB OID Name	cpqSeCpuCacheSize
WBEM Class and Property	SMX_CacheMemory.NumberOfBlocks

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.4
MIB OID Name	cpqSeCpuCacheSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.5
MIB OID Name	cpqSeCpuCacheStatus
WBEM Class and Property	SMX_CacheMemory.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.6
MIB OID Name	cpqSeCpuCacheWritePolicy
WBEM Class and Property	SMX_AssociatedProcessorCacheMemory.WritePolicy
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.7
MIB OID Name	cpqSeCpuCacheHwLocation
WBEM Class and Property	SMX_ProcessorLocation.LocationInfoDesc and SMX_ProcessorLocation.LocationInformation
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.8
MIB OID Name	cpqSeCpuCacheCpuSlot
WBEM Class and Property	SMX_ProcessorLocation.LocationInfoDesc and SMX_ProcessorLocation.LocationInformation
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.2.3.1.9
MIB OID Name	cpqSeCpuCacheCpuCoreIndex
WBEM Class and Property	SMX_CacheMemory.DeviceID
Notes	Property needs to be parsed to extract the slot number

MIB OID	1.3.6.1.4.1.232.1.2.3.1
MIB OID Name	cpqSeBaseMem
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.3.2
MIB OID Name	cpqSeTotalMem
WBEM Class and Property	HP_Memory.NumberOfBlocks
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.4.1
MIB OID Name	cpqSelsaCmosRaw
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.1
MIB OID Name	cpqSeEisaSlotTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.1.1
MIB OID Name	cpqSeEisaSlotEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.1.1.1
MIB OID Name	cpqSeEisaSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.1.1.2
MIB OID Name	cpqSeEisaSlotRaw
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.5.1.1.3
MIB OID Name	cpqSeEisaSlotBoardId
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.1.1.4
MIB OID Name	cpqSeEisaSlotBoardName
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.1.1.5
MIB OID Name	cpqSeEisaSlotCfRev
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.1.1.6
MIB OID Name	cpqSeEisaSlotType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2
MIB OID Name	cpqSeEisaFunctTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1
MIB OID Name	cpqSeEisaFunctEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1.1
----------------	-----------------------------

MIB OID Name	cpqSeEisaFunctSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1.2
MIB OID Name	cpqSeEisaFunctIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1.3
MIB OID Name	cpqSeEisaFunctStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1.4
MIB OID Name	cpqSeEisaFunctType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1.5
MIB OID Name	cpqSeEisaFunctCfgRev
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1.6
MIB OID Name	cpqSeEisaFunctSels
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.2.1.7
MIB OID Name	cpqSeEisaFunctInfo
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3
MIB OID Name	cpqSeEisaMemTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1
MIB OID Name	cpqSeEisaMemEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.1
MIB OID Name	cpqSeEisaMemSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.2
MIB OID Name	cpqSeEisaMemFunctIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.3
MIB OID Name	cpqSeEisaMemAllocIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.4
MIB OID Name	cpqSeEisaMemStartAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.5
MIB OID Name	cpqSeEisaMemSize
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.6
MIB OID Name	cpqSeEisaMemShare
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.7
MIB OID Name	cpqSeEisaMemType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.8
MIB OID Name	cpqSeEisaMemCache
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.9
MIB OID Name	cpqSeEisaMemAccess
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.10
MIB OID Name	cpqSeEisaMemDecode
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.3.1.11
MIB OID Name	cpqSeEisaMemDataSize
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4
----------------	-------------------------

MIB OID Name	cpqSeEisaIntTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4.1
MIB OID Name	cpqSeEisaIntEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4.1.1
MIB OID Name	cpqSeEisaIntSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4.1.2
MIB OID Name	cpqSeEisaIntFunctIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4.1.3
MIB OID Name	cpqSeEisaIntAllocIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4.1.4
MIB OID Name	cpqSeEisaIntNum
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4.1.5
MIB OID Name	cpqSeEisaIntShare
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.4.1.6
MIB OID Name	cpqSeEisaIntTrigger
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5
MIB OID Name	cpqSeEisaDmaTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1
MIB OID Name	cpqSeEisaDmaEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.1
MIB OID Name	cpqSeEisaDmaSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.2
MIB OID Name	cpqSeEisaDmaFuncIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.3
MIB OID Name	cpqSeEisaDmaAllocIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.4
MIB OID Name	cpqSeEisaDmaChannel
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.5
MIB OID Name	cpqSeEisaDmaShare
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.6
MIB OID Name	cpqSeEisaDmaTiming
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.7
MIB OID Name	cpqSeEisaDmaXfer
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.5.1.8
MIB OID Name	cpqSeEisaDmaXferCount
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6
MIB OID Name	cpqSeEisaPortTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6.1
MIB OID Name	cpqSeEisaPortEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6.1.1
----------------	-----------------------------

MIB OID Name	cpqSeEisaPortSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6.1.2
MIB OID Name	cpqSeEisaPortFuncIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6.1.3
MIB OID Name	cpqSeEisaPortAllocIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6.1.4
MIB OID Name	cpqSeEisaPortAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6.1.5
MIB OID Name	cpqSeEisaPortShare
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.6.1.6
MIB OID Name	cpqSeEisaPortSize
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.7
MIB OID Name	cpqSeEisaFreeFormTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.7.1
MIB OID Name	cpqSeEisaFreeFormEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.7.1.1
MIB OID Name	cpqSeEisaFreeFormSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.7.1.2
MIB OID Name	cpqSeEisaFreeFormFuncIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.7.1.3
MIB OID Name	cpqSeEisaFreeFormValue
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8
MIB OID Name	cpqSeEisaInitTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1
MIB OID Name	cpqSeEisaInitEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.1
MIB OID Name	cpqSeEisaInitSlotIndex
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.2
MIB OID Name	cpqSeEisalnitFunctIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.3
MIB OID Name	cpqSeEisalnitAllocIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.4
MIB OID Name	cpqSeEisalnitUseMask
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.5
MIB OID Name	cpqSeEisalnitAccess
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.6
MIB OID Name	cpqSeEisalnitAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.7
MIB OID Name	cpqSeEisalnitValue
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.5.8.1.8
----------------	-----------------------------

MIB OID Name	cpqSeEisaInitMask
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.1
MIB OID Name	cpqSeSysRomVer
WBEM Class and Property	SMX_SystemFirmware.VersionString SMX_SystemElementFirmwareIdentity.ElementSoftwareStat us
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.2
MIB OID Name	cpqSeOptRomTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.2.1
MIB OID Name	cpqSeOptRomEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.2.1.1
MIB OID Name	cpqSeOptRomAddrIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.2.1.2
MIB OID Name	cpqSeOptRomSize
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.3
MIB OID Name	cpqSeBiosRomDataRow
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.6.4
MIB OID Name	cpqSeRedundantSysRomVer
WBEM Class and Property	SMX_SystemFirmware.VersionString SMX_SystemElementFirmwareIdentity.ElementSoftwareStatus
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.5
MIB OID Name	cpqSeSmbiosVer
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.6
MIB OID Name	cpqSeMPFwVer
WBEM Class and Property	SMX_MPFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.7
MIB OID Name	cpqSeBMCFwVer
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.6.8
MIB OID Name	cpqSeHPVMFwVer
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.7.1
MIB OID Name	cpqSeKeyboardDesc
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.8.1
MIB OID Name	cpqSeVideoDesc
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.9.1
MIB OID Name	cpqSeSerialPortTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.9.1.1
MIB OID Name	cpqSeSerialPortEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.9.1.1.1
MIB OID Name	cpqSeSerialPortIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.9.1.1.2
MIB OID Name	cpqSeSerialPortAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.9.1.1.3
MIB OID Name	cpqSeSerialPortDesc
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.9.1.1.4
MIB OID Name	cpqSeSerialPortHwLocation
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.10.1
MIB OID Name	cpqSeParallelPortTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.10.1.1
MIB OID Name	cpqSeParallelPortEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.10.1.1.1
MIB OID Name	cpqSeParallelPortIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.10.1.1.2
MIB OID Name	cpqSeParallelPortAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.10.1.1.3
MIB OID Name	cpqSeParallelPortDesc
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.10.1.1.4
MIB OID Name	cpqSeParrallelPortHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.11.1
----------------	--------------------------

MIB OID Name	cpqSeFloppyDiskTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.11.1.1
MIB OID Name	cpqSeFloppyDiskEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.11.1.1.1
MIB OID Name	cpqSeFloppyDiskIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.11.1.1.2
MIB OID Name	cpqSeFloppyDiskType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.11.1.1.3
MIB OID Name	cpqSeFloppyDiskHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1
MIB OID Name	cpqSeFixedDiskTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1
MIB OID Name	cpqSeFixedDiskEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1.1
MIB OID Name	cpqSeFixedDiskIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1.2
MIB OID Name	cpqSeFixedDiskType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1.3
MIB OID Name	cpqSeFixedDiskCyls
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1.4
MIB OID Name	cpqSeFixedDiskHeads
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1.5
MIB OID Name	cpqSeFixedDiskSectors
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1.6
MIB OID Name	cpqSeFixedDiskCapacity
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.12.1.1.7
MIB OID Name	cpqSeFixedDiskHwLocation
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.13.1
MIB OID Name	cpqSePciSlotTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1
MIB OID Name	cpqSePciSlotEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.1
MIB OID Name	cpqSePciSlotBusNumberIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.2
MIB OID Name	cpqSePciSlotDeviceNumberIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.3
MIB OID Name	cpqSePciPhysSlot
WBEM Class and Property	SMX_PCISlot.Number
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.4
MIB OID Name	cpqSePciSlotSubSystemID
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.5
----------------	------------------------------

MIB OID Name	cpqSePciSlotBoardName
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.6
MIB OID Name	cpqSePciSlotWidth
WBEM Class and Property	SMX_PCISlot.ConnectorLayout
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.7
MIB OID Name	cpqSePciSlotSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.8
MIB OID Name	cpqSePciSlotExtendedInfo
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.9
MIB OID Name	cpqSePciSlotType
WBEM Class and Property	SMX_PCISlot.ConnectorType
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.10
MIB OID Name	cpqSePciSlotCurrentMode
WBEM Class and Property	SMX_PCISlot.ConnectorPinout
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.11
MIB OID Name	cpqSePciMaxSlotSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.12
MIB OID Name	cpqSePciXMaxSlotSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.13
MIB OID Name	cpqSePciCurrentSlotSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.14
MIB OID Name	cpqSePciHwLocation
WBEM Class and Property	SMX_PCISlotElementLocation.PhysicalLocation
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.15
MIB OID Name	cpqSePciSlotIOCTablePtr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.16
MIB OID Name	cpqSePciSlotHeaderType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.17
MIB OID Name	cpqSePciSlot0Embedded
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.18
MIB OID Name	cpqSePcieSlotMaxLinkSpeed

WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.1.1.19
MIB OID Name	cpqSePcieSlotMaxLinkWidth
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2
MIB OID Name	cpqSePciFunctTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1
MIB OID Name	cpqSePciFunctEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.1
MIB OID Name	cpqSePciFunctBusNumberIndex
WBEM Class and Property	SMX_PCIDevice.BusNumber
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.2
MIB OID Name	cpqSePciFunctDeviceNumberIndex
WBEM Class and Property	SMX_PCIDevice.DeviceNumber
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.3
MIB OID Name	cpqSePciFunctIndex
WBEM Class and Property	SMX_PCIDevice.FunctionNumber
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.4
MIB OID Name	cpqSePciFunctClassCode
WBEM Class and Property	SMX_PCIDevice.ClassCode
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.5
MIB OID Name	cpqSePciFunctClassDescription
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.6
MIB OID Name	cpqSePciFunctDeviceID
WBEM Class and Property	SMX_PCIDevice.PciDeviceID
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.7
MIB OID Name	cpqSePciFunctVendorID
WBEM Class and Property	SMX_PCIDevice.VendorID
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.8
MIB OID Name	cpqSePciFunctRevID
WBEM Class and Property	SMX_PCIDevice.Revision
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.9
MIB OID Name	cpqSePciFunctIntLine
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.10
MIB OID Name	cpqSePciFunctDevStatus
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.11
MIB OID Name	cpqSePciFunctHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.12
MIB OID Name	cpqSePcieFunctNegotiatedLinkSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.13
MIB OID Name	cpqSePcieFunctnegotiatedLinkWidth
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.14
MIB OID Name	cpqSePcieFunctMaxLinkSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.2.1.15
MIB OID Name	cpqSePcieFunctMaxLinkWidth
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3
MIB OID Name	cpqSePciMemoryTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1
MIB OID Name	cpqSePciMemoryEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.1
MIB OID Name	cpqSePciMemoryBusNumberIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.2
MIB OID Name	cpqSePciMemoryDeviceNumberIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.3
MIB OID Name	cpqSePciMemoryFunctionIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.4
MIB OID Name	cpqSePciMemoryIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.5
MIB OID Name	cpqSePciMemoryBaseAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.6
MIB OID Name	cpqSePciMemoryType
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.7
MIB OID Name	cpqSePciMemorySize
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.13.3.1.8
MIB OID Name	cpqSePciMemoryHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1
MIB OID Name	cpqSePCCardSlotTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1
MIB OID Name	cpqSePCCardSlotEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.1
MIB OID Name	cpqSePCCardSlotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.2
MIB OID Name	cpqSePCCardCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.3
----------------	------------------------------

MIB OID Name	cpqSePCCardPhysLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.4
MIB OID Name	cpqSePCCardSlotType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.5
MIB OID Name	cpqSePCCardSlotWidth
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.6
MIB OID Name	cpqSePCCardSlotThermalCapacity
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.7
MIB OID Name	cpqSePCCardSlotThermalSensor
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.8
MIB OID Name	cpqSePCCardSlotPowerState
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.9
MIB OID Name	cpqSePCCardStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.10
MIB OID Name	cpqSePCCardDeviceInfo
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.11
MIB OID Name	cpqSePCCardProductInfo
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.12
MIB OID Name	cpqSePCCardSerialNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.14.1.1.13
MIB OID Name	cpqSePCCardAssetTag
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.15.1
MIB OID Name	cpqSeUSBPortTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.15.1.1
MIB OID Name	cpqSeUSBPortEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.15.1.1.1
MIB OID Name	cpqSeUSBPortIndex
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.1.2.15.1.1.2
MIB OID Name	cpqSeUSBPortType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.15.1.1.3
MIB OID Name	cpqSeUSBPortHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.1.2.16.1
MIB OID Name	cpqSeCellTable
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1
MIB OID Name	cpqSeCellEntry
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.1
MIB OID Name	cpqSeCellUnitIndex
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.2
MIB OID Name	cpqSeCellCabinetNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.3
----------------	------------------------------

MIB OID Name	cpqSeCellCellNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.4
MIB OID Name	cpqSeCellIOCTablePtr
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.5
MIB OID Name	cpqSeCellPDHCFirmwareRevision
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.6
MIB OID Name	cpqSeCellSysFwVersion
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.7
MIB OID Name	cpqSeCellBootInhibited
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.8
MIB OID Name	cpqSeCellToScanBusConnectionStatus
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.9
MIB OID Name	cpqSeCellHasCoreIO
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.10
MIB OID Name	cpqSeCellBoardSpeed
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.11
MIB OID Name	cpqSeCellPresent
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.12
MIB OID Name	cpqSeCellHasPower
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.13
MIB OID Name	cpqSeCellReadyForReconfig
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.14
MIB OID Name	cpqSeCellTotalMemory
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.15
MIB OID Name	cpqSeCellLEDState
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.16
MIB OID Name	cpqSeCellState
WBEM Class and Property	Not Implemented

Notes	HP Integrity systems only
--------------	---------------------------

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.17
MIB OID Name	cpqSeCellCLMRequestPercentage
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.18
MIB OID Name	cpqSeCellCLMRequestSize
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.19
MIB OID Name	cpqSeCellCLMAllocatedSize
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.20
MIB OID Name	cpqSeCellInterleaveAllocatedSize
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.21
MIB OID Name	cpqSeCellHasInterleaveMem
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.22
MIB OID Name	cpqSeCellSerialNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.16.1.1.23
----------------	-------------------------------

MIB OID Name	cpqSeCellCLMCondition
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1
MIB OID Name	cpqSelOCTable
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1.1
MIB OID Name	cpqSelOCEntry
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1.1.1
MIB OID Name	cpqSelOCUnitIndex
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1.1.2
MIB OID Name	cpqSelOCCabinetNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1.1.3
MIB OID Name	cpqSelOCBayNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1.1.4
MIB OID Name	cpqSelOCIOCNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1.1.5
MIB OID Name	cpqSelOCPowerState
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.17.1.1.6
MIB OID Name	cpqSelOCLEDState
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.1
MIB OID Name	cpqSePartitionTotalCPU
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.2
MIB OID Name	cpqSePartitionAvailableCellSlots
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.3
MIB OID Name	cpqSePartitionInstalledCells
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.4
MIB OID Name	cpqSePartitionPoweredOnCells
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.5
MIB OID Name	cpqSePartitionReadyForReconfigCells
WBEM Class and Property	Not Implemented

Notes	HP Integrity systems only
--------------	---------------------------

MIB OID	1.3.6.1.4.1.232.1.2.18.6
MIB OID Name	cpqSePartitionMemInterleavingType
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.7
MIB OID Name	cpqSePartitionName
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.8
MIB OID Name	cpqSePartitionCoreCell
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.9
MIB OID Name	cpqSePartitionCoreCellCabinet
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.10
MIB OID Name	cpqSePartitionCLMRequestPercentage
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.11
MIB OID Name	cpqSePartitionCLMRequestSize
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.12
----------------	---------------------------

MIB OID Name	cpqSePartitionCLMAllocatedSize
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.13
MIB OID Name	cpqSePartitionInterleaveAllocatedSize
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.14
MIB OID Name	cpqSePartitionHasInterleaveMem
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.18.15
MIB OID Name	cpqSePartitionNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.19.1
MIB OID Name	cpqSeCabinetTable
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.19.1.1
MIB OID Name	cpqSeCabinetEntry
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.19.1.1.1
MIB OID Name	cpqSeCabinetUnitIndex
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.19.1.1.2
MIB OID Name	cpqSeCabinetCPULED
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.19.1.1.3
MIB OID Name	cpqSeCabinetIOXLED
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.19.1.1.4
MIB OID Name	cpqSeCabinetTypeNum
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.19.1.1.5
MIB OID Name	cpqSeCabinetLED
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.1
MIB OID Name	cpqSeComplexUUID
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.2
MIB OID Name	cpqSeComplexTotalCabinet
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.3
MIB OID Name	cpqSeComplexComputeCabinet
WBEM Class and Property	Not Implemented

Notes	HP Integrity systems only
--------------	---------------------------

MIB OID	1.3.6.1.4.1.232.1.2.20.4
MIB OID Name	cpqSeComplexIOXCabinet
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.5
MIB OID Name	cpqSeComplexName
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.6
MIB OID Name	cpqSeComplexLockedProperty
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7
MIB OID Name	cpqSeComplexCellSlotStatusTable
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7.1
MIB OID Name	cpqSeComplexCellSlotStatusEntry
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7.1.1
MIB OID Name	cpqSeComplexCellSlotStatusIndex
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7.2
----------------	----------------------------

MIB OID Name	cpqSeComplexCellSlotStatusCabinetNo
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7.3
MIB OID Name	cpqSeComplexCellSlotStatusSlotno
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7.4
MIB OID Name	cpqSeComplexCellSlotStatus
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7.1.5
MIB OID Name	cpqSeComplexCellSlotStatusPartitionNo
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.20.7.1.6
MIB OID Name	cpqSeComplexCellSlotStatusPartitionName
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1
MIB OID Name	cpqSeLEDETable
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1.1
MIB OID Name	cpqSeLEDEntry
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1.1.1
MIB OID Name	cpqSeLEDIndex
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1.1.2
MIB OID Name	cpqSeLEDState
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1.1.3
MIB OID Name	cpqSeLEDStateDuration
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1.1.4
MIB OID Name	cpqSeLEDLocationType
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1.1.5
MIB OID Name	cpqSeLEDDescription
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.21.1.1.6
MIB OID Name	cpqSeLEDHardwareLocation
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.1.2.22.1
MIB OID Name	cpqSeUSBDeviceType
WBEM Class and Property	Not Implemented

Notes	
MIB OID	1.3.6.1.4.1.232.1.2.22.2
MIB OID Name	cpqSeUSBDeviceName
WBEM Class and Property	Not Implemented
Notes	

4.2 CPQSINFO

MIB OID	1.3.6.1.4.1.232.2.1.1
MIB OID Name	cpqSiMibRevMajor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.1.2
MIB OID Name	cpqSiMibRevMinor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.1.3
MIB OID Name	cpqSiMibCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.1.4.1
MIB OID Name	cpqSiOsCommonPollFreq
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.1.4.2
MIB OID Name	cpqSiOsCommonModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.2.2.1.4.2.1
MIB OID Name	cpqSiOsCommonModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.2.2.1.4.2.1.1
MIB OID Name	cpqSiOsCommonModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.2.2.1.4.2.1.2
MIB OID Name	cpqSiOsCommonModuleName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.2.2.1.4.2.1.3
MIB OID Name	cpqSiOsCommonModuleVersion
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.2.2.1.4.2.1.4
MIB OID Name	cpqSiOsCommonModuleDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.2.2.1.4.2.1.5
MIB OID Name	cpqSiOsCommonModulePurpose
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.2.2.2.1
MIB OID Name	cpqSiSysSerialNum

WBEM Class and Property	SMX_ComputerSystemChassis.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.2
MIB OID Name	cpqSiFormFactor
WBEM Class and Property	SMX_ComputerSystemChassis.ChassisPackageType SMX_ComputerSystemChassis.RackMountable
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.3
MIB OID Name	cpqSiAssetTag
WBEM Class and Property	SMX_ComputerSystemChassis.UserTracking
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.4
MIB OID Name	cpqSiOwnershipTag
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.5
MIB OID Name	cpqSiSysServiceNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.6
MIB OID Name	cpqSiSysProductId
WBEM Class and Property	SMX_ComputerSystemChassis.ProductID
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.8
MIB OID Name	cpqSiVirtualSystemTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.8.1
MIB OID Name	cpqSiVirtualSystemEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.8.1.1
MIB OID Name	cpqSiVirtualSystemIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.8.1.2
MIB OID Name	cpqSiVirtualSystemSerialNumber
WBEM Class and Property	SMX_ComputerSystemChassis.VirtualSerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.2.8.1.3
MIB OID Name	cpqSiVirtualSystemUUID
WBEM Class and Property	SMX_ComputerSystemChassis.VirtualUUID
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.1
MIB OID Name	cpqSiPowerOnPassword
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.2
MIB OID Name	cpqSiNetServerMode
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.3
MIB OID Name	cpqSiQuickLockPassword
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.3.4
MIB OID Name	cpqSiQuickBlank
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.5
MIB OID Name	cpqSiDisketteBootControl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.6
MIB OID Name	cpqSiSerialPortAControl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.7
MIB OID Name	cpqSiSerialPortBControl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.8
MIB OID Name	cpqSiParallelPortControl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.9
MIB OID Name	cpqSiFloppyDiskControl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.10
----------------	--------------------------

MIB OID Name	cpqSiFixedDiskControl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.11
MIB OID Name	cpqSiHoodRemovedTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.12
MIB OID Name	cpqSiHoodSensorConfiguration
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.13
MIB OID Name	cpqSiSmartCoverLockStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.3.14
MIB OID Name	cpqSiUSBPortControl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.1
MIB OID Name	cpqSiProductId
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.2
MIB OID Name	cpqSiProductName
WBEM Class and Property	SMX_ComputerSystemChassis.Model Or

	SMX_ComputerSystem.Model
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.4
MIB OID Name	cpqSiAuxiliaryInput
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.5
MIB OID Name	cpqSiMemModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1
MIB OID Name	cpqSiMemModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.1
MIB OID Name	cpqSiMemBoardIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.2
MIB OID Name	cpqSiMemModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.3
MIB OID Name	cpqSiMemModuleSize
WBEM Class and Property	SMX_MemoryModule.Capacity

Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.4
MIB OID Name	cpqSiMemModuleType
WBEM Class and Property	SMX_MemoryModule.FormFactor
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.5
MIB OID Name	cpqSiMemModuleSpeed
WBEM Class and Property	SMX_MemoryModule.Speed SMX_MemoryModule.IsSpeedInMhz SMX_MemoryModule.MaxMemorySpeed
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.6
MIB OID Name	cpqSiMemModuleTechnology
WBEM Class and Property	SMX_MemoryModule.MemoryType
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.7
MIB OID Name	cpqSiMemModuleManufacturer
WBEM Class and Property	SMX_MemoryModule.Manufacturer
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.8
MIB OID Name	cpqSiMemModulePartNo
WBEM Class and Property	SMX_MemoryModule.PartNumber
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.9
MIB OID Name	cpqSiMemModuleDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.10
MIB OID Name	cpqSiMemModuleSerialNo
WBEM Class and Property	SMX_MemoryModule.SerialNumber
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.11
MIB OID Name	cpqSiMemModuleECCStatus
WBEM Class and Property	SMX_MemoryModule.OperationalStatus
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.12
MIB OID Name	cpqSiMemModuleHwLocation
WBEM Class and Property	SMX_MemoryModuleSlotLocation.LocationInfoDesc and SMX_MemoryModuleSlotLocation.LocationInformation
Notes	See the P00124 – HP Location Profile document for determining location information Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.13
MIB OID Name	cpqSiMemModuleFrequency
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.14
MIB OID Name	cpqSiMemModuleCellTablePtr
WBEM Class and Property	Not Implemented

Notes	HP Integrity systems only Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth
--------------	---

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.15
MIB OID Name	cpqSiMemModuleCellStatus
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.16
MIB OID Name	cpqSiMemModulePartNoMfgr
WBEM Class and Property	SMX_MemoryModule.PartNumber
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.5.1.17
MIB OID Name	cpqSiMemModuleSerialNoMfgr
WBEM Class and Property	SMX_MemoryModule.SerialNumber
Notes	Deprecated in 8.20, merged into cpqHeResMem2ModuleTable of cpqhlth

MIB OID	1.3.6.1.4.1.232.2.2.4.6
MIB OID Name	cpqSiSystemId

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.7
MIB OID Name	cpqSiSystemCpuld
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.8
MIB OID Name	cpqSiFlashRomSupport
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.9
MIB OID Name	cpqSiQuickTestRomDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.10
MIB OID Name	cpqSiReboot
WBEM Class and Property	root/cimv2 namespace CIM_PowerManagementService.RequestPowerStateChange ()
Notes	Method invocation

MIB OID	1.3.6.1.4.1.232.2.2.4.11
MIB OID Name	cpqSiProcMicroPatchTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.11.1
MIB OID Name	cpqSiProcMicroPatchEntry
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.4.11.1.1
MIB OID Name	cpqSiProcMicroPatchIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.11.1.2
MIB OID Name	cpqSiProcMicroPatchId
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.11.1.3
MIB OID Name	cpqSiProcMicroPatchDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.11.1.4
MIB OID Name	cpqSiProcMicroPatchFamily
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.12
MIB OID Name	cpqSiPowerMgmtStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.13
MIB OID Name	cpqSiRebootFlags
WBEM Class and Property	root/cimv2 namespace CIM_PowerManagementService.RequestPowerStateChange ()
Notes	Method invocation

MIB OID	1.3.6.1.4.1.232.2.2.4.14
MIB OID Name	cpqSiMemErrorIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.15
MIB OID Name	cpqSiMemECCCondition
WBEM Class and Property	SMX_MemoryModule.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.16
MIB OID Name	cpqSiMemConfigChangeData
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.17
MIB OID Name	cpqSiServerSystemId
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.18
MIB OID Name	cpqSiPowerScheme
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.19
MIB OID Name	cpqSiPowerSchemeName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.20
MIB OID Name	cpqSiCurrentPerformanceStatePointer

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.21
MIB OID Name	cpqSiMinPerformanceState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.22
MIB OID Name	cpqSiMaxPerformanceState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.23
MIB OID Name	cpqSiPerfStateTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.23.1
MIB OID Name	cpqSiPerfStateEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.23.1.1
MIB OID Name	cpqSiPerfStateIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.23.1.2
MIB OID Name	cpqSiPerfState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.23.1.3
MIB OID Name	cpqSiPerfStateCpuFrequency
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.23.1.4
MIB OID Name	cpqSiPerfStateCpuPower
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.4.24
MIB OID Name	cpqSiTPMModule
WBEM Class and Property	SMX_ComputerSystemChassis.TPMModule
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.1
MIB OID Name	cpqSiCurRevDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.2
MIB OID Name	cpqSiPrevRevDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.3
MIB OID Name	cpqSiBoardRevTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.3.1
MIB OID Name	cpqSiBoardRevEntry
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.5.3.1.1
MIB OID Name	cpqSiBoardRevSlotIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.3.1.2
MIB OID Name	cpqSiBoardRevIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.3.1.3
MIB OID Name	cpqSiBoardRevId
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.3.1.4
MIB OID Name	cpqSiBoardRevCur
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.3.1.5
MIB OID Name	cpqSiBoardRevPrev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.3.1.6
MIB OID Name	cpqSiBoardRevHwLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.4
----------------	-------------------------

MIB OID Name	cpqSiFirmwareRevTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.4.1
MIB OID Name	cpqSiFirmwareRevEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.4.1.1
MIB OID Name	cpqSiFirmwareRevIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.5.4.1.2
MIB OID Name	cpqSiFirmwareRevDesc
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.4.1.3
MIB OID Name	cpqSiFirmwareRevString
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.4.1.4
MIB OID Name	cpqSiFirmwareRevCellTablePtr
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.4.1.5
MIB OID Name	cpqSiFirmwareLocation
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.4.1.6
MIB OID Name	cpqSiFirmwareStatus
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.5
MIB OID Name	cpqSiFirmwareCfgTable
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.5.1
MIB OID Name	cpqSiFirmwareCfgEntry
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.5.1.1
MIB OID Name	cpqSiFirmwareCfgName
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.5.5.1.2
MIB OID Name	cpqSiFirmwareCfgValue
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.6.1
MIB OID Name	cpqSiRackServerShutdownRole
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.6.2
MIB OID Name	cpqSiRackServerMasterName
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.7.1
MIB OID Name	cpqSiVideoEdidRaw
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.2
MIB OID Name	cpqSiVideoDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.3
MIB OID Name	cpqSiVideoSerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.4
MIB OID Name	cpqSiVideoManufactureDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.5
MIB OID Name	cpqSiVideoHeight
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.6
MIB OID Name	cpqSiVideoWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.7
----------------	-------------------------

MIB OID Name	cpqSiVideoMaxHorPixel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.8
MIB OID Name	cpqSiVideoMaxVertPixel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.7.9
MIB OID Name	cpqSiVideoMaxRefreshRate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.1
MIB OID Name	cpqSiMonitorOverallCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2
MIB OID Name	cpqSiMonitorTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1
MIB OID Name	cpqSiMonitorEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.1
MIB OID Name	cpqSiMonitorIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.2
MIB OID Name	cpqSiMonitorEdidRaw
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.3
MIB OID Name	cpqSiMonitorDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.4
MIB OID Name	cpqSiMonitorSerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.5
MIB OID Name	cpqSiMonitorManufactureDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.6
MIB OID Name	cpqSiMonitorHeight
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.7
MIB OID Name	cpqSiMonitorWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.8
MIB OID Name	cpqSiMonitorMaxHorPixel
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.9
MIB OID Name	cpqSiMonitorMaxVertPixel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.10
MIB OID Name	cpqSiMonitorMaxRefreshRate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.11
MIB OID Name	cpqSiMonitorManufacturer
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.12
MIB OID Name	cpqSiMonitorThermalCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.13
MIB OID Name	cpqSiMonitorOperationalCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.8.2.1.14
MIB OID Name	cpqSiMonitorStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.1
----------------	-------------------------

MIB OID Name	cpqSiHotPlugSlotSupported
WBEM Class and Property	SMX_PCIslot.SupportsHotPlug
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.2
MIB OID Name	cpqSiHotPlugSlotCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.3
MIB OID Name	cpqSiHotPlugSlotChangeCount
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4
MIB OID Name	cpqSiHotPlugSlotTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1
MIB OID Name	cpqSiHotPlugSlotEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1.1
MIB OID Name	cpqSiHotPlugSlotChassis
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1.2
MIB OID Name	cpqSiHotPlugSlotIndex
WBEM Class and Property	HP_Slot.Number
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1.3
MIB OID Name	cpqSiHotPlugSlotBoardPresent
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1.4
MIB OID Name	cpqSiHotPlugSlotPowerState
WBEM Class and Property	SMX_PCISlot.PoweredOn
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1.5
MIB OID Name	cpqSiHotPlugSlotBoardCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1.6
MIB OID Name	cpqSiHotPlugSlotErrorStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.9.4.1.7
MIB OID Name	cpqSiHotPlugSlotHwLocation
WBEM Class and Property	HP_Slot.Name
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.1
MIB OID Name	cpqSiSystemBatteryOverallCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2
MIB OID Name	cpqSiSysBatteryTable
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1
MIB OID Name	cpqSiSysBatteryEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.1
MIB OID Name	cpqSiSysBatteryIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.2
MIB OID Name	cpqSiSysBatteryModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.3
MIB OID Name	cpqSiSysBatterySerialNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.4
MIB OID Name	cpqSiSysBatteryAssetTag
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.5
MIB OID Name	cpqSiSysBatteryManufacturer
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.6
----------------	------------------------------

MIB OID Name	cpqSiSysBatteryDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.7
MIB OID Name	cpqSiSysBatterySmartVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.8
MIB OID Name	cpqSiSysBatteryCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.9
MIB OID Name	cpqSiSysBatteryStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.10
MIB OID Name	cpqSiSysBatteryChemistry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.11
MIB OID Name	cpqSiSysBatteryRemainingCap
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.12
MIB OID Name	cpqSiSysBatteryFirmwareRevision
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.13
MIB OID Name	cpqSiSysBatteryHardwareRevision
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.14
MIB OID Name	cpqSiSysBatteryFullCap
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.15
MIB OID Name	cpqSiSysBatteryDesignCap
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.10.2.1.16
MIB OID Name	cpqSiSysBatteryHwLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.11.1
MIB OID Name	cpqSiDockingStationStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.11.2
MIB OID Name	cpqSiDockingStationSerialNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.11.3
MIB OID Name	cpqSiDockingStationModel
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.11.4
MIB OID Name	cpqSiDockingStationAssetTag
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.12.1
MIB OID Name	cpqSiFruTable
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1
MIB OID Name	cpqSiFruEntry
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.1
MIB OID Name	cpqSiFruIndex
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.2
MIB OID Name	cpqSiFruType
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.3
MIB OID Name	cpqSiFruDescr
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.4
----------------	------------------------------

MIB OID Name	cpqSiFruVendor
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.5
MIB OID Name	cpqSiFruPartNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.6
MIB OID Name	cpqSiFruRevision
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.7
MIB OID Name	cpqSiFruFirmwareRevision
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.8
MIB OID Name	cpqSiFruSerialNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.9
MIB OID Name	cpqSiFruAssetNo
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.10
MIB OID Name	cpqSiFruClass
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.11
MIB OID Name	cpqSiFruSlotNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.12
MIB OID Name	cpqSiFruSubAssemblyNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.13
MIB OID Name	cpqSiFruAssemblyNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.14
MIB OID Name	cpqSiFruChassisNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.15
MIB OID Name	cpqSiFruPositionNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.16
MIB OID Name	cpqSiFruCabinetIDNumber
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.17
MIB OID Name	cpqSiFruSiteLocation
WBEM Class and Property	Not Implemented

Notes	HP Integrity systems only
--------------	---------------------------

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.18
MIB OID Name	cpqSiFruDiagStatus
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.19
MIB OID Name	cpqSiFruExtendedDiagStatus
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.20
MIB OID Name	cpqSiFruCellTablePtr
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.21
MIB OID Name	cpqSiFruIOCTablePtr
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.22
MIB OID Name	cpqSiFruFileId
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.12.1.1.23
MIB OID Name	cpqSiFruScanRev
WBEM Class and Property	Not Implemented
Notes	HP Integrity systems only

MIB OID	1.3.6.1.4.1.232.2.2.13.1
----------------	--------------------------

MIB OID Name	cpqSiRackEnclosureMgrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1
MIB OID Name	cpqSiRackEnclosureMgrEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.1
MIB OID Name	cpqSiRackEnclosureMgrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.2
MIB OID Name	cpqSiRackEnclosureMgrType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.3
MIB OID Name	cpqSiRackEnclosureMgrIpAddr
WBEM Class and Property	SMX_BladeEnclosureCS.ManagementIPAddress
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.4
MIB OID Name	cpqSiRackEnclosureMgrWebLink
WBEM Class and Property	SMX_BladeEnclosureCS.ManagementURL
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.5
MIB OID Name	cpqSiRackEnclosureMgrCondition
WBEM Class and Property	SMX_BladeEnclosureCS.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.6
MIB OID Name	cpqSiRackEnclosureMgrSerialNumber
WBEM Class and Property	SMX_BladeEnclosureCS.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.7
MIB OID Name	cpqSiRackEnclosureMgrModel
WBEM Class and Property	SMX_BladeEnclosureCS.OtherIdentifyingInfo
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.8
MIB OID Name	cpqSiRackEnclosureMgrName
WBEM Class and Property	SMX_BladeEnclosureCS.RackName
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.9
MIB OID Name	cpqSiRackEnclosureMgrFwRev
WBEM Class and Property	SMX_BladeEnclosureFW.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.10
MIB OID Name	cpqSiRackEnclosureMgrProductID
WBEM Class and Property	SMX_BladeEnclosureCS.ProductID
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.13.1.1.11
MIB OID Name	cpqSiRackEnclosureMgrUUID
WBEM Class and Property	SMX_BladeEnclosureCS.RackUUID
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.14.1
MIB OID Name	cpqSiServerBladeEnclosureBayNumber
WBEM Class and Property	SMX_BladeEnclosureLocation.LocationInformation

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.2.2.14.2
MIB OID Name	cpqSiServerBladeHeight
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.14.3
MIB OID Name	cpqSiServerBladeWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.15.1
MIB OID Name	cpqSiRackName
WBEM Class and Property	SMX_BladeEnclosureCS.RackName
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.15.2
MIB OID Name	cpqSiRackUUID
WBEM Class and Property	SMX_BladeEnclosureCS.RackUUID
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.16.1
MIB OID Name	cpqSiMPHostName
WBEM Class and Property	SMX_ManagementProcessor.HostName
Notes	

MIB OID	1.3.6.1.4.1.232.2.2.16.2
MIB OID Name	cpqSiMPHealthStatus
WBEM Class and Property	SMX_ManagementProcessor.OperationalStatus
Notes	

4.3 CPQHLTH

MIB OID	1.3.6.1.4.1.232.6.1.1
MIB OID Name	cpqHeMibRevMajor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.1.2
MIB OID Name	cpqHeMibRevMinor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.1.3
MIB OID Name	cpqHeMibCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.1.1.1
MIB OID Name	cpqHeNw3xDriverName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.1.2
MIB OID Name	cpqHeNw3xDriverDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.1.3
MIB OID Name	cpqHeNw3xDriverVersion
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.4.1
MIB OID Name	cpqHeOsCommonPollFreq

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.1.4.2
MIB OID Name	cpqHeOsCommonModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.4.2.1
MIB OID Name	cpqHeOsCommonModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.4.2.1.1
MIB OID Name	cpqHeOsCommonModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.4.2.1.2
MIB OID Name	cpqHeOsCommonModuleName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.4.2.1.3
MIB OID Name	cpqHeOsCommonModuleVersion
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.4.2.1.4
MIB OID Name	cpqHeOsCommonModuleDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.1.4.2.1.5
MIB OID Name	cpqHeOsCommonModulePurpose
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.2.1
MIB OID Name	cpqHeCritLogSupported
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.2
MIB OID Name	cpqHeCritLogCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.3
MIB OID Name	cpqHeLastCritErrorAbendMsg
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4
MIB OID Name	cpqHeCriticalErrorTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1
MIB OID Name	cpqHeCriticalErrorEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.2
MIB OID Name	cpqHeCriticalErrorIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.2.4.3
MIB OID Name	cpqHeCriticalErrorStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.4
MIB OID Name	cpqHeCriticalErrorType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.5
MIB OID Name	cpqHeCriticalErrorTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.6
MIB OID Name	cpqHeCriticalErrorInfo
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.7
MIB OID Name	cpqHeCriticalErrorDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.1
MIB OID Name	cpqHeCorrMemLogStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.2
----------------	-------------------------

MIB OID Name	cpqHeCorrMemLogCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.3
MIB OID Name	cpqHeCorrMemTotalErrs
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.2.4
MIB OID Name	cpqHeCorrMemErrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1
MIB OID Name	cpqHeCorrMemErrEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1.1
MIB OID Name	cpqHeCorrMemErrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1.2
MIB OID Name	cpqHeCorrMemErrCount
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1.3
MIB OID Name	cpqHeCorrMemErrTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1.4
MIB OID Name	cpqHeCorrMemErrDdr
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1.5
MIB OID Name	cpqHeCorrMemErrSyndrome
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1.6
MIB OID Name	cpqHeCorrMemErrDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.4.1.7
MIB OID Name	cpqHeCorrMemErrHwLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.2.5
MIB OID Name	cpqHeCorrMemErrorCntThresh
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.1
MIB OID Name	cpqHeAsrStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.2
MIB OID Name	cpqHeAsrMajorVersion
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.5.3
MIB OID Name	cpqHeAsrMinorVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.4
MIB OID Name	cpqHeAsrTimeout
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.5
MIB OID Name	cpqHeAsrBaselo
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.6
MIB OID Name	cpqHeAsrPost
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.5.7
MIB OID Name	cpqHeAsrReset
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.8
MIB OID Name	cpqHeAsrReboot
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.9
----------------	-------------------------

MIB OID Name	cpqHeAsrRebootLimit
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.10
MIB OID Name	cpqHeAsrRebootCount
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.11
MIB OID Name	cpqHeAsrPagerStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.12
MIB OID Name	cpqHeAsrPagerNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.13
MIB OID Name	cpqHeAsrCommPort
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.14
MIB OID Name	cpqHeAsrBaudRate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.15
MIB OID Name	cpqHeAsrPagerMessage
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.16
MIB OID Name	cpqHeAsrBootFail
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.2.5.17
MIB OID Name	cpqHeAsrCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.18
MIB OID Name	cpqHeAsrDialInStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.19
MIB OID Name	cpqHeAsrDialOutStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.20
MIB OID Name	cpqHeAsrDialOutNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.21
MIB OID Name	cpqHeAsrNetworkAccessStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.5.22
MIB OID Name	cpqHeAsrPollTime
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.6.1
MIB OID Name	cpqHeThermalCondition
WBEM Class and Property	SMX_SensorCollection.GroupOperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.2
MIB OID Name	cpqHeThermalDegradedAction
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.3
MIB OID Name	cpqHeThermalTempStatus
WBEM Class and Property	SMX_SensorCollection.GroupOperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.4
MIB OID Name	cpqHeThermalSystemFanStatus
WBEM Class and Property	SMX_FanCollection.GroupOperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.5
MIB OID Name	cpqHeThermalCpuFanStatus
WBEM Class and Property	SMX_FanCollection.GroupOperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.6
MIB OID Name	cpqHeThermalFanTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1
----------------	---------------------------

MIB OID Name	cpqHeThermalFanEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1.1
MIB OID Name	cpqHeThermalFanIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1.2
MIB OID Name	cpqHeThermalFanRequired
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1.3
MIB OID Name	cpqHeThermalFanPresent
WBEM Class and Property	Not Implemented
Notes	No property explicitly for "IsPresent", but an instance implies presence.

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1.4
MIB OID Name	cpqHeThermalFanCpuFan
WBEM Class and Property	SMX_Fan.FanType
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1.5
MIB OID Name	cpqHeThermalFanStatus
WBEM Class and Property	SMX_Fan.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1.6
MIB OID Name	cpqHeThermalFanHwLocation
WBEM Class and Property	SMX_FanLocation.LocationInfoDesc and SMX_FanLocation.LocationInformation

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.6.6.1.7
MIB OID Name	cpqHeThermalFanCurrentSpeed
WBEM Class and Property	SMX_FanSpeedSensor.CurrentReading
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7
MIB OID Name	cpqHeFltToIFanTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1
MIB OID Name	cpqHeFltToIFanEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.1
MIB OID Name	cpqHeFltToIFanChassis
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.2
MIB OID Name	cpqHeFltToIFanIndex
WBEM Class and Property	SMX_Fan.DeviceID
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.3
MIB OID Name	cpqHeFltToIFanLocale
WBEM Class and Property	SMX_Fan.FanType
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.4
----------------	-----------------------------

MIB OID Name	cpqHeFitToIFanPresent
WBEM Class and Property	Not Implemented
Notes	No property explicitly for "IsPresent", but an instance implies presence.

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.5
MIB OID Name	cpqHeFitToIFanType
WBEM Class and Property	SMX_Fan.FanType
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.6
MIB OID Name	cpqHeFitToIFanSpeed
WBEM Class and Property	SMX_FanSpeedSensor.CurrentReading
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.7
MIB OID Name	cpqHeFitToIFanRedundant
WBEM Class and Property	SMX_FanRedundancySet.RedundancyStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.8
MIB OID Name	cpqHeFitToIFanRedundantPartner
WBEM Class and Property	SMX_FanRedundancySet.InstanceID
Notes	All fans within a specific fan redundancy set are considered to be partners.

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.9
MIB OID Name	cpqHeFitToIFanCondition
WBEM Class and Property	SMX_FanCollection.GroupOperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.10
MIB OID Name	cpqHeFitToIFanHotPlug
WBEM Class and Property	SMX_FanModule.RemovalConditions

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.11
MIB OID Name	cpqHeFltToIFanHwLocation
WBEM Class and Property	SMX_Fan.Description
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.7.1.12
MIB OID Name	cpqHeFltToIFanCurrentSpeed
WBEM Class and Property	SMX_FanSpeedSensor.CurrentReading
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8
MIB OID Name	cpqHeTemperatureTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1
MIB OID Name	cpqHeTemperatureEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.1
MIB OID Name	cpqHeTemperatureChassis
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.2
MIB OID Name	cpqHeTemperatureIndex
WBEM Class and Property	SMX_NumericSensor.DeviceID
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.3
----------------	-----------------------------

MIB OID Name	cpqHeTemperatureLocale
WBEM Class and Property	SMX_NumericSensor.NumericSensorType
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.4
MIB OID Name	cpqHeTemperatureCelsius
WBEM Class and Property	SMX_NumericSensor.CurrentReading
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.5
MIB OID Name	cpqHeTemperatureThreshold
WBEM Class and Property	SMX_NumericSensor.UpperThresholdCritical
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.6
MIB OID Name	cpqHeTemperatureCondition
WBEM Class and Property	SMX_NumericSensor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.7
MIB OID Name	cpqHeTemperatureThresholdType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.6.8.1.8
MIB OID Name	cpqHeTemperatureHwLocation
WBEM Class and Property	SMX_NumericSensor.Description
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.7.1
MIB OID Name	cpqHePostMsgCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.7.2
MIB OID Name	cpqHePostMsgTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.7.2.1
MIB OID Name	cpqHePostMsgEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.7.2.1.1
MIB OID Name	cpqHePostMsgIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.7.2.1.2
MIB OID Name	cpqHePostMsgCode
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.7.2.1.3
MIB OID Name	cpqHePostMsgDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.7.3
MIB OID Name	cpqHePostMsgEv
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.1
MIB OID Name	cpqHeSysUtilLifeTime
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.8.2
MIB OID Name	cpqHeSysUtilEisaBusMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.3
MIB OID Name	cpqHeSysUtilEisaBusFiveMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.4
MIB OID Name	cpqHeSysUtilEisaBusThirtyMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5
MIB OID Name	cpqHeSysUtilEisaBusHour
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6
MIB OID Name	cpqHeSysUtilPciTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1
MIB OID Name	cpqHeSysUtilPciEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.1
----------------	-------------------------------

MIB OID Name	cpqHeSysUtilPciIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.2
MIB OID Name	cpqHeSysUtilPciBus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.3
MIB OID Name	cpqHeSysUtilPciDevice
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.4
MIB OID Name	cpqHeSysUtilPciMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.5
MIB OID Name	cpqHeSysUtilPciFiveMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.6
MIB OID Name	cpqHeSysUtilPciThirtyMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.7
MIB OID Name	cpqHeSysUtilPciHour
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.8.5.6.1.8
MIB OID Name	cpqHeSysUtilPciHwLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.1
MIB OID Name	cpqHeFltToIPwrSupplyCondition
WBEM Class and Property	SMX_PowerCollection.GroupOperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.2
MIB OID Name	cpqHeFltToIPwrSupplyStatus
WBEM Class and Property	SMX_PowerCollection.GroupOperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3
MIB OID Name	cpqHeFltToIPowerSupplyTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1
MIB OID Name	cpqHeFltToIPowerSupplyEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.1
MIB OID Name	cpqHeFltToIPowerSupplyChassis
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.2
MIB OID Name	cpqHeFltToIPowerSupplyBay
WBEM Class and Property	SMX_PowerSupply.Description

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.3
MIB OID Name	cpqHeFltToIPowerSupplyPresent
WBEM Class and Property	Not Implemented
Notes	No property explicitly for "IsPresent", but an instance implies presence.

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.4
MIB OID Name	cpqHeFltToIPowerSupplyCondition
WBEM Class and Property	SMX_PowerSupply.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.5
MIB OID Name	cpqHeFltToIPowerSupplyStatus
WBEM Class and Property	SMX_PowerSupply.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.6
MIB OID Name	cpqHeFltToIPowerSupplyMainVoltage
WBEM Class and Property	SMX_PowerMeter.CurrentReading
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.7
MIB OID Name	cpqHeFltToIPowerSupplyCapacityUsed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.8
MIB OID Name	cpqHeFltToIPowerSupplyCapacityMaximum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.9
----------------	-----------------------------

MIB OID Name	cpqHeFitToIPowerSupplyRedundant
WBEM Class and Property	SMX_PowerCollection.GroupOperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.10
MIB OID Name	cpqHeFitToIPowerSupplyModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.11
MIB OID Name	cpqHeFitToIPowerSupplySerialNumber
WBEM Class and Property	SMX_PowerSupplyModule.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.12
MIB OID Name	cpqHeFitToIPowerSupplyAutoRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.13
MIB OID Name	cpqHeFitToIPowerSupplyHotPlug
WBEM Class and Property	SMX_PowerSupplyModule.RemovalConditions
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.14
MIB OID Name	cpqHeFitToIPowerSupplyFirmwareRev
WBEM Class and Property	SMX_PowerControllerFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.15
MIB OID Name	cpqHeFitToIPowerSupplyHwLocation
WBEM Class and Property	SMX_PowerSupply.DeviceID
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.16
MIB OID Name	cpqHeFitToIPowerSupplySparePartNum
WBEM Class and Property	SMX_PowerSupplyModule.PartNumber
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.17
MIB OID Name	cpqHeFitToIPowerSupplyRedundantPartner
WBEM Class and Property	SMX_PowerRedundancySet.InstanceID
Notes	All power supplies within a specific power supply redundancy set are considered to be partners.

MIB OID	1.3.6.1.4.1.232.6.2.9.3.1.18
MIB OID Name	cpqHeFitToIPowerSupplyErrorCondition
WBEM Class and Property	SMX_PowerSupply.OperationalStatus[1]
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.10.1
MIB OID Name	cpqHeIRCSStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.1
MIB OID Name	cpqHeEventLogSupported
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.2
MIB OID Name	cpqHeEventLogCondition
WBEM Class and Property	SMX_IMLRecordLog.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3
MIB OID Name	cpqHeEventLogTable
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1
MIB OID Name	cpqHeEventLogEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.1
MIB OID Name	cpqHeEventLogEntryNumber
WBEM Class and Property	HP_CommonLogEntry.RecordID
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.2
MIB OID Name	cpqHeEventLogEntrySeverity
WBEM Class and Property	SMX_IMLLogEntry.Severity
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.3
MIB OID Name	cpqHeEventLogEntryClass
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.4
MIB OID Name	cpqHeEventLogEntryCode
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.5
MIB OID Name	cpqHeEventLogEntryCount
WBEM Class and Property	SMX_IMLLogEntry.OccurrenceCount
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.6
----------------	------------------------------

MIB OID Name	cpqHeEventLogInitialTime
WBEM Class and Property	SMX_IMLLogEntry.CreationTimeStamp
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.7
MIB OID Name	cpqHeEventLogUpdateTime
WBEM Class and Property	SMX_IMLLogEntry.UpdateTimeStamp
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.8
MIB OID Name	cpqHeEventLogErrorDesc
WBEM Class and Property	SMX_IMLLogEntry.Description
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.11.3.1.9
MIB OID Name	cpqHeEventLogFreeFormData
WBEM Class and Property	SMX_IMLLogEntry.RawData
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.12.1
MIB OID Name	cpqHeMgmtDisplayType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.12.2
MIB OID Name	cpqHeMgmtDisplayText
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.12.3
MIB OID Name	cpqHeMgmtUID
WBEM Class and Property	SMX_ComputerSystem.LocationIndicator
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.1
MIB OID Name	cpqHePowerConverterSupported
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.2
MIB OID Name	cpqHePowerConverterCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3
MIB OID Name	cpqHePowerConverterTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1
MIB OID Name	cpqHePowerConverterEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.1
MIB OID Name	cpqHePwrConvChassis
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.2
MIB OID Name	cpqHePwrConvIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.3
MIB OID Name	cpqHePwrConvPresent
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.4
MIB OID Name	cpqHePwrConvSlot
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.5
MIB OID Name	cpqHePwrConvSocket
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.6
MIB OID Name	cpqHePwrConvRedundant
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.7
MIB OID Name	cpqHePwrConvRedundantGroupId
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.8
MIB OID Name	cpqHePwrConvCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.13.3.1.9
MIB OID Name	cpqHePwrConvHwLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.1
----------------	--------------------------

MIB OID Name	cpqHeResilientMemTypeActive
WBEM Class and Property	SMX_MemoryRedundancySet.TypeOfSet
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.2
MIB OID Name	cpqHeResilientMemTypeAvailable
WBEM Class and Property	SMX_MemoryRedundancySet.ConfigurationsAvailable
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.3
MIB OID Name	cpqHeResilientMemStatus
WBEM Class and Property	SMX_MemoryCollection.GroupOperationalStatus and
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.4
MIB OID Name	cpqHeResilientMemCondition
WBEM Class and Property	SMX_MemoryCollection.GroupOperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.5
MIB OID Name	cpqHeResilientMemHotPlug
WBEM Class and Property	SMX_MemoryModule.RemovalConditions and SMX_MemoryBoard.RemovalConditions
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.6
MIB OID Name	cpqHeResilientMemOperatingSpeed
WBEM Class and Property	SMX_MemoryModule.Speed
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.7
MIB OID Name	cpqHeResilientMemOsMemSize

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.8
MIB OID Name	cpqHeResilientMemTotalMemSize
WBEM Class and Property	SMX_Memory.NumberOfBlocks
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.9
MIB OID Name	cpqHeResilientMemRivState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10
MIB OID Name	cpqHeResMemBoardTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1
MIB OID Name	cpqHeResMemBoardEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.1
MIB OID Name	cpqHeResMemBoardSlotIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.2
MIB OID Name	cpqHeResMemBoardOnlineStatus
WBEM Class and Property	SMX_MemoryBoard.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.3
MIB OID Name	cpqHeResMemBoardErrorStatus
WBEM Class and Property	SMX_MemoryBoard.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.4
MIB OID Name	cpqHeResMemBoardLocked
WBEM Class and Property	SMX_MemoryBoard.Locked
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.5
MIB OID Name	cpqHeResMemBoardNumSockets
WBEM Class and Property	SMX_MemoryBoard.NumberOfSockets
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.6
MIB OID Name	cpqHeResMemBoardOsMemSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.7
MIB OID Name	cpqHeResMemBoardTotalMemSize
WBEM Class and Property	SMX_MemoryBoard.TotalMemory
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.8
MIB OID Name	cpqHeResMemBoardCondition
WBEM Class and Property	SMX_MemoryBoard.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.10.1.9
MIB OID Name	cpqHeResMemBoardHotPlug
WBEM Class and Property	SMX_MemoryBoard.RemovalConditions

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.14.11
MIB OID Name	cpqHeResMemModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.11.1
MIB OID Name	cpqHeResMemModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.11.1.1
MIB OID Name	cpqHeResMemBoardIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.11.1.2
MIB OID Name	cpqHeResMemModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.11.1.3
MIB OID Name	cpqHeResMemModuleSparePartNo
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.11.1.4
MIB OID Name	cpqHeResMemModuleStatus
WBEM Class and Property	HP_MemoryModule.OperationalStatus[1]
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.11.1.5
----------------	-------------------------------

MIB OID Name	cpqHeResMemModuleCondition
WBEM Class and Property	HP_MemoryModule.OperationalStatus[0]
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.11.1.6
MIB OID Name	cpqHeResMemModuleSpd
WBEM Class and Property	HP_MemoryModule.Spd
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.6.2.14.12
MIB OID Name	cpqHeResMem2BoardTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1
MIB OID Name	cpqHeResMem2BoardEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.1
MIB OID Name	cpqHeResMem2BoardIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.2
MIB OID Name	cpqHeResMem2BoardSlotNum
WBEM Class and Property	SMX_MemoryBoardSlot.Number
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.3
MIB OID Name	cpqHeResMem2BoardCpuNum

WBEM Class and Property	SMX_MemoryBoard.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.4
MIB OID Name	cpqHeResMem2BoardRiserNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.5
MIB OID Name	cpqHeResMem2BoardOnlineStatus
WBEM Class and Property	SMX_MemoryBoard.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.6
MIB OID Name	cpqHeResMem2BoardErrorStatus
WBEM Class and Property	SMX_MemoryBoard.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.7
MIB OID Name	cpqHeResMem2BoardLocked
WBEM Class and Property	SMX_MemoryBoard.Locked
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.9
MIB OID Name	cpqHeResMem2BoardNumSockets
WBEM Class and Property	SMX_MemoryBoard.NumberOfSockets
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.10
MIB OID Name	cpqHeResMem2BoardOsMemSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.11
MIB OID Name	cpqHeResMem2BoardTotalMemSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.12
MIB OID Name	cpqHeResMem2BoardCondition
WBEM Class and Property	SMX_MemoryBoard.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.12.1.13
MIB OID Name	cpqHeResMem2BoardHotPlug
WBEM Class and Property	SMX_MemoryBoard.RemovalConditions
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13
MIB OID Name	cpqHeResMem2ModuleTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1
MIB OID Name	cpqHeResMem2ModuleEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.1
MIB OID Name	cpqHeResMem2Module
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.2
MIB OID Name	cpqHeResMem2BoardNum
WBEM Class and Property	SMX_MemoryModule.ElementName

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.3
MIB OID Name	cpqHeResMem2CpuNum
WBEM Class and Property	SMX_MemoryModule.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.4
MIB OID Name	cpqHeResMem2RiserNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.5
MIB OID Name	cpqHeResMem2ModuleNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.6
MIB OID Name	cpqHeResMem2ModuleSize
WBEM Class and Property	SMX_MemoryModule.Capacity
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.7
MIB OID Name	cpqHeResMem2ModuleType
WBEM Class and Property	SMX_MemoryModule.ModuleType
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.8
MIB OID Name	cpqHeResMem2ModuleTechnology
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.9
MIB OID Name	cpqHeResMem2ModuleManufacturer
WBEM Class and Property	SMX_MemoryModule.Manufacturer
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.10
MIB OID Name	cpqHeResMem2ModulePartNo
WBEM Class and Property	SMX_MemoryModule.PartNumber
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.11
MIB OID Name	cpqHeResMem2ModuleDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.12
MIB OID Name	cpqHeResMem2ModuleSerialNo
WBEM Class and Property	SMX_MemoryModule.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.13
MIB OID Name	cpqHeResMem2ModuleHwLocation
WBEM Class and Property	SMX_MemoryModule.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.14
MIB OID Name	cpqHeResMem2ModuleFrequency
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.15
MIB OID Name	cpqHeResMem2ModuleCellTablePtr
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.16
MIB OID Name	cpqHeResMem2ModuleCellStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.17
MIB OID Name	cpqHeResMem2ModulePartNoMfgr
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.18
MIB OID Name	cpqHeResMem2ModuleSerialNoMfgr
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.19
MIB OID Name	cpqHeResMem2ModuleStatus
WBEM Class and Property	SMX_MemoryModule.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.20
MIB OID Name	cpqHeResMem2ModuleCondition
WBEM Class and Property	SMX_MemoryModule.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.14.13.1.21
MIB OID Name	cpqHeResMem2ModuleSpd
WBEM Class and Property	SMX_MemoryModule.Spd
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.15.1
----------------	--------------------------

MIB OID Name	cpqHePowerMeterSupport
WBEM Class and Property	Not Implemented
Notes	Implied by existence of SMX_PowerMeter instance

MIB OID	1.3.6.1.4.1.232.6.2.15.2
MIB OID Name	cpqHePowerMeterStatus
WBEM Class and Property	SMX_PowerMeter.CurrentState
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.15.3
MIB OID Name	cpqHePowerMeterCurrReading
WBEM Class and Property	SMX_PowerMeter.CurrentReading
Notes	

MIB OID	1.3.6.1.4.1.232.6.2.15.4
MIB OID Name	cpqHePowerMeterPrevReading
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.6.3.1
MIB OID Name	cpqHeTrapPkts
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.3.2
MIB OID Name	cpqHeTrapLogMaxSize
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.3.3
MIB OID Name	cpqHeTrapLogTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.3.3.1
MIB OID Name	cpqHeTrapLogEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.3.3.1.1
MIB OID Name	cpqHeTrapLogIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.3.3.1.2
MIB OID Name	cpqHeTrapType
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.6.3.3.1.3
MIB OID Name	cpqHeTrapTime
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

4.4 CPQHOST

MIB OID	1.3.6.1.4.1.232.11.1.1
MIB OID Name	cpqHoMibRevMajor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.1.2
MIB OID Name	cpqHoMibRevMinor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.1.3
MIB OID Name	cpqHoMibCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.1.4.1
MIB OID Name	cpqHoOsCommonPollFreq
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.1.4.2
MIB OID Name	cpqHoOsCommonModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.1.4.2.1
MIB OID Name	cpqHoOsCommonModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.1.4.2.1.1
MIB OID Name	cpqHoOsCommonModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.1.4.2.1.2
MIB OID Name	cpqHoOsCommonModuleName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.1.4.2.1.3
MIB OID Name	cpqHoOsCommonModuleVersion
WBEM Class and Property	Not Implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.11.2.1.4.2.1.4
MIB OID Name	cpqHoOsCommonModuleDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.1.4.2.1.5
MIB OID Name	cpqHoOsCommonModulePurpose
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.2.1
MIB OID Name	cpqHoName
WBEM Class and Property	SMX_OperatingSystem.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.2
MIB OID Name	cpqHoVersion
WBEM Class and Property	SMX_OperatingSystem.Version
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.3
MIB OID Name	cpqHoDesc
WBEM Class and Property	SMX_OperatingSystem.Description
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.4
MIB OID Name	cpqHoOsType
WBEM Class and Property	SMX_OperatingSystem.OSType
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.5
----------------	--------------------------

MIB OID Name	cpqHoTelnet
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.6
MIB OID Name	cpqHoSystemRole
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.7
MIB OID Name	cpqHoSystemRoleDetail
WBEM Class and Property	SMX_ComputerSystem.Roles
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.8
MIB OID Name	cpqHoCrashDumpState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.9
MIB OID Name	cpqHoCrashDumpCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.10
MIB OID Name	cpqHoCrashDumpMonitoring
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.11
MIB OID Name	cpqHoMaxLogicalCPUSupported
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.2.12
MIB OID Name	cpqHoSystemName
WBEM Class and Property	SMX_ComputerSystem.Name
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1
MIB OID Name	cpqHoCpuUtilTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1.1
MIB OID Name	cpqHoCpuUtilEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1.1.1
MIB OID Name	cpqHoCpuUtilUnitIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1.1.2
MIB OID Name	cpqHoCpuUtilMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1.1.3
MIB OID Name	cpqHoCpuUtilFiveMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1.1.4
----------------	------------------------------

MIB OID Name	cpqHoCpuUtilThirtyMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1.1.5
MIB OID Name	cpqHoCpuUtilHour
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.3.1.1.6
MIB OID Name	cpqHoCpuUtilHwLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1
MIB OID Name	cpqHoFileSysTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1
MIB OID Name	cpqHoFileSysEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.1
MIB OID Name	cpqHoFileSysIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.2
MIB OID Name	cpqHoFileSysDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.3
MIB OID Name	cpqHoFileSysSpaceTotal
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.4
MIB OID Name	cpqHoFileSysSpaceUsed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.5
MIB OID Name	cpqHoFileSysPercentSpaceUsed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.6
MIB OID Name	cpqHoFileSysAllocUnitsTotal
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.7
MIB OID Name	cpqHoFileSysAllocUnitsUsed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.8
MIB OID Name	cpqHoFileSysStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.4.1.1.9
MIB OID Name	cpqHoFileSysShortDesc
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.11.2.4.2
MIB OID Name	cpqHoFileSysCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.5.1
MIB OID Name	cpqHolPhysMapTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1
MIB OID Name	cpqHolPhysMapEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.1
MIB OID Name	cpqHolPhysMapIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.2
MIB OID Name	cpqHolPhysMapSlot
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.3
MIB OID Name	cpqHolPhysMapIoBaseAddr
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.4
MIB OID Name	cpqHolfPhysMapIrq
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.5
MIB OID Name	cpqHolfPhysMapDma
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.6
MIB OID Name	cpqHolfPhysMapMemBaseAddr
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.7
MIB OID Name	cpqHolfPhysMapPort
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.8
MIB OID Name	cpqHolfPhysMapDuplexState
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.1.1.9
MIB OID Name	cpqHolfPhysMapCondition
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.11.2.5.2
MIB OID Name	cpqHolfPhysMapOverallCondition
WBEM Class and Property	Not Implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.11.2.6.1
MIB OID Name	cpqHoSWRunningTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1
MIB OID Name	cpqHoSWRunningEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.1
MIB OID Name	cpqHoSWRunningIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.2
MIB OID Name	cpqHoSWRunningName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.3
MIB OID Name	cpqHoSWRunningDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.4
MIB OID Name	cpqHoSWRunningVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.5
----------------	------------------------------

MIB OID Name	cpqHoSWRunningDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.6
MIB OID Name	cpqHoSWRunningMonitor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.7
MIB OID Name	cpqHoSWRunningState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.8
MIB OID Name	cpqHoSWRunningCount
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.9
MIB OID Name	cpqHoSWRunningCountMin
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.10
MIB OID Name	cpqHoSWRunningCountMax
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.11
MIB OID Name	cpqHoSWRunningEventTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.12
MIB OID Name	cpqHoSWRunningStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.13
MIB OID Name	cpqHoSWRunningConfigStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.14
MIB OID Name	cpqHoSWRunningIdentifier
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.1.1.15
MIB OID Name	cpqHoSWRunningRedundancyMode
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.6.2
MIB OID Name	cpqHoSwRunningTrapDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.1
MIB OID Name	cpqHoSwVerNextIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2
MIB OID Name	cpqHoSwVerTable
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1
MIB OID Name	cpqHoSwVerEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.1
MIB OID Name	cpqHoSwVerIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.2
MIB OID Name	cpqHoSwVerStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.3
MIB OID Name	cpqHoSwVerType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.4
MIB OID Name	cpqHoSwVerName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.5
MIB OID Name	cpqHoSwVerDescription
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.6
----------------	------------------------------

MIB OID Name	cpqHoSwVerDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.7
MIB OID Name	cpqHoSwVerLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.8
MIB OID Name	cpqHoSwVerVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.2.1.9
MIB OID Name	cpqHoSwVerVersionBinary
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.7.3
MIB OID Name	cpqHoSwVerAgentsVer
WBEM Class and Property	Not Implemented
Notes	Can use SMX_SMXSoftwareIdentity.VersionString for the version of the WBEM providers.

MIB OID	1.3.6.1.4.1.232.11.2.8.1
MIB OID Name	cpqHoGenericData
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.8.2
MIB OID Name	cpqHoCriticalSoftwareUpdateData
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.9.1
MIB OID Name	cpqHoSwPerfAppErrorDesc
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.10.1
MIB OID Name	cpqHoMibStatusArray
WBEM Class and Property	SMX_ComputerSystem.OperationalStatus SMX_ComputerSystem.OperationalStatusClassNames
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.10.2
MIB OID Name	cpqHoConfigChangedDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.10.3
MIB OID Name	cpqHoGUID
WBEM Class and Property	SMX_ComputerSystemPackage.PlatformGUID
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.10.4
MIB OID Name	cpqHoCodeServer
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.10.5
MIB OID Name	cpqHoWebMgmtPort
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.10.6
----------------	---------------------------

MIB OID Name	cpqHoGUIDCanonical
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.11.1
MIB OID Name	cpqHoTrapFlags
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.1
MIB OID Name	cpqHoClientLastModified
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.2
MIB OID Name	cpqHoClientDelete
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3
MIB OID Name	cpqHoClientTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3.1
MIB OID Name	cpqHoClientEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3.1.1
MIB OID Name	cpqHoClientIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3.1.2
MIB OID Name	cpqHoClientName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3.1.3
MIB OID Name	cpqHoClientIpxAddress
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3.1.4
MIB OID Name	cpqHoClientIpAddress
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3.1.5
MIB OID Name	cpqHoClientCommunity
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.12.3.1.6
MIB OID Name	cpqHoClientID
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.13.1
MIB OID Name	cpqHoPhysicalMemorySize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.13.2
MIB OID Name	cpqHoPhysicalMemoryFree
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.11.2.13.3
MIB OID Name	cpqHoPagingMemorySize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.13.4
MIB OID Name	cpqHoPagingMemoryFree
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.13.5
MIB OID Name	cpqHoBootPagingFileSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.13.6
MIB OID Name	cpqHoBootPagingFileMinimumSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.13.7
MIB OID Name	cpqHoBootPagingFileVolumeFreeSpace
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1
MIB OID Name	cpqHoFwVerTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1
MIB OID Name	cpqHoFwVerEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.1
MIB OID Name	cpqHoFwVerIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.2
MIB OID Name	cpqHoFwVerCategory
WBEM Class and Property	SMX_SystemFirmware.FirmwareCategory SMX_EthernetPortcontrollerFirmwareIdentity.FirmwareCategory SMX_FCHBAFirmwarweldentityFW.FirmwareCategory SMX_FCHBAFirmwareIdentityBIOS.FirmwareCategory SMX_MPFirmware.FirmwareCategory SMX_PowerControllerFirmware.FirmwareCategory SMX_SASFirmware.FirmwareCategory SMX_SASDiskDriveFirmware.FirmwareCategory SMX_SASEnclosureFirmware.FirmwareCategory SMX_SAFirmware.FirmwareCategory SMX_SADiskDriveFirmware.FirmwareCategory SMX_SAEnclosureFirmware.FirmwareCategory
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.3
MIB OID Name	cpqHoFwVerDeviceType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.4
MIB OID Name	cpqHoFwVerDisplayName

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.5
MIB OID Name	cpqHoFwVerVersion
WBEM Class and Property	SMX_SystemFirmware.VersionString SMX_EthernetPortcontrollerFirmwareIdentity. VersionString SMX_FCHBAFirmwarweldentityFW. VersionString SMX_FCHBAFirmwareIdentityBIOS. VersionString SMX_MPFirmware. VersionString SMX_PowerControllerFirmware. VersionString SMX_SASFirmware. VersionString SMX_SASDiskDriveFirmware. VersionString SMX_SASEnclosureFirmware. VersionString SMX_SAFirmware. VersionString SMX_SADiskDriveFirmware. VersionString SMX_SAEnclosureFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.6
MIB OID Name	cpqHoFwVerLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.7
MIB OID Name	cpqHoFwVerXmlString
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.8
MIB OID Name	cpqHoFwVerKeyString
WBEM Class and Property	SMX_SystemFirmware.TargetType SMX_EthernetPortcontrollerFirmwareIdentity. TargetType

	SMX_FCHBAFirmwarweldIdentityFW. TargetType SMX_FCHBAFirmwareIdentityBIOS. TargetType SMX_MPFirmware. TargetType SMX_PowerControllerFirmware. TargetType SMX_SASFirmware. TargetType SMX_SASDiskDriveFirmware. TargetType SMX_SASEnclosureFirmware. TargetType SMX_SAFirmware. TargetType SMX_SADiskDriveFirmware. TargetType SMX_SAEnclosureFirmware.VersionString.TargetType
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.14.1.1.9
MIB OID Name	cpqHoFwVerUpdateMethod
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.15.1
MIB OID Name	cpqHoHWInfoPlatform
WBEM Class and Property	Not Implemented
Notes	
MIB OID	1.3.6.1.4.1.232.11.2.16
MIB OID Name	cpqPwrThreshold
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.16.1
MIB OID Name	cpqPwrWarnType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.16.2
MIB OID Name	cpqPwrWarnThreshold
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.11.2.16.3
MIB OID Name	cpqPwrWarnDuration
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.16.4
MIB OID Name	cpqSerialNum
WBEM Class and Property	SMX_ComputerSystemChassis. SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.11.2.16.5
MIB OID Name	cpqServerUUID
WBEM Class and Property	SMX_ComputerSystemPackage.GUID
Notes	

[4.5 CPQRACK](#)

None of the mib variables from CPQRACK are implemented in the HPQ namespace in WBEM.

[4.6 CPQSM2](#)

MIB OID	1.3.6.1.4.1.232.9.1.1
MIB OID Name	cpqSm2MibRevMajor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.1.2
MIB OID Name	cpqSm2MibRevMinor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.1.3
MIB OID Name	cpqSm2MibCondition
WBEM Class and Property	HP_MPCollection.GroupOperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.1.4.1
MIB OID Name	cpqSm2OsCommonPollFreq
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.1.4.2
MIB OID Name	cpqSm2OsCommonModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.9.2.1.4.2.1
MIB OID Name	cpqSm2OsCommonModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.9.2.1.4.2.1.1
MIB OID Name	cpqSm2OsCommonModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.9.2.1.4.2.1.2
MIB OID Name	cpqSm2OsCommonModuleName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.9.2.1.4.2.1.3
MIB OID Name	cpqSm2OsCommonModuleVersion
WBEM Class and Property	Not Implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.9.2.1.4.2.1.4
MIB OID Name	cpqSm2OsCommonModuleDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.9.2.1.4.2.1.5
MIB OID Name	cpqSm2OsCommonModulePurpose
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.9.2.2.1
MIB OID Name	cpqSm2CntlrRomDate
WBEM Class and Property	SMX_MPFirmware.ReleaseDate
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.2
MIB OID Name	cpqSm2CntlrRomRevision
WBEM Class and Property	SMX_MPFirmware.VersionString;
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.3
MIB OID Name	cpqSm2CntlrVideoStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.4
MIB OID Name	cpqSm2CntlrBatteryEnabled
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.5
MIB OID Name	cpqSm2CntlrBatteryStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.6
MIB OID Name	cpqSm2CntlrBatteryPercentCharged
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.7
MIB OID Name	cpqSm2CntlrAlertStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.8
MIB OID Name	cpqSm2CntlrPendingAlerts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.9
MIB OID Name	cpqSm2CntlrSelfTestErrors
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.10
MIB OID Name	cpqSm2CntlrAgentLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.11
MIB OID Name	cpqSm2CntlrLastDataUpdate
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.9.2.2.12
MIB OID Name	cpqSm2CntlrDataStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.13
MIB OID Name	cpqSm2CntlrColdReboot
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.14
MIB OID Name	cpqSm2CntlrBadLoginAttemptsThresh
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.15
MIB OID Name	cpqSm2CntlrBoardSerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.16
MIB OID Name	cpqSm2CntlrRemoteSessionStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.17
MIB OID Name	cpqSm2CntlrInterfaceStatus
WBEM Class and Property	SMX_ManagementProcessor.NICCondition
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.18
----------------	--------------------------

MIB OID Name	cpqSm2CntlrSystemId
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.19
MIB OID Name	cpqSm2CntlrKeyboardCableStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.20
MIB OID Name	cpqSm2ServerIpAddress
WBEM Class and Property	SMX_ManagementProcessor.IPAddress
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.21
MIB OID Name	cpqSm2CntlrModel
WBEM Class and Property	SMX_ManagementProcessor.ControllerType
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.22
MIB OID Name	cpqSm2CntlrSelfTestErrorMask
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.23
MIB OID Name	cpqSm2CntlrMouseCableStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.24
MIB OID Name	cpqSm2CntlrVirtualPowerCableStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.25
MIB OID Name	cpqSm2CntlrExternalPowerCableStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.26
MIB OID Name	cpqSm2CntlrHostGUID
WBEM Class and Property	SMX_ManagementProcessor.UniqueIdentifier
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.27
MIB OID Name	cpqSm2CntlrILOSecurityOverrideSwitchState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.28
MIB OID Name	cpqSm2CntlrHardwareVer
WBEM Class and Property	SMX_ManagementProcessor.HardwareVersion
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.29
MIB OID Name	cpqSm2CntlrAction
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.30
MIB OID Name	cpqSm2CntlrLicenceActive
WBEM Class and Property	SMX_ManagementProcessor.ActiveLicense
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.2.31
MIB OID Name	cpqSm2CntlrLicenseKey
WBEM Class and Property	SMX_ManagementProcessor.LicenseKey

Notes	
MIB OID	1.3.6.1.4.1.232.9.2.3.1
MIB OID Name	cpqSm2EventTotalEntries
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.3.2
MIB OID Name	cpqSm2EventLogTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.3.2.1
MIB OID Name	cpqSm2EventLogEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.3.2.1.1
MIB OID Name	cpqSm2EventLogIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.3.2.1.2
MIB OID Name	cpqSm2EventLogNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.3.2.1.3
MIB OID Name	cpqSm2EventLogDate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.3.2.1.4
MIB OID Name	cpqSm2EventLogMessage

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9..2.4.1
MIB OID Name	cpqSm2CommSettingsTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1
MIB OID Name	cpqSm2CommSettingsEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.1
MIB OID Name	cpqSm2CommPort
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.2
MIB OID Name	cpqSm2CommType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.3
MIB OID Name	cpqSm2CommBaudRate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.4
MIB OID Name	cpqSm2CommParity
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.5
MIB OID Name	cpqSm2CommDataBits
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.6
MIB OID Name	cpqSm2CommStopBits
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.7
MIB OID Name	cpqSm2CommModemReset
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.8
MIB OID Name	cpqSm2CommModemInit
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.9
MIB OID Name	cpqSm2CommModemDialPrefix
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.10
MIB OID Name	cpqSm2CommPortInit
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.11
MIB OID Name	cpqSm2CommDialin
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.12
MIB OID Name	cpqSm2CommDialbackRequired
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.13
MIB OID Name	cpqSm2CommNonPppConnections
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.14
MIB OID Name	cpqSm2CommSnmpTrapDelivery
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.15
MIB OID Name	cpqSm2CommPageDelivery
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.16
MIB OID Name	cpqSm2CommPagerBaudRate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.17
MIB OID Name	cpqSm2CommPagerParity
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.18
----------------	------------------------------

MIB OID Name	cpqSm2CommPagerDataBits
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.19
MIB OID Name	cpqSm2CommPagerStopBits
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.4.1.1.20
MIB OID Name	cpqSm2CommPcmciaModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1
MIB OID Name	cpqSm2NicConfigTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1
MIB OID Name	cpqSm2NicConfigEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.1
MIB OID Name	cpqSm2NicLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.2
MIB OID Name	cpqSm2NicModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.3
MIB OID Name	cpqSm2NicType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.4
MIB OID Name	cpqSm2NicMacAddress
WBEM Class and Property	SMX_ManagementProcessor.PermanentAddress
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.5
MIB OID Name	cpqSm2NicIpAddress
WBEM Class and Property	SMX_ManagementProcesssor.IPAddress SMX_ManagementProcessor.IPv4Addresses SMX_ManagementProcessor.IPv6Addresses
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.6
MIB OID Name	cpqSm2NicIpSubnetMask
WBEM Class and Property	SMX_ManagementProcessor.IPv4SubnetMask
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.7
MIB OID Name	cpqSm2NicEnabledStatus
WBEM Class and Property	SMX_ManagementProcessor.EnabledState
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.8
MIB OID Name	cpqSm2NicDuplexState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.9
----------------	-----------------------------

MIB OID Name	cpqSm2NicSpeed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.10
MIB OID Name	cpqSm2NicDhcpUse
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.11
MIB OID Name	cpqSm2NicCondition
WBEM Class and Property	SMX_ManagementProcessor.NICCondition
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.12
MIB OID Name	cpqSm2NicMtu
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.13
MIB OID Name	cpqSm2NicGatewayIpAddress
WBEM Class and Property	SMX_ManagementProcessor.GatewayIPAddresses
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.1.1.14
MIB OID Name	cpqSm2NicRibFullQualDnsName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2
MIB OID Name	cpqSm2NicStatsTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1
MIB OID Name	cpqSm2NicStatsEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.1
MIB OID Name	cpqSm2NicStatsLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.2
MIB OID Name	cpqSm2NicXmitBytes
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.3
MIB OID Name	cpqSm2NicXmitTotalPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.4
MIB OID Name	cpqSm2NicXmitUnicastPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.5
MIB OID Name	cpqSm2NicXmitNonUniPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.6
MIB OID Name	cpqSm2NicXmitDiscardPackets
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.7
MIB OID Name	cpqSm2NicXmitErrorPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.8
MIB OID Name	cpqSm2NicXmitQueueLength
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.9
MIB OID Name	cpqSm2NicRecvBytes
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.10
MIB OID Name	cpqSm2NicRecvTotalPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.11
MIB OID Name	cpqSm2NicRecvUnicastPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.12
MIB OID Name	cpqSm2NicRecvNonUniPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.13
----------------	------------------------------

MIB OID Name	cpqSm2NicRecvDiscardPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.14
MIB OID Name	cpqSm2NicRecvErrorPackets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.9.2.5.2.1.15
MIB OID Name	cpqSm2NicRecvUnknownPackets
WBEM Class and Property	Not Implemented
Notes	

4.7 CPQSTAT

None of the mib variables from CPQSTAT are implemented in the HPQ namespace in WBEM.

4.8 CPQTHRSH

None of the mib variables from CPQTHRSH are implemented in the HPQ namespace in WBEM.

4.9 CPQWINOS

None of the mib variables from CPQWINOS are implemented in the HPQ namespace in WBEM.

5 Storage MIB Variable to WBEM Property Mappings

5.1 CPQIDA

MIB OID	1.3.6.1.4.1.232.3.1.1
MIB OID Name	cpqDaMibRevMajor

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.1.2
MIB OID Name	cpqDaMibRevMinor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.1.3
MIB OID Name	cpqDaMibCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.1.1.1
MIB OID Name	cpqDaNw3xDriverName
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.2
MIB OID Name	cpqDaNw3xDriverVer
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.3
MIB OID Name	cpqDaNw3xPollType
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.4
MIB OID Name	cpqDaNw3xPollTime
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5
MIB OID Name	cpqDaNw3xDriverStatTable
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1
MIB OID Name	cpqDaNw3xDriverStatEntry
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.1
MIB OID Name	cpqDaNw3xCntlrlIndex
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.2
MIB OID Name	cpqDaNw3xLogDrvIndex
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.3
MIB OID Name	cpqDaNw3xTotalReads
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.4
MIB OID Name	cpqDaNw3xTotalWrites
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.5
MIB OID Name	cpqDaNw3xCorrReads
WBEM Class and Property	Not implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.6
MIB OID Name	cpqDaNw3xCorrWrites
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.7
MIB OID Name	cpqDaNw3xFatalReads
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.5.1.8
MIB OID Name	cpqDaNw3xFatalWrites
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.6
MIB OID Name	cpqDaNw3xVolMapTable
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.6.1
MIB OID Name	cpqDaNw3xVolMapEntry
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.6.1.1
MIB OID Name	cpqDaNw3xVolCntlrIndex
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.6.1.2
----------------	-------------------------------

MIB OID Name	cpqDaNw3xVolLogDrvIndex
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.1.6.1.3
MIB OID Name	cpqDaNw3xVolMap
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.1
MIB OID Name	cpqDaOsCommonPollFreq
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.1.4.2
MIB OID Name	cpqDaOsCommonModuleTable
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.2.1
MIB OID Name	cpqDaOsCommonModuleEntry
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.2.1.1
MIB OID Name	cpqDaOsCommonModuleIndex
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.2.1.2
MIB OID Name	cpqDaOsCommonModuleName
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.2.1.3
MIB OID Name	cpqDaOsCommonModuleVersion
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.2.1.4
MIB OID Name	cpqDaOsCommonModuleDate
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.2.1.5
MIB OID Name	cpqDaOsCommonModulePurpose
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.1.4.3
MIB OID Name	cpqDaOsCommonCollectionReset
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1
MIB OID Name	cpqDaCntlrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1
MIB OID Name	cpqDaCntlrEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.1
MIB OID Name	cpqDaCntlrIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.2
MIB OID Name	cpqDaCntlrModel
WBEM Class and Property	SMX_SAPhysicalPackage.Model
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.3
MIB OID Name	cpqDaCntlrFWRev
WBEM Class and Property	SMX_SAFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.4
MIB OID Name	cpqDaCntlrStndIntr
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.5
MIB OID Name	cpqDaCntlrSlot
WBEM Class and Property	SMX_SAArraySystemLocation.LocationInformation
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.6
MIB OID Name	cpqDaCntlrCondition
WBEM Class and Property	SMX_SAArraySystem.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.7
MIB OID Name	cpqDaCntlrProductRev
WBEM Class and Property	SMX_SAProduct.Version
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.8
----------------	-----------------------------

MIB OID Name	cpqDaCntlrPartnerSlot
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.9
MIB OID Name	cpqDaCntlrCurrentRole
WBEM Class and Property	SMX_SAArrayController.ElementName
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.10
MIB OID Name	cpqDaCntlrBoardStatus
WBEM Class and Property	SMX_SAArrayController.ControllerStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.11
MIB OID Name	cpqDaCntlrPartnerBoardStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.12
MIB OID Name	cpqDaCntlrBoardCondition
WBEM Class and Property	SMX_SAArrayController.ControllerStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.13
MIB OID Name	cpqDaCntlrPartnerBoardCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.14
MIB OID Name	cpqDaCntlrDriveOwnership
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.15
MIB OID Name	cpqDaCntlrSerialNumber
WBEM Class and Property	SMX_SAPhysicalPackage.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.16
MIB OID Name	cpqDaCntlrRedundancyType
WBEM Class and Property	Not Implemented
Notes	Redundant controllers not supported on ESXi

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.17
MIB OID Name	cpqDaCntlrRedundancyError
WBEM Class and Property	Not Implemented
Notes	Redundant controllers not supported on ESXi

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.18
MIB OID Name	cpqDaCntlrAccessModuleStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.19
MIB OID Name	cpqDaCntlrDaughterBoardType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.20
MIB OID Name	cpqDaCntlrHwLocation
WBEM Class and Property	SMX_SAArrayControllerLocation.PhysicalPosition
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.21
MIB OID Name	cpqDaCntlrNumberOfBuses
WBEM Class and Property	SMX_SAArrayController.NumberOfPorts

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.22
MIB OID Name	cpqDaCntlrBlinkTime
WBEM Class and Property	SMX_SAArraySystem.Identify()
Notes	Method Invocation

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.23
MIB OID Name	cpqDaCntlrRebuildPriority
WBEM Class and Property	SMX_SAArrayController.RebuildPriority
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.24
MIB OID Name	cpqDaCntlrExpandPriority
WBEM Class and Property	SMX_SAArrayController.ExpandPriority
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.25
MIB OID Name	cpqDaCntlrNumberOfInternalPorts
WBEM Class and Property	SMX_SAArrayController. NumberOfInternalPorts
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.1.1.26
MIB OID Name	cpqDaCntlrNumberOfExternalPorts
WBEM Class and Property	SMX_SAArrayController. NumberOfExternalPorts
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2
MIB OID Name	cpqDaAccelTable
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1
----------------	---------------------------

MIB OID Name	cpqDaAccelEntry
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.1
MIB OID Name	cpqDaAccelCntlrlIndex
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.2
MIB OID Name	cpqDaAccelStatus
WBEM Class and Property	SMX_SAArrayController.CacheStatus
Notes	.

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.3
MIB OID Name	cpqDaAccelMemory
WBEM Class and Property	SMX_SAArrayController.CacheSizeTotal
Notes	Represents Total Cache memory size in bytes

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.4
MIB OID Name	cpqDaAccelBadData
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.5
MIB OID Name	cpqDaAccelErrCode
WBEM Class and Property	SMX_ArrayController.CacheState
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.6
MIB OID Name	cpqDaAccelBattery
WBEM Class and Property	SMX_SAArrayController.CacheHasBattery
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.7
MIB OID Name	cpqDaAccelReadErrs
WBEM Class and Property	SMX_SAArrayController.CacheParityReadErrors
Notes	.

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.8
MIB OID Name	cpqDaAccelWriteErrs
WBEM Class and Property	SMX_SAArrayController.CacheParityWriteErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.9
MIB OID Name	cpqDaAccelCondition
WBEM Class and Property	SMX_SAArrayController.CacheStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.10
MIB OID Name	cpqDaAccelReadMemory
WBEM Class and Property	SMX_SAArrayController.CacheReadPercent
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.11
MIB OID Name	cpqDaAccelSerialNumber
WBEM Class and Property	SMX_SAArrayController.CacheSerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.12
MIB OID Name	cpqDaAccelTotalMemory
WBEM Class and Property	SMX_SAArrayController.CacheSizeTotal
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.13
MIB OID Name	cpqDaAccelReadCachePercent
WBEM Class and Property	SMX_SAArrayController.CacheWritePercent

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.14
MIB OID Name	cpqDaAccelWriteCachePercent
WBEM Class and Property	SMX_SAArrayController.CacheReadPercent
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.15
MIB OID Name	cpqDaAccelFailedBatteries
WBEM Class and Property	SMX_SAArrayController.BatteryStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.2.2.1.16
MIB OID Name	cpqDaAccelBackupPowerSource
WBEM Class and Property	SMX_SAArrayController. AcceleratorBackupPowerSource
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1
MIB OID Name	cpqDaLogDrvTable
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1
MIB OID Name	cpqDaLogDrvEntry
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.1
MIB OID Name	cpqDaLogDrvCntlrIndex
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.2
MIB OID Name	cpqDaLogDrvIndex
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.3
MIB OID Name	cpqDaLogDrvFaultTol
WBEM Class and Property	SMX_SASStorageVolume.FaultTolerance
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.4
MIB OID Name	cpqDaLogDrvStatus
WBEM Class and Property	SMX_SASStorageVolume.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.5
MIB OID Name	cpqDaLogDrvAutoRel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.6
MIB OID Name	cpqDaLogDrvRebuildBlks
WBEM Class and Property	SMX_SASStorageVolume. PercentComplete
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.7
MIB OID Name	cpqDaLogDrvHasAccel
WBEM Class and Property	SMX_SASStorageVolume.Accelerator
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.8
MIB OID Name	cpqDaLogDrvAvailSpares
WBEM Class and Property	SMX_SASpareExtentStorageRedundancySet

Notes	By association traversal
--------------	--------------------------

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.9
MIB OID Name	cpqDaLogDrvSize
WBEM Class and Property	SMX_SASStorageVolume.NumberOfBlocks * SMX_SASStorageVolume.BlockSize
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.10
MIB OID Name	cpqDaLogDrvPhyDrvIDs
WBEM Class and Property	SMX_SASStorageExtentStorageVolume
Notes	By association traversal

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.11
MIB OID Name	cpqDaLogDrvCondition
WBEM Class and Property	SMX_SASStorageVolume.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.12
MIB OID Name	cpqDaLogDrvPercentRebuild
WBEM Class and Property	SMX_SASStorageVolume.PercentComplete
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.13
MIB OID Name	cpqDaLogDrvStripeSize
WBEM Class and Property	SMX_SASStorageVolume.StripeSize
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.14
MIB OID Name	cpqDaLogDrvOsName
WBEM Class and Property	SMX_SASStorageVolume.OSName
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.15
----------------	------------------------------

MIB OID Name	cpqDaLogDrvBlinkTime
WBEM Class and Property	SMX_SASStorageVolume.Identify method Duration parameter
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.16
MIB OID Name	cpqDaLogDrvSpareReplaceMap
WBEM Class and Property	SMX_SASpareExtentStorageExtent
Notes	By association traversal

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.17
MIB OID Name	cpqDaLogDrvRebuildingPhyDrv
WBEM Class and Property	SMX_SASStorageExtentStorageVolume
Notes	By association traversal

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.18
MIB OID Name	cpqDaLogDrvMultipathAccess
WBEM Class and Property	SMX_SASCSIIInitiatorTargetLogicalUnitPath.State
Notes	By association traversal

MIB OID	1.3.6.1.4.1.232.3.2.3.1.1.19
MIB OID Name	cpqDaLogDrvNmbrOfParityGroups
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.4.1
MIB OID Name	cpqDaSpareTable
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1
MIB OID Name	cpqDaSpareEntry
WBEM Class and Property	

Notes	SMX_SADiskDrive.DriveConfiguration indicates spare drive
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.1
MIB OID Name	cpqDaSpareCntlrlIndex
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.2
MIB OID Name	cpqDaSparePhyDrvIndex
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.3
MIB OID Name	cpqDaSpareStatus
WBEM Class and Property	SMX_SADiskDrive.OperationalStatus SMX_SASStorageExtent.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.4
MIB OID Name	cpqDaSpareReplacedDrv
WBEM Class and Property	SMX_SASpareExtentStorageExtent
Notes	By associationTraversal

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.5
MIB OID Name	cpqDaSpareRebuildBlks
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.6
MIB OID Name	cpqDaSpareCondition
WBEM Class and Property	SMX_SADiskDrive.OperationalStatus SMX_SASStorageExtent.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.7
MIB OID Name	cpqDaSpareBusNumber
WBEM Class and Property	SMX_SADiskDriveLocation. PhysicalPosition
Notes	Location of actual drive and spare drive both are specified by SMX_SADiskDriveLocation. PhysicalPosition. Whether the drive is spare drive can be identified SMX_SADiskDrive.DriveConfiguration

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.8
MIB OID Name	cpqDaSpareBay
WBEM Class and Property	HPSA_DiskDriveLocation. PhysicalPosition
Notes	Location of actual drive and spare drive both are specified by SMX_SADiskDriveLocation. PhysicalPosition. Whether the drive is spare drive can be identified by SMX_SADiskDrive.DriveConfiguration.

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.9
MIB OID Name	cpqDaSpareReplacedDrvBusNumber
WBEM Class and Property	SMX_SADiskDriveLocation. PhysicalPosition
Notes	By association traversal via SMX_SpareExtentStorageExtent

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.10
MIB OID Name	cpqDaSpareReplacedDrvBay
WBEM Class and Property	SMX_SADiskDriveLocation. PhysicalPosition
Notes	Location of actual drive and spare drive both are specified by SMX_SADiskDriveLocation. PhysicalPosition. Whether the drive is spare drive can be identified by SMX_SADiskDrive.DriveConfiguration.

MIB OID	1.3.6.1.4.1.232.3.2.4.1.1.11
MIB OID Name	cpqDaSparePercentRebuild
WBEM Class and Property	SMX_SASStorageVolume.PercentComplete
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1
MIB OID Name	cpqDaPhyDrvTable

WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1
MIB OID Name	cpqDaPhyDrvEntry
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.1
MIB OID Name	cpqDaPhyDrvCntlIndex
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.2
MIB OID Name	cpqDaPhyDrvIndex
WBEM Class and Property	
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.3
MIB OID Name	cpqDaPhyDrvModel
WBEM Class and Property	SMX_SADiskPhysicalPackage.Model
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.4
MIB OID Name	cpqDaPhyDrvFWRev
WBEM Class and Property	SMX_SADiskDriveFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.5
MIB OID Name	cpqDaPhyDrvBay
WBEM Class and Property	SMX_SADiskDriveLocation.PhysicalPosition
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.6
MIB OID Name	cpqDaPhyDrvStatus
WBEM Class and Property	SMX_SADiskDrive.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.7
MIB OID Name	cpqDaPhyDrvFactReallocs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.8
MIB OID Name	cpqDaPhyDrvUsedReallocs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.9
MIB OID Name	cpqDaPhyDrvRefHours
WBEM Class and Property	SMX_SADiskDrive.TotalPowerOnHours
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.10
MIB OID Name	cpqDaPhyDrvHReads
WBEM Class and Property	SMX_SAMediaAccessStatData.SectorsRead
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.11
MIB OID Name	cpqDaPhyDrvReads
WBEM Class and Property	SMX_SAMediaAccessStatData.SectorsRead
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.12
MIB OID Name	cpqDaPhyDrvHWrites
WBEM Class and Property	SMX_SAMediaAccessStatData.SectorsWritten

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.13
MIB OID Name	cpqDaPhyDrvWrites
WBEM Class and Property	SMX_SAMediaAccessStatData.SectorsWritten
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.14
MIB OID Name	cpqDaPhyDrvHSeeks
WBEM Class and Property	SMX_SAMediaAccessStatData.SeekCount
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.15
MIB OID Name	cpqDaPhyDrvSeeks
WBEM Class and Property	SMX_SAMediaAccessStatData.SeekCount
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.16
MIB OID Name	cpqDaPhyDrvHardReadErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.HardReadErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.17
MIB OID Name	cpqDaPhyDrvRecvReadErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.ECCRecoveredReadErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.18
MIB OID Name	cpqDaPhyDrvHardWriteErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.HardWriteErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.19
----------------	------------------------------

MIB OID Name	cpqDaPhyDrvRecvWriteErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.RetryRecoveredWriteErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.20
MIB OID Name	cpqDaPhyDrvHSeekErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.SeekErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.21
MIB OID Name	cpqDaPhyDrvSeekErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.SeekErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.22
MIB OID Name	cpqDaPhyDrvSpinupTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.23
MIB OID Name	cpqDaPhyDrvFunctTest1
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.24
MIB OID Name	cpqDaPhyDrvFunctTest2
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.25
MIB OID Name	cpqDaPhyDrvFunctTest3
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.26
MIB OID Name	cpqDaPhyDrvDrqTimeouts
WBEM Class and Property	SMX_SAMediaAccessStatData.DRQTimeOuts
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.27
MIB OID Name	cpqDaPhyDrvOtherTimeouts
WBEM Class and Property	SMX_SAMediaAccessStatData.OtherTimeOuts
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.28
MIB OID Name	cpqDaPhyDrvSpinupRetries
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.29
MIB OID Name	cpqDaPhyDrvBadRecvReads
WBEM Class and Property	SMX_SAMediaAccessStatData.UnrecoverableReadOperations
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.30
MIB OID Name	cpqDaPhyDrvBadRecvWrites
WBEM Class and Property	SMX_SAMediaAccessStatData.UnrecoverableWriteOperations
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.31
MIB OID Name	cpqDaPhyDrvFormatErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.FormatErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.32
MIB OID Name	cpqDaPhyDrvPostErrs
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.33
MIB OID Name	cpqDaPhyDrvNotReadyErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.NotReadyErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.34
MIB OID Name	cpqDaPhyDrvReallocAborts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.35
MIB OID Name	cpqDaPhyDrvThreshPassed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.36
MIB OID Name	cpqDaPhyDrvHasMonInfo
WBEM Class and Property	SMX_SADiskDrive.DriveHasMNPDData
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.37
MIB OID Name	cpqDaPhyDrvCondition
WBEM Class and Property	SMX_SADiskDrive. OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.38
MIB OID Name	cpqDaPhyDrvHotPlugs
WBEM Class and Property	SMX_SAMediaAccessStatData.HotPlugCount
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.39
----------------	------------------------------

MIB OID Name	cpqDaPhyDrvMediaErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.MediaFailures
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.40
MIB OID Name	cpqDaPhyDrvHardwareErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.HardwareErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.41
MIB OID Name	cpqDaPhyDrvAbortedCmds
WBEM Class and Property	SMX_SAMediaAccessStatData.AbortedCommands
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.42
MIB OID Name	cpqDaPhyDrvSpinUpErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.SpinUpErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.43
MIB OID Name	cpqDaPhyDrvBadTargetErrs
WBEM Class and Property	SMX_SAMediaAccessStatData.BadTargetErrors
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.44
MIB OID Name	cpqDaPhyDrvLocation
WBEM Class and Property	SMX_SADiskDriveLocation.PhysicalPosition
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.45
MIB OID Name	cpqDaPhyDrvSize
WBEM Class and Property	SMX_SASStorageExtent.NumberOfBlocks
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.46
MIB OID Name	cpqDaPhyDrvBusFaults
WBEM Class and Property	SMX_SAMediaAccessStatData.SCSIBusFaults
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.47
MIB OID Name	cpqDaPhyDrvIrqDeglitches
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.48
MIB OID Name	cpqDaPhyDrvHotPlug
WBEM Class and Property	SMX_SADiskPhysicalPackage.HotSwappable SMX_SADiskPhysicalPackage.RemovalConditions
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.49
MIB OID Name	cpqDaPhyDrvPlacement
WBEM Class and Property	SMX_SADiskDrive.DrivePlacement
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.50
MIB OID Name	cpqDaPhyDrvBusNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.51
MIB OID Name	cpqDaPhyDrvSerialNum
WBEM Class and Property	SMX_SADiskPhysicalPackage.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.52
MIB OID Name	cpqDaPhyDrvPreFailMonitoring

WBEM Class and Property	SMX_SADiskDrive.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.53
MIB OID Name	cpqDaPhyDrvCurrentWidth
WBEM Class and Property	SMX_SADiskDrive.NegotiatedDataWidth
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.54
MIB OID Name	cpqDaPhyDrvCurrentSpeed
WBEM Class and Property	SMX_SADiskDrive. NegotiatedSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.55
MIB OID Name	cpqDaPhyDrvFailureCode
WBEM Class and Property	SMX_SADiskDrive.LastFailureDescription
Notes	LastFailureDescription is available as indication property

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.56
MIB OID Name	cpqDaPhyDrvBlinkTime
WBEM Class and Property	SMX_ SADiskDrive.Identify method Duration parameter
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.57
MIB OID Name	cpqDaPhyDrvSmartStatus
WBEM Class and Property	SMX_SADiskDrive.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.58
MIB OID Name	cpqDaPhyDrvConfigurationStatus
WBEM Class and Property	SMX_SADiskDrive.DriveConfiguration
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.59
MIB OID Name	cpqDaPhyDrvRotationalSpeed
WBEM Class and Property	SMX_SADiskDrive.DriveRotationalSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.60
MIB OID Name	cpqDaPhyDrvType
WBEM Class and Property	SMX_SADiskDrive.DriveInterface
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.1.1.69
MIB OID Name	cpqDaPhyDrvMediaType
WBEM Class and Property	SMX_SADiskDrive. MediaType
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2
MIB OID Name	cpqDaPhyDrvErrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1
MIB OID Name	cpqDaPhyDrvErrEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.1
MIB OID Name	cpqDaPhyDrvErrCntlrlIndex
WBEM Class and Property	Not Implemetned
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.2
MIB OID Name	cpqDaPhyDrvErrIDIndex

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.3
MIB OID Name	cpqDaPhyDrvErrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.4
MIB OID Name	cpqDaPhyDrvErrType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.5
MIB OID Name	cpqDaPhyDrvScsiOp
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.6
MIB OID Name	cpqDaPhyDrvScsiStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.7
MIB OID Name	cpqDaPhyDrvCamStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.8
MIB OID Name	cpqDaPhyDrvSenseKey
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.9
MIB OID Name	cpqDaPhyDrvQualifier
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.10
MIB OID Name	cpqDaPhyDrvSenseCode
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.11
MIB OID Name	cpqDaPhyDrvBlockValid
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.12
MIB OID Name	cpqDaPhyDrvBlock
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.13
MIB OID Name	cpqDaPhyDrvTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.14
MIB OID Name	cpqDaPhyDrvUserDesc
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.5.2.1.15
MIB OID Name	cpqDaPhyDrvErrDesc
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.5.3
MIB OID Name	cpqDaPhyDrvPathTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1
MIB OID Name	cpqDaPhyDrvPathEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.1
MIB OID Name	cpqDaPhyDrvPathCntlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.2
MIB OID Name	cpqDaPhyDrvPathDrvIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.3
MIB OID Name	cpqDaPhyDrvPathIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.4
MIB OID Name	cpqDaPhyDrvPathDrvStatus
WBEM Class and Property	SMX_SASCSIInitiatorTargetLogicalUnitPath.State
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.5
----------------	-----------------------------

MIB OID Name	cpqDaPhyDrvPathDrvCurrentRole
WBEM Class and Property	SMX_SASCSIIInitiatorTargetLogicalUnitPath.State
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.6
MIB OID Name	cpqDaPhyDrvPathHostConnector
WBEM Class and Property	SMX_SAArraySystemStorageExtent
Notes	via Association traversal

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.7
MIB OID Name	cpqDaPhyDrvPathBoxOnConnector
WBEM Class and Property	SMX_SADiskDriveLocation.PhysicalPosition
Notes	Via association traversal SMX_SADiskDriveStorageExtent

MIB OID	1.3.6.1.4.1.232.3.2.5.3.1.7
MIB OID Name	cpqDaPhyDrvPathLocationString
WBEM Class and Property	SMX_SADiskDriveLocation.PhysicalPosition
Notes	Via association traversal SMX_SADiskDriveStorageExtent

MIB OID	1.3.6.1.4.1.232.3.2.6.1
MIB OID Name	cpqDaPhyDrvThrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1
MIB OID Name	cpqDaPhyDrvThrEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.1
MIB OID Name	cpqDaPhyDrvThrCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.2
MIB OID Name	cpqDaPhyDrvThrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.3
MIB OID Name	cpqDaPhyDrvThrUsedReallocs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.4
MIB OID Name	cpqDaPhyDrvThrRefHours
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.5
MIB OID Name	cpqDaPhyDrvThrHardReadErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.6
MIB OID Name	cpqDaPhyDrvThrRecvReadErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.7
MIB OID Name	cpqDaPhyDrvThrHardWriteErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.8
MIB OID Name	cpqDaPhyDrvThrRecvWriteErrs
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.9
MIB OID Name	cpqDaPhyDrvThrHSeekErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.10
MIB OID Name	cpqDaPhyDrvThrSeekErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.11
MIB OID Name	cpqDaPhyDrvThrSpinupTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.12
MIB OID Name	cpqDaPhyDrvThrFunctTest1
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.13
MIB OID Name	cpqDaPhyDrvThrFunctTest2
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.14
MIB OID Name	cpqDaPhyDrvThrFunctTest3
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.15
----------------	------------------------------

MIB OID Name	cpqDaPhyDrvThrDrqTimeouts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.16
MIB OID Name	cpqDaPhyDrvThrOtherTimeouts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.17
MIB OID Name	cpqDaPhyDrvThrSpinupRetries
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.18
MIB OID Name	cpqDaPhyDrvThrBadRecvReads
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.19
MIB OID Name	cpqDaPhyDrvThrBadRecvWrites
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.20
MIB OID Name	cpqDaPhyDrvThrFormatErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.21
MIB OID Name	cpqDaPhyDrvThrPostErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.22
MIB OID Name	cpqDaPhyDrvThrNotReadyErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.23
MIB OID Name	cpqDaPhyDrvThrReallocAborts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.24
MIB OID Name	cpqDaPhyDrvThrHotPlugs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.25
MIB OID Name	cpqDaPhyDrvThrMediaErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.26
MIB OID Name	cpqDaPhyDrvThrHardwareErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.27
MIB OID Name	cpqDaPhyDrvThrAbortedCmds
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.28
MIB OID Name	cpqDaPhyDrvThrSpinUpErrs
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.29
MIB OID Name	cpqDaPhyDrvThrBadTargetErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.30
MIB OID Name	cpqDaPhyDrvThrViUsedReallocs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.31
MIB OID Name	cpqDaPhyDrvThrViSpinupTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.32
MIB OID Name	cpqDaPhyDrvThrViFunctTest1
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.33
MIB OID Name	cpqDaPhyDrvThrViFunctTest2
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.34
MIB OID Name	cpqDaPhyDrvThrViFunctTest3
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.35
----------------	------------------------------

MIB OID Name	cpqDaPhyDrvThrBusFaults
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.6.1.1.36
MIB OID Name	cpqDaPhyDrvThrIrqDeglitches
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1
MIB OID Name	cpqDaCntlrPerfTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1
MIB OID Name	cpqDaCntlrPerfEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1.1
MIB OID Name	cpqDaCntlrPerfCntlrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1.2
MIB OID Name	cpqDaCntlrPerfInstance
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1.3
MIB OID Name	cpqDaCntlrPerfSampleInterval
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1.4
MIB OID Name	cpqDaCntlrPerfVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1.5
MIB OID Name	cpqDaCntlrPerfCpuPercentBusy
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1.6
MIB OID Name	cpqDaCntlrPerfCommandCount
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.7.1.1.7
MIB OID Name	cpqDaCntlrPerfAvgLatency
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1
MIB OID Name	cpqDaLogDrvPerfTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1
MIB OID Name	cpqDaLogDrvPerfEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.1
MIB OID Name	cpqDaLogDrvPerfCntlrIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.2
MIB OID Name	cpqDaLogDrvPerfIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.3
MIB OID Name	cpqDaLogDrvPerfInstance
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.4
MIB OID Name	cpqDaLogDrvPerfSampleInterval
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.5
MIB OID Name	cpqDaLogDrvPerfAvgQueueDepth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.6
MIB OID Name	cpqDaLogDrvPerfReads
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.7
MIB OID Name	cpqDaLogDrvPerfWrites
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.8
----------------	-----------------------------

MIB OID Name	cpqDaLogDrvPerfTotalIO
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.9
MIB OID Name	cpqDaLogDrvPerfCacheHits
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.10
MIB OID Name	cpqDaLogDrvPerfCacheMisses
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.11
MIB OID Name	cpqDaLogDrvPerfReadAheadSectors
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.12
MIB OID Name	cpqDaLogDrvPerfSectorsRead
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.8.1.1.13
MIB OID Name	cpqDaLogDrvPerfSectorsWritten
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1
MIB OID Name	cpqDaTapeDrvTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1
MIB OID Name	cpqDaTapeDrvEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.1
MIB OID Name	cpqDaTapeDrvCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.2
MIB OID Name	cpqDaTapeDrvBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.3
MIB OID Name	cpqDaTapeDrvScsildIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.4
MIB OID Name	cpqDaTapeDrvLunIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.5
MIB OID Name	cpqDaTapeDrvName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.6
MIB OID Name	cpqDaTapeDrvSerialNumber
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.7
MIB OID Name	cpqDaTapeDrvFwRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.8
MIB OID Name	cpqDaTapeDrvStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.9
MIB OID Name	cpqDaTapeDrvCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.10
MIB OID Name	cpqDaTapeDrvFwSubtype
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.11
MIB OID Name	cpqDaTapeDrvType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.12
MIB OID Name	cpqDaTapeDrvCleanReq
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.13
----------------	------------------------------

MIB OID Name	cpqDaTapeDrvCleanTapeRepl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.14
MIB OID Name	cpqDaTapeDrvCleanTapeCount
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.15
MIB OID Name	cpqDaTapeDrvLibraryDrive
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.16
MIB OID Name	cpqDaTapeDrvMagSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.17
MIB OID Name	cpqDaTapeDrvHotPlug
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.18
MIB OID Name	cpqDaTapeDrvPlacement
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.19
MIB OID Name	cpqDaTapeDrvCurrentWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.20
MIB OID Name	cpqDaTapeDrvCurrentSpeed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.21
MIB OID Name	cpqDaTapeDrvProtocol
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.9.1.1.22
MIB OID Name	cpqDaTapeDrvNegotiatedLinkRate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1
MIB OID Name	cpqDaTapeCountersTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1
MIB OID Name	cpqDaTapeCountersEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.1
MIB OID Name	cpqDaTapeCountersCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.2
MIB OID Name	cpqDaTapeCountersBusIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.3
MIB OID Name	cpqDaTapeCountersScsildIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.4
MIB OID Name	cpqDaTapeCountersLunIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.5
MIB OID Name	cpqDaTapeCountersReWrites
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.6
MIB OID Name	cpqDaTapeCountersReReads
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.7
MIB OID Name	cpqDaTapeCountersTotalErrors
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.8
MIB OID Name	cpqDaTapeCountersTotalUncorrectable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.10.1.1.9
----------------	------------------------------

MIB OID Name	cpqDaTapeCountersTotalBytes
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1
MIB OID Name	cpqDaTapeLibraryTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1
MIB OID Name	cpqDaTapeLibraryEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.1
MIB OID Name	cpqDaTapeLibraryCntlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.2
MIB OID Name	cpqDaTapeLibraryScsiBus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.3
MIB OID Name	cpqDaTapeLibraryScsiTarget
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.4
MIB OID Name	cpqDaTapeLibraryScsiLun
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.5
MIB OID Name	cpqDaTapeLibrarySerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.6
MIB OID Name	cpqDaTapeLibraryModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.7
MIB OID Name	cpqDaTapeLibraryFWRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.8
MIB OID Name	cpqDaTapeLibraryStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.9
MIB OID Name	cpqDaTapeLibraryDoorStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.10
MIB OID Name	cpqDaTapeLibraryCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.11
MIB OID Name	cpqDaTapeLibraryOverallCondition
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.12
MIB OID Name	cpqDaTapeLibraryLastError
WBEM Class and Property	Not Implemented
Notes	Deprecated in 8.20

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.13
MIB OID Name	cpqDaTapeLibraryStatHours
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.14
MIB OID Name	cpqDaTapeLibraryStatMoves
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.15
MIB OID Name	cpqDaTapeLibraryDriveList
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.16
MIB OID Name	cpqDaTapeLibraryCurrentWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.17
MIB OID Name	cpqDaTapeLibraryCurrentSpeed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.18
----------------	-------------------------------

MIB OID Name	cpqDaTapeLibraryDriveList2
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.19
MIB OID Name	cpqDaTapeLibraryProtocol
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.2.11.1.1.20
MIB OID Name	cpqDaTapeLibraryNegotiatedLinkRate
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.3.3.1
MIB OID Name	cpqDaTrapPkts
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.3.2
MIB OID Name	cpqDaTrapLogMaxSize
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.3.3
MIB OID Name	cpqDaTrapLogTable
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.3.3.1
MIB OID Name	cpqDaTrapLogEntry
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.3.3.1.1
MIB OID Name	cpqDaTrapLogIndex
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.3.3.1.2
MIB OID Name	cpqDaTrapType
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.3.3.3.1.3
MIB OID Name	cpqDaTrapTime
WBEM Class and Property	Not implemented
Notes	Deprecated in SNMP

5.2 CPQIDE

None of the mib variables from CPQIDE are implemented in the HPQ namespace in WBEM.

5.3 CPQSCSI

MIB OID	1.3.6.1.4.1.232.5.1.1
MIB OID Name	cpqScsiMibRevMajor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.1.2
MIB OID Name	cpqScsiMibRevMinor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.1.3
MIB OID Name	cpqScsiMibCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.1.1.1
MIB OID Name	cpqScsiNw3xDriverName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.2
MIB OID Name	cpqScsiNw3xDriverVers
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.3
MIB OID Name	cpqScsiNw3xDriverPollType
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.4
MIB OID Name	cpqScsiNw3xDriverPollTime
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5
MIB OID Name	cpqScsiNw3xCntrlInfoTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1
MIB OID Name	cpqScsiNw3xCntrlInfoEntry
WBEM Class and Property	Not Implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1.1
MIB OID Name	cpqScsiNw3xCntlrIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1.2
MIB OID Name	cpqScsiNw3xBusIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1.3
MIB OID Name	cpqScsiNw3xXptDesc
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1.4
MIB OID Name	cpqScsiNw3xXptVers
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1.5
MIB OID Name	cpqScsiNw3xSimDesc
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1.6
MIB OID Name	cpqScsiNw3xSimVers
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.5.1.7
----------------	-------------------------------

MIB OID Name	cpqScsiNw3xHbaDesc
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6
MIB OID Name	cpqScsiLogDrvStatTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1
MIB OID Name	cpqScsiLogDrvStatEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.1
MIB OID Name	cpqScsiNw3xStatCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.2
MIB OID Name	cpqScsiNw3xStatBusIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.3
MIB OID Name	cpqScsiNw3xStatLogDrvIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.4
MIB OID Name	cpqScsiNw3xTotalReads
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.5
MIB OID Name	cpqScsiNw3xTotalWrites
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.6
MIB OID Name	cpqScsiNw3xCorrReads
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.7
MIB OID Name	cpqScsiNw3xCorrWrites
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.8
MIB OID Name	cpqScsiNw3xFatalReads
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.6.1.9
MIB OID Name	cpqScsiNw3xFatalWrites
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.7
MIB OID Name	cpqScsiVolMapTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.7.1
MIB OID Name	cpqScsiVolMapEntry
WBEM Class and Property	Not Implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.5.2.1.1.7.1.1
MIB OID Name	cpqScsiNw3xVolCntlIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.7.1.2
MIB OID Name	cpqScsiNw3xVolBusIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.7.1.3
MIB OID Name	cpqScsiNw3xVolLogDrvIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.1.7.1.4
MIB OID Name	cpqScsiNw3xVolMap
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.4.1
MIB OID Name	cpqScsiOsCommonPollFreq
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.1.4.2
MIB OID Name	cpqScsiOsCommonModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.4.2.1
----------------	-----------------------------

MIB OID Name	cpqScsiOsCommonModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.4.2.1.1
MIB OID Name	cpqScsiOsCommonModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.4.2.1.2
MIB OID Name	cpqScsiOsCommonModuleName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.4.2.1.3
MIB OID Name	cpqScsiOsCommonModuleVersion
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.4.2.1.4
MIB OID Name	cpqScsiOsCommonModuleDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.1.4.2.1.5
MIB OID Name	cpqScsiOsCommonModulePurpose
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.2.1
MIB OID Name	cpqScsiCntlrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1
MIB OID Name	cpqScsiCntlrEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.1
MIB OID Name	cpqScsiCntlrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.2
MIB OID Name	cpqScsiCntlrBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.3
MIB OID Name	cpqScsiCntlrModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.4
MIB OID Name	cpqScsiCntlrFWVers
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.5
MIB OID Name	cpqScsiCntlrSWVers
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.6
MIB OID Name	cpqScsiCntlrSlot
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.7
MIB OID Name	cpqScsiCntlrStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.8
MIB OID Name	cpqScsiCntlrHardResets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.9
MIB OID Name	cpqScsiCntlrSoftResets
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.10
MIB OID Name	cpqScsiCntlrTimeouts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.11
MIB OID Name	cpqScsiCntlrBaseIOAddr
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.12
MIB OID Name	cpqScsiCntlrCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.13
----------------	------------------------------

MIB OID Name	cpqScsiCntlrSerialNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.14
MIB OID Name	cpqScsiCntlrBusWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.15
MIB OID Name	cpqScsiCntlrModelExtended
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.2.1.1.16
MIB OID Name	cpqScsiCntlrHwLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1
MIB OID Name	cpqScsiLogDrvTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1
MIB OID Name	cpqScsiLogDrvEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.1
MIB OID Name	cpqScsiLogDrvCntlrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.2
MIB OID Name	cpqScsiLogDrvBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.3
MIB OID Name	cpqScsiLogDrvIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.4
MIB OID Name	cpqScsiLogDrvFaultTol
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.5
MIB OID Name	cpqScsiLogDrvStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.6
MIB OID Name	cpqScsiLogDrvSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.7
MIB OID Name	cpqScsiLogDrvPhyDrvIDs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.8
MIB OID Name	cpqScsiLogDrvCondition
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.9
MIB OID Name	cpqScsiLogDrvStripeSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.10
MIB OID Name	cpqScsiLogDrvAvailSpares
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.11
MIB OID Name	cpqScsiLogDrvPercentRebuild
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.3.1.1.12
MIB OID Name	cpqScsiLogDrvOsName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1
MIB OID Name	cpqScsiPhyDrvTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1
MIB OID Name	cpqScsiPhyDrvEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.1
----------------	-----------------------------

MIB OID Name	cpqScsiPhyDrvCntlrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.2
MIB OID Name	cpqScsiPhyDrvBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.3
MIB OID Name	cpqScsiPhyDrvIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.4
MIB OID Name	cpqScsiPhyDrvModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.5
MIB OID Name	cpqScsiPhyDrvFWRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.6
MIB OID Name	cpqScsiPhyDrvVendor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.7
MIB OID Name	cpqScsiPhyDrvSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.8
MIB OID Name	cpqScsiPhyDrvScsiID
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.9
MIB OID Name	cpqScsiPhyDrvStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.10
MIB OID Name	cpqScsiPhyDrvServiceHours
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.11
MIB OID Name	cpqScsiPhyDrvHighReadSectors
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.12
MIB OID Name	cpqScsiPhyDrvLowReadSectors
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.13
MIB OID Name	cpqScsiPhyDrvHighWriteSectors
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.14
MIB OID Name	cpqScsiPhyDrvLowWriteSectors
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.15
MIB OID Name	cpqScsiPhyDrvHardReadErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.16
MIB OID Name	cpqScsiPhyDrvHardWriteErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.17
MIB OID Name	cpqScsiPhyDrvEccCorrReads
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.18
MIB OID Name	cpqScsiPhyDrvRecvReadErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.19
MIB OID Name	cpqScsiPhyDrvRecvWriteErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.20
MIB OID Name	cpqScsiPhyDrvSeekErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.21
----------------	------------------------------

MIB OID Name	cpqScsiPhyDrvSpinupTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.22
MIB OID Name	cpqScsiPhyDrvUsedReallocs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.23
MIB OID Name	cpqScsiPhyDrvTimeouts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.24
MIB OID Name	cpqScsiPhyDrvPostErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.25
MIB OID Name	cpqScsiPhyDrvPostErrCode
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.26
MIB OID Name	cpqScsiPhyDrvCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.27
MIB OID Name	cpqScsiPhyDrvFuncTest1
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.28
MIB OID Name	cpqScsiPhyDrvFuncTest2
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.29
MIB OID Name	cpqScsiPhyDrvStatsPreserved
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.30
MIB OID Name	cpqScsiPhyDrvSerialNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.31
MIB OID Name	cpqScsiPhyDrvLocation
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.32
MIB OID Name	cpqScsiPhyDrvParent
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.33
MIB OID Name	cpqScsiPhyDrvSectorSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.34
MIB OID Name	cpqScsiPhyDrvHotPlug
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.35
MIB OID Name	cpqScsiPhyDrvPlacement
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.36
MIB OID Name	cpqScsiPhyDrvPreFailMonitoring
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.37
MIB OID Name	cpqScsiPhyDrvOsName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.38
MIB OID Name	cpqScsiPhyDrvRotationalSpeed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.4.1.1.39
MIB OID Name	cpqScsiPhyDrvMemberLogDrv
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1
MIB OID Name	cpqScsiTargetTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1
----------------	---------------------------

MIB OID Name	cpqScsiTargetEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.1
MIB OID Name	cpqScsiTargetCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.2
MIB OID Name	cpqScsiTargetBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.3
MIB OID Name	cpqScsiTargetScsildIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.4
MIB OID Name	cpqScsiTargetType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.5
MIB OID Name	cpqScsiTargetModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.6
MIB OID Name	cpqScsiTargetFWRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.7
MIB OID Name	cpqScsiTargetVendor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.8
MIB OID Name	cpqScsiTargetParityErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.9
MIB OID Name	cpqScsiTargetPhaseErrs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.10
MIB OID Name	cpqScsiTargetSelectTimeouts
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.11
MIB OID Name	cpqScsiTargetMsgRejects
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.12
MIB OID Name	cpqScsiTargetNegPeriod
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.13
MIB OID Name	cpqScsiTargetLocation
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.14
MIB OID Name	cpqScsiTargetNegSpeed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.15
MIB OID Name	cpqScsiTargetPhysWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.16
MIB OID Name	cpqScsiTargetNegWidth
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.17
MIB OID Name	cpqScsiTargetTypeExtended
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.5.1.1.18
MIB OID Name	cpqScsiTargetCurrentSpeed
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1
MIB OID Name	cpqScsiCdDrvTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1
----------------	---------------------------

MIB OID Name	cpqScsiCdDrvEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1.1
MIB OID Name	cpqScsiCdDrvCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1.2
MIB OID Name	cpqScsiCdDrvBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1.3
MIB OID Name	cpqScsiCdDrvScsildIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1.4
MIB OID Name	cpqScsiCdDrvLunIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1.5
MIB OID Name	cpqScsiCdDrvModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1.6
MIB OID Name	cpqScsiCdDrvVendor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.1.1.7
MIB OID Name	cpqScsiCdDrvFwRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2
MIB OID Name	cpqCdLibraryTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1
MIB OID Name	cpqCdLibraryEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.1
MIB OID Name	cpqCdLibraryCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.2
MIB OID Name	cpqCdLibraryBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.3
MIB OID Name	cpqCdLibraryScsildIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.4
MIB OID Name	cpqCdLibraryLunIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.5
MIB OID Name	cpqCdLibraryCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.6
MIB OID Name	cpqCdLibraryStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.7
MIB OID Name	cpqCdLibraryModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.8
MIB OID Name	cpqCdLibraryVendor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.9
MIB OID Name	cpqCdLibrarySerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.10
MIB OID Name	cpqCdLibraryDriveList
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.11
----------------	------------------------------

MIB OID Name	cpqCdLibraryFwRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.2.6.2.1.12
MIB OID Name	cpqCdLibraryFwSubtype
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.3.1
MIB OID Name	cpqScsiTrapPkts
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.3.2
MIB OID Name	cpqScsiTrapLogMaxSize
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.3.3
MIB OID Name	cpqScsiTrapLogTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.3.3.1
MIB OID Name	cpqScsiTrapLogEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.3.3.1.1
MIB OID Name	cpqScsiTrapLogIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.3.3.1.2
MIB OID Name	cpqScsiTrapType
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.3.3.1.3
MIB OID Name	cpqScsiTrapTime
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.1
MIB OID Name	cpqSbMibRevMajor
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2
MIB OID Name	cpqSbMibRevMinor
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2
MIB OID Name	cpqSbDeviceTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1
MIB OID Name	cpqSbDeviceEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.1
MIB OID Name	cpqSbDevCntlrIndex
WBEM Class and Property	Not Implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.7.2.2.1.2
MIB OID Name	cpqSbDevBusIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.3
MIB OID Name	cpqSbDevScsildIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.4
MIB OID Name	cpqSbDevType
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.5
MIB OID Name	cpqSbDevModel
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.6
MIB OID Name	cpqSbDevFWRev
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.7
MIB OID Name	cpqSbDevVendor
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.8
----------------	---------------------------

MIB OID Name	cpqSbDevParityErrs
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.9
MIB OID Name	cpqSbDevPhaseErrs
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.10
MIB OID Name	cpqSbDevSelectTimeouts
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.11
MIB OID Name	cpqSbDevMsgRejects
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.12
MIB OID Name	cpqSbDevNegPeriod
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.7.2.2.1.13
MIB OID Name	cpqSbDevLocation
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.5.4.1.1
MIB OID Name	cpqTapePhyDrvTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1
MIB OID Name	cpqTapePhyDrvEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.1
MIB OID Name	cpqTapePhyDrvCntlrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.2
MIB OID Name	cpqTapePhyDrvBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.3
MIB OID Name	cpqTapePhyDrvScsIdIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.4
MIB OID Name	cpqTapePhyDrvLunIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.5
MIB OID Name	cpqTapePhyDrvType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.6
MIB OID Name	cpqTapePhyDrvCondition
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.7
MIB OID Name	cpqTapePhyDrvMagSize
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.8
MIB OID Name	cpqTapePhyDrvSerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.9
MIB OID Name	cpqTapePhyDrvCleanReq
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.10
MIB OID Name	cpqTapePhyDrvCleanTapeRepl
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.11
MIB OID Name	cpqTapePhyDrvFwSubtype
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.12
MIB OID Name	cpqTapePhyDrvName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.13
----------------	------------------------------

MIB OID Name	cpqTapePhyDrvCleanTapeCount
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.14
MIB OID Name	cpqTapePhyDrvFwRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.15
MIB OID Name	cpqTapePhyDrvStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.16
MIB OID Name	cpqTapePhyDrvHotPlug
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.17
MIB OID Name	cpqTapePhyDrvPlacement
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.18
MIB OID Name	cpqTapePhyDrvLibraryDrive
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.19
MIB OID Name	cpqTapePhyDrvLoaderName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.20
MIB OID Name	cpqTapePhyDrvLoaderFwRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.1.1.1.21
MIB OID Name	cpqTapePhyDrvLoaderSerialNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1
MIB OID Name	cpqTapeCountersTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1
MIB OID Name	cpqTapeCountersEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.1
MIB OID Name	cpqTapeCountersCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.2
MIB OID Name	cpqTapeCountersBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.3
MIB OID Name	cpqTapeCountersScsildIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.4
MIB OID Name	cpqTapeCountersLunIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.5
MIB OID Name	cpqTapeCountersReWrites
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.6
MIB OID Name	cpqTapeCountersReReads
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.7
MIB OID Name	cpqTapeCountersTotalErrors
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.8
MIB OID Name	cpqTapeCountersTotalUncorrectable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.2.1.1.9
MIB OID Name	cpqTapeCountersTotalBytes
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1
----------------	-------------------------

MIB OID Name	cpqTapeLibraryTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1
MIB OID Name	cpqTapeLibraryEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.1
MIB OID Name	cpqTapeLibraryCntlrlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.2
MIB OID Name	cpqTapeLibraryBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.3
MIB OID Name	cpqTapeLibraryScsildIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.4
MIB OID Name	cpqTapeLibraryLunIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.5
MIB OID Name	cpqTapeLibraryCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.6
MIB OID Name	cpqTapeLibraryStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.7
MIB OID Name	cpqTapeLibraryDoorStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.8
MIB OID Name	cpqTapeLibraryStatHours
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.9
MIB OID Name	cpqTapeLibraryStatMoves
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.10
MIB OID Name	cpqTapeLibraryName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.11
MIB OID Name	cpqTapeLibrarySerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.12
MIB OID Name	cpqTapeLibraryDriveList
WBEM Class and Property	Not Implemented

Notes	Deprecated in SNMP
--------------	--------------------

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.13
MIB OID Name	cpqTapeLibraryState
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.14
MIB OID Name	cpqTapeLibraryTemperature
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.15
MIB OID Name	cpqTapeLibraryRedundancy
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.16
MIB OID Name	cpqTapeLibraryHotSwap
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.17
MIB OID Name	cpqTapeLibraryFwRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.4.3.1.1.18
MIB OID Name	cpqTapeLibraryTapeList
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1
----------------	-----------------------

MIB OID Name	cpqSasHbaTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1
MIB OID Name	cpqSasHbaEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.1
MIB OID Name	cpqSasHbaIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.2
MIB OID Name	cpqSasHbaHwLocation
WBEM Class and Property	SMX_SASArraySystemLocation.PhysicalPosition
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.3
MIB OID Name	cpqSasHbaModel
WBEM Class and Property	SMX_SASPhysicalPackage.Model
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.4
MIB OID Name	cpqSasHbaStatus
WBEM Class and Property	SMX_SASArrayController.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.5
MIB OID Name	cpqSasHbaCondition
WBEM Class and Property	SMX_SASArrayController.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.6
MIB OID Name	cpqSasHbaOverallCondition
WBEM Class and Property	SMX_SASArraySystem.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.7
MIB OID Name	cpqSasHbaSerialNumber
WBEM Class and Property	SMX_SASPhysicalPackage.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.8
MIB OID Name	cpqSasHbaFwVersion
WBEM Class and Property	SMX_SASFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.1.1.9
MIB OID Name	cpqSasHbaBIOSVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1
MIB OID Name	cpqSasPhyDrvTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1
MIB OID Name	cpqSasPhyDrvEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.1
MIB OID Name	cpqSasPhyDrvHbaIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.2
MIB OID Name	cpqSasPhyDrvIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.3
MIB OID Name	cpqSasPhyDrvLocationString
WBEM Class and Property	SMX_SASDiskDriveLocation.PhysicalPosition
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.4
MIB OID Name	cpqSasPhyDrvModel
WBEM Class and Property	SMX_SASDiskPhysicalPackage.Model
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.5
MIB OID Name	cpqSasPhyDrvStatus
WBEM Class and Property	SMX_SASDiskDrive.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.6
MIB OID Name	cpqSasPhyDrvCondition
WBEM Class and Property	SMX_SASDiskDrive.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.7
MIB OID Name	cpqSasPhyDrvFWRev
WBEM Class and Property	SMX_SASDiskDriveFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.8
MIB OID Name	cpqSasPhyDrvSize
WBEM Class and Property	SMX_SASStorageExtent.NumberOfBlocks * BlockSize
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.9
MIB OID Name	cpqSasPhyDrvUsedReallocs
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.10
MIB OID Name	cpqSasPhyDrvSerialNumber
WBEM Class and Property	SMX_SASDiskPhysicalPackage.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.11
MIB OID Name	cpqSasPhyDrvMemberLogDrv
WBEM Class and Property	SMX_SASDiskDrive.DriveConfiguration
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.12
MIB OID Name	cpqSasPhyDrvRotationalSpeed
WBEM Class and Property	SMX_SASDiskDrive.DriveRotationalSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.13
MIB OID Name	cpqSasPhyDrvOsName
WBEM Class and Property	SMX_SASStorageExtent.OsName
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.14
MIB OID Name	cpqSasPhyDrvPlacement
WBEM Class and Property	SMX_SASDiskDrive.DrivePlacement

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.15
MIB OID Name	cpqSasPhyDrvHotPlug
WBEM Class and Property	SMX_SASDiskPhysicalPackage.RemovalConditions
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.16
MIB OID Name	cpqSasPhyDrvType
WBEM Class and Property	SMX_SASDiskDrive.DriveInterface
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.2.1.1.17
MIB OID Name	cpqSasPhyDrvSasAddress
WBEM Class and Property	HPSAS_DiskDrive.Name
Notes	
MIB OID	1.3.6.1.4.1.232.5.5.3.1
MIB OID Name	cpqSasLogDrvTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1
MIB OID Name	cpqSasLogDrvEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.1
MIB OID Name	cpqSasLogDrvHbaIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.2
MIB OID Name	cpqSasLogDrvIndex

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.3
MIB OID Name	cpqSasLogDrvRaidLevel
WBEM Class and Property	SMX_SASStorageVolume.FaultTolerance
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.4
MIB OID Name	cpqSasLogDrvStatus
WBEM Class and Property	SMX_SASStorageVolume.OperationalStatus SMX_SASStorageVolume.ExtentStatus
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.5
MIB OID Name	cpqSasLogDrvCondition
WBEM Class and Property	SMX_SASStorageVolume.OperationalStatus SMX_SASStorageVolume.ExtentStatus
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.6
MIB OID Name	cpqSasLogDrvRebuildingDisk
WBEM Class and Property	SMX_SASStorageExtent.ExtentStatus
Notes	Via association traversal

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.7
MIB OID Name	cpqSasLogDrvCapacity
WBEM Class and Property	SMX_SASStorageVolume.BlockSize * NumberOfBlocks
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.8
MIB OID Name	cpqSasLogDrvStripeSize
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.9
MIB OID Name	cpqSasLogDrvPhyDrvIds
WBEM Class and Property	SMX_SASStorageExtentStorageVolume
Notes	Via association traversal

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.10
MIB OID Name	cpqSasLogDrvSpareIds
WBEM Class and Property	SMX_SASSpareExtentStorageRedundancySet
Notes	Via association traversal

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.11
MIB OID Name	cpqSasLogDrvOsName
WBEM Class and Property	SMX_SASStorageVolume.OSName
Notes	

MIB OID	1.3.6.1.4.1.232.5.5.3.1.1.12
MIB OID Name	cpqSasLogDrvRebuildingPercent
WBEM Class and Property	Not Implemented
Notes	

5.4 CPQSTSYS

MIB OID	1.3.6.1.4.1.232.8.1.1
MIB OID Name	cpqSsMibRevMajor
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.1.2
MIB OID Name	cpqSsMibRevMinor

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.1.3
MIB OID Name	cpqSsMibCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1
MIB OID Name	cpqSsDrvBoxTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1
MIB OID Name	cpqSsDrvBoxEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.1
MIB OID Name	cpqSsBoxCntlrIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.2
MIB OID Name	cpqSsBoxBusIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.3
MIB OID Name	cpqSsBoxType
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.2.1.1.4
MIB OID Name	cpqSsBoxModel
WBEM Class and Property	SMX_SASStorageEnclosure.Model SMX_SASStorageEnclosure.Model
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.5
MIB OID Name	cpqSsBoxFWRev
WBEM Class and Property	SMX_SAEnclosureFirmware.VersionString SMX_SAEnclosureFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.6
MIB OID Name	cpqSsBoxVendor
WBEM Class and Property	SMX_SASStorageEnclosure.Manufacturer SMX_SASStorageEnclosure.Manufacturer
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.7
MIB OID Name	cpqSsBoxFanStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.8
MIB OID Name	cpqSsBoxCondition
WBEM Class and Property	Not Implemented
Notes	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus

MIB OID	1.3.6.1.4.1.232.8.2.1.1.9
MIB OID Name	cpqSsBoxTempStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.10
----------------	----------------------------

MIB OID Name	cpqSsBoxSidePanelStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.11
MIB OID Name	cpqSsBoxFitToIPwrSupplyStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.12
MIB OID Name	cpqSsBoxBackPlaneVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.13
MIB OID Name	cpqSsBoxTotalBays
WBEM Class and Property	SMX_SADriveCage.DriveBays SMX_SASDriveCage.DriveBays
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.14
MIB OID Name	cpqSsBoxPlacement
WBEM Class and Property	SMX_SADriveCage.Location SMX_SASDriveCage.Location
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.15
MIB OID Name	cpqSsBoxDuplexOption
WBEM Class and Property	SMX_SADriveCage.DuplexLocation SMX_SASDriveCage.DuplexLocation
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.16
MIB OID Name	cpqSsBoxBoardRevision

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.17
MIB OID Name	cpqSsBoxSerialNumber
WBEM Class and Property	SMX_SADriveCage.SerialNumber SMX_SASDriveCage.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.18
MIB OID Name	cpqSsBoxCntlrHwLocation
WBEM Class and Property	SMX_SASStorageEnclosureLocation.LocationInformation/LocationInfoDesc SMX_SASStorageEnclosureLocation.LocationInformation/LocationInfoDesc
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.19
MIB OID Name	cpqSsBoxBackplaneSpeed
WBEM Class and Property	SMX_SADriveCage.BackplaneSpeed SMX_SASDriveCage.BackplaceSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.20
MIB OID Name	cpqSsBoxConnectionType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.21
MIB OID Name	cpqSsBoxHostConnector
WBEM Class and Property	SMX_SAArraySystemStorageEnclosureProcessor SMX_SASArraySystemStorageEnclosureProcessor
Notes	Via association traversal

MIB OID	1.3.6.1.4.1.232.8.2.1.1.22
MIB OID Name	cpqSsBoxBoxOnConnector
WBEM Class and Property	SMX_SASStorageEnclosureLocation.PhysicalPosition SMX_SASStorageEnclosureLocation.PhysicalPosition

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.8.2.1.1.23
MIB OID Name	cpqSsBoxLocationString
WBEM Class and Property	SMX_SASStorageEnclosureLocation.PhysicalPosition SMX_SASStorageEnclosureLocation.PhysicalPosition
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.24
MIB OID Name	cpqSsBoxInitiatorSasAddress
WBEM Class and Property	Nopt Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.25
MIB OID Name	cpqSsBoxTargetSasAddress
WBEM Class and Property	Nopt Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.26
MIB OID Name	cpqSsBoxLocalManagelpAddress
WBEM Class and Property	Nopt Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.27
MIB OID Name	cpqSsBoxPartnerManagelpAddress
WBEM Class and Property	Nopt Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.28
MIB OID Name	cpqSsBoxConnectionStatus
WBEM Class and Property	Nopt Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.1.1.29
----------------	----------------------------

MIB OID Name	cpqSsBoxTargetBasedManagement
WBEM Class and Property	Nopt Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1
MIB OID Name	cpqSsChassisTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1
MIB OID Name	cpqSsChassisEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.1
MIB OID Name	cpqSsChassisIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.2
MIB OID Name	cpqSsChassisConnectionType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.3
MIB OID Name	cpqSsChassisSerialNumber
WBEM Class and Property	SMX_SASStorageEnclosure.SerialNumber SMX_SASStorageEnclosure.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.4
MIB OID Name	cpqSsChassisName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.5
MIB OID Name	cpqSsChassisSystemBoardSerNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.6
MIB OID Name	cpqSsChassisSystemBoardRev
WBEM Class and Property	SMX_SAEnclosureFirmware.VersionString SMX_SASEnclosureFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.7
MIB OID Name	cpqSsChassisPowerBoardSerNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.8
MIB OID Name	cpqSsChassisPowerBoardRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.9
MIB OID Name	cpqSsChassisScsiBoardSerNum
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.10
MIB OID Name	cpqSsChassisScsiBoardRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.11
----------------	------------------------------

MIB OID Name	cpqSsChassisOverallCondition
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.12
MIB OID Name	cpqSsChassisPowerSupplyCondition
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.13
MIB OID Name	cpqSsChassisFanCondition
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.14
MIB OID Name	cpqSsChassisTemperatureCondition
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.15
MIB OID Name	cpqSsChassisFcaCntlrCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.16
MIB OID Name	cpqSsChassisFcaLogicalDriveCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.17
----------------	------------------------------

MIB OID Name	cpqSsChassisFcaPhysDrvCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.18
MIB OID Name	cpqSsChassisTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.19
MIB OID Name	cpqSsChassisModel
WBEM Class and Property	CIM_PhysicalPackage.Model
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.20
MIB OID Name	cpqSsChassisBackplaneCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.21
MIB OID Name	cpqSsChassisFcaTapeDrvCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.22
MIB OID Name	cpqSsChassisRsoStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.23
MIB OID Name	cpqSsChassisRsoCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.24
MIB OID Name	cpqSsChassisScsiloModuleType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.25
MIB OID Name	cpqSsChassisPerferredPathMode
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.1.1.26
MIB OID Name	cpqSsChassisProductId
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.2
MIB OID Name	cpqSsloSlotTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.2.1
MIB OID Name	cpqSsloSlotEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.2.1.1
MIB OID Name	cpqSsloSlotChassisIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.2.1.2
MIB OID Name	cpqSsloSlotIndex
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.8.2.2.1.3
MIB OID Name	cpqSsloSlotControllerType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3
MIB OID Name	cpqSsPowerSupplyTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1
MIB OID Name	cpqSsPowerSupplyEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.1
MIB OID Name	cpqSsPowerSupplyChassisIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.2
MIB OID Name	cpqSsPowerSupplyIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.3
MIB OID Name	cpqSsPowerSupplyBay
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.4
----------------	-----------------------------

MIB OID Name	cpqSsPowerSupplyStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.5
MIB OID Name	cpqSsPowerSupplyUpsStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.6
MIB OID Name	cpqSsPowerSupplyCondition
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.7
MIB OID Name	cpqSsPowerSupplySerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.8
MIB OID Name	cpqSsPowerSupplyBoardRevision
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.3.1.9
MIB OID Name	cpqSsPowerSupplyFirmwareRevision
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4
MIB OID Name	cpqSsFanModuleTable

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1
MIB OID Name	cpqSsFanModuleEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1.1
MIB OID Name	cpqSsFanModuleChassisIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1.2
MIB OID Name	cpqSsFanModuleIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1.3
MIB OID Name	cpqSsFanModuleStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1.4
MIB OID Name	cpqSsFanModuleCondition
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1.5
MIB OID Name	cpqSsFanModuleLocation
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1.6
MIB OID Name	cpqSsFanModuleSerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.4.1.7
MIB OID Name	cpqSsFanModuleBoardRevision
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5
MIB OID Name	cpqSsTempSensorTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1
MIB OID Name	cpqSsTempSensorEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.1
MIB OID Name	cpqSsTempSensorChassisIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.2
MIB OID Name	cpqSsTempSensorIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.3
----------------	-----------------------------

MIB OID Name	cpqSsTempSensorStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.4
MIB OID Name	cpqSsTempSensorCondition
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.5
MIB OID Name	cpqSsTempSensorLocation
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.6
MIB OID Name	cpqSsTempSensorCurrentValue
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.7
MIB OID Name	cpqSsTempSensorLimitValue
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.5.1.8
MIB OID Name	cpqSsTempSensorHysteresisValue
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6
MIB OID Name	cpqSsBackplaneTable

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1
MIB OID Name	cpqSsBackplaneEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.1
MIB OID Name	cpqSsBackplaneChassisIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.2
MIB OID Name	cpqSsBackplaneIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.3
MIB OID Name	cpqSsBackplaneFWRev
WBEM Class and Property	SMX_SA EnclosureFirmware.VersionString SMX_SASEnclosureFirmware.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.4
MIB OID Name	cpqSsBackplaneDriveBays
WBEM Class and Property	SMX_SADriveCage.DriveBays SMX_SASDriveCage.DriveBays
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.5
MIB OID Name	cpqSsBackplaneDuplexOption
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.6
MIB OID Name	cpqSsBackplaneCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.7
MIB OID Name	cpqSsBackplaneVersion
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.8
MIB OID Name	cpqSsBackplaneVendor
WBEM Class and Property	SMX_SADriveCage.Manufacturer SMX_SASDriveCage.Manufacturer
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.9
MIB OID Name	cpqSsBackplaneModel
WBEM Class and Property	SMX_SADriveCage.Model SMX_SASDriveCage.Model
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.10
MIB OID Name	cpqSsBackplaneFanStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.11
MIB OID Name	cpqSsBackplaneTempStatus
WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.12
MIB OID Name	cpqSsBackplaneFtpsStatus

WBEM Class and Property	SMX_SASStorageEnclosureProcessor.OperationalStatus SMX_SASStorageEnclosureProcessor.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.13
MIB OID Name	cpqSsBackplaneSerialNumber
WBEM Class and Property	SMX_SADriveCage.Model SMX_SASDriveCage.Model
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.14
MIB OID Name	cpqSsBackplanePlacement
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.15
MIB OID Name	cpqSsBackplaneBoardRevision
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.6.1.16
MIB OID Name	cpqSsBackplaneSpeed
WBEM Class and Property	SMX_SADriveCage.BackplaneSpeed SMX_SASDriveCage.BackplaneSpeed
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7
MIB OID Name	cpqSsFibreAttachmentTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7.1
MIB OID Name	cpqSsFibreAttachmentEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7.1.1
MIB OID Name	cpqSsFibreAttachmentIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7.1.2
MIB OID Name	cpqSsFibreAttachmentHostControllerIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7.1.3
MIB OID Name	cpqSsFibreAttachmentHostControllerPort
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7.1.4
MIB OID Name	cpqSsFibreAttachmentDeviceType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7.1.5
MIB OID Name	cpqSsFibreAttachmentDeviceIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.7.1.6
MIB OID Name	cpqSsFibreAttachmentDevicePort
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8
MIB OID Name	cpqSsScsiAttachmentTable
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1
MIB OID Name	cpqSsScsiAttachmentEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.1
MIB OID Name	cpqSsScsiAttachmentIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.2
MIB OID Name	cpqSsScsiAttachmentControllerIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.3
MIB OID Name	cpqSsScsiAttachmentControllerPort
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.4
MIB OID Name	cpqSsScsiAttachmentControllerTarget
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.5
MIB OID Name	cpqSsScsiAttachmentControllerLun
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.6
----------------	-----------------------------

MIB OID Name	cpqSsScsiAttachmentChassisIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.7
MIB OID Name	cpqSsScsiAttachmentChassisIoSlot
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.8
MIB OID Name	cpqSsScsiAttachmentPathStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.2.8.1.9
MIB OID Name	cpqSsScsiAttachmentPathCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3
MIB OID Name	cpqSsDrvBoxPathTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1
MIB OID Name	cpqSsDrvBoxPathEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.1
MIB OID Name	cpqSsDrvBoxPathCntlIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.2
MIB OID Name	cpqSsDrvBoxPathBox
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.3
MIB OID Name	cpqSsDrvBoxPathIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.4
MIB OID Name	cpqSsDrvBoxPathStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.5
MIB OID Name	cpqSsDrvBoxPathCurrentRole
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.6
MIB OID Name	cpqSsDrvBoxPathHostConnector
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.7
MIB OID Name	cpqSsDrvBoxPathBoxOnConnector
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.2.3.1.8
MIB OID Name	cpqSsDrvBoxPathLocationString
WBEM Class and Property	Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.8.3.1
MIB OID Name	cpqSsTrapPkts
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.3.2
MIB OID Name	cpqSsTrapLogMaxSize
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.3.3
MIB OID Name	cpqSsTrapLogTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.3.3.1
MIB OID Name	cpqSsTrapLogEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.3.3.1.1
MIB OID Name	cpqSsTrapLogIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.3.3.1.2
MIB OID Name	cpqSsTrapType
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.3.3.1.3
----------------	---------------------------

MIB OID Name	cpqSsTrapTime
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.8.4.1
MIB OID Name	cpqSsRaidSystemTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.4.1.1
MIB OID Name	cpqSsRaidSystemEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.4.1.1.1
MIB OID Name	cpqSsRaidSystemIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.4.1.1.2
MIB OID Name	cpqSsRaidSystemName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.4.1.1.3
MIB OID Name	cpqSsRaidSystemStatus
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.4.1.1.4
MIB OID Name	cpqSsRaidSystemCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.4.1.1.5
MIB OID Name	cpqSsRaidSystemCntlr1SerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.8.4.1.1.6
MIB OID Name	cpqSsRaidSystemCntlr2SerialNumber
WBEM Class and Property	Not Implemented
Notes	

5.5 CPQFCA

MIB OID	1.3.6.1.4.1.232.16.1.1
MIB OID Name	cpqFcaMibRevMajor
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.1.2
MIB OID Name	cpqFcaMibRevMinor
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.1.3
MIB OID Name	cpqFcaMibCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.1.4.1
MIB OID Name	cpqFcaOsCommonPollFreq
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.1.4.2
----------------	----------------------------

MIB OID Name	cpqFcaOsCommonModuleTable
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.1.4.2.1
MIB OID Name	cpqFcaOsCommonModuleEntry
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.1.4.2.1.1
MIB OID Name	cpqFcaOsCommonModuleIndex
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.1.4.2.1.2
MIB OID Name	cpqFcaOsCommonModuleName
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.1.4.2.1.3
MIB OID Name	cpqFcaOsCommonModuleVersion
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.1.4.2.1.4
MIB OID Name	cpqFcaOsCommonModuleDate
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.1.4.2.1.5
MIB OID Name	cpqFcaOsCommonModulePurpose
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.2.1
MIB OID Name	cpqFcaCntlrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1
MIB OID Name	cpqFcaCntlrEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.1
MIB OID Name	cpqFcaCntlrBoxIndex
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.2
MIB OID Name	cpqFcaCntlrBoxIoSlot
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.3
MIB OID Name	cpqFcaCntlrModel
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.4
MIB OID Name	cpqFcaCntlrFWRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.5
MIB OID Name	cpqFcaCntlrStatus
WBEM Class and Property	SMX_N Not Implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.6
MIB OID Name	cpqFcaCntlrCondition
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.7
MIB OID Name	cpqFcaCntlrProductRev
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.8
MIB OID Name	cpqFcaCntlrWorldWideName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.9
MIB OID Name	cpqFcaCntlrSerialNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.10
MIB OID Name	cpqFcaCntlrCurrentRole
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.11
MIB OID Name	cpqFcaCntlrRedundancyType
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.12
----------------	-------------------------------

MIB OID Name	cpqFcaCntlrRedundancyError
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.13
MIB OID Name	cpqFcaCntlrBlinkTime
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.14
MIB OID Name	cpqFcaCntlrWorldWideNodeName
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.15
MIB OID Name	cpqFcaCntlrRebuildPriority
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.1.1.16
MIB OID Name	cpqFcaCntlrExpandPriority
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2
MIB OID Name	cpqFcaAccelTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1
MIB OID Name	cpqFcaAccelEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.1
MIB OID Name	cpqFcaAccelBoxIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.2
MIB OID Name	cpqFcaAccelBoxIoSlot
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.3
MIB OID Name	cpqFcaAccelStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.4
MIB OID Name	cpqFcaAccelBadData
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.5
MIB OID Name	cpqFcaAccelErrCode
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.6
MIB OID Name	cpqFcaAccelBatteryStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.7
MIB OID Name	cpqFcaAccelReadErrs
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.8
MIB OID Name	cpqFcaAccelWriteErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.9
MIB OID Name	cpqFcaAccelCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.10
MIB OID Name	cpqFcaAccelWriteCache
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.11
MIB OID Name	cpqFcaAccelReadCache
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.12
MIB OID Name	cpqFcaAccelSerialNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.13
MIB OID Name	cpqFcaAccelTotalMemory
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.2.2.1.14
----------------	-------------------------------

MIB OID Name	cpqFcaAccelFailedBatteries
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1
MIB OID Name	cpqFcaLogDrvTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1
MIB OID Name	cpqFcaLogDrvEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.1
MIB OID Name	cpqFcaLogDrvBoxIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.2
MIB OID Name	cpqFcaLogDrvIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.3
MIB OID Name	cpqFcaLogDrvFaultTol
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.4
MIB OID Name	cpqFcaLogDrvStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.5
MIB OID Name	cpqFcaLogDrvAutoRel
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.6
MIB OID Name	cpqFcaLogDrvPercentRebuild
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.7
MIB OID Name	cpqFcaLogDrvHasAccel
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.8
MIB OID Name	cpqFcaLogDrvAvailSpares
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.9
MIB OID Name	cpqFcaLogDrvSize
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.10
MIB OID Name	cpqFcaLogDrvPhyDrvIDs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.11
MIB OID Name	cpqFcaLogDrvCondition
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.12
MIB OID Name	cpqFcaLogDrvStripeSize
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.13
MIB OID Name	cpqFcaLogDrvOsName
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.14
MIB OID Name	cpqFcaLogDrvBlinkTime
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.15
MIB OID Name	cpqFcaLogDrvSpareReplaceMap
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.16
MIB OID Name	cpqFcaLogDrvRebuildingPhyDrv
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.17
MIB OID Name	cpqFcaLogDrvSnapshotResourceDrvIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.18
----------------	-------------------------------

MIB OID Name	cpqFcaLogDrvSnapshotSourceDrvIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.19
MIB OID Name	cpqFcaLogDrvPreferredPath
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.3.1.1.20
MIB OID Name	cpqFcaLogDrvCurrentPath
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1
MIB OID Name	cpqFcaSpareTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1
MIB OID Name	cpqFcaSpareEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.1
MIB OID Name	cpqFcaSpareBoxIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.2
MIB OID Name	cpqFcaSparePhyDrvIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.3
MIB OID Name	cpqFcaSpareStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.4
MIB OID Name	cpqFcaSpareReplacedDrvBay
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.5
MIB OID Name	cpqFcaSparePercentRebuild
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.6
MIB OID Name	cpqFcaSpareCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.7
MIB OID Name	cpqFcaSpareBusNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.8
MIB OID Name	cpqFcaSpareBay
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.9
MIB OID Name	cpqFcaSpareReplacedDrvBusNumber
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.4.1.1.10
MIB OID Name	cpqFcaSpareLocationString
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1
MIB OID Name	cpqFcaPhyDrvTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1
MIB OID Name	cpqFcaPhyDrvEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.1
MIB OID Name	cpqFcaPhyDrvBoxIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.2
MIB OID Name	cpqFcaPhyDrvIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.3
MIB OID Name	cpqFcaPhyDrvModel
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.4
----------------	------------------------------

MIB OID Name	cpqFcaPhyDrvFWRev
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.5
MIB OID Name	cpqFcaPhyDrvBay
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.6
MIB OID Name	cpqFcaPhyDrvStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.7
MIB OID Name	cpqFcaPhyDrvUsedReallocs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.8
MIB OID Name	cpqFcaPhyDrvRefHours
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.9
MIB OID Name	cpqFcaPhyDrvHReads
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.10
MIB OID Name	cpqFcaPhyDrvReads
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.11
MIB OID Name	cpqFcaPhyDrvHWrites
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.12
MIB OID Name	cpqFcaPhyDrvWrites
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.13
MIB OID Name	cpqFcaPhyDrvHSeeks
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.14
MIB OID Name	cpqFcaPhyDrvSeeks
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.15
MIB OID Name	cpqFcaPhyDrvHardReadErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.16
MIB OID Name	cpqFcaPhyDrvRecvReadErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.17
MIB OID Name	cpqFcaPhyDrvHardWriteErrs
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.18
MIB OID Name	cpqFcaPhyDrvRecvWriteErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.19
MIB OID Name	cpqFcaPhyDrvHSeekErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.20
MIB OID Name	cpqFcaPhyDrvSeekErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.21
MIB OID Name	cpqFcaPhyDrvSpinupTime
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.22
MIB OID Name	cpqFcaPhyDrvFunctTest1
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.23
MIB OID Name	cpqFcaPhyDrvFunctTest2
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.24
----------------	-------------------------------

MIB OID Name	cpqFcaPhyDrvFunctTest3
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.25
MIB OID Name	cpqFcaPhyDrvOtherTimeouts
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.26
MIB OID Name	cpqFcaPhyDrvBadRecvReads
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.27
MIB OID Name	cpqFcaPhyDrvBadRecvWrites
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.28
MIB OID Name	cpqFcaPhyDrvFormatErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.29
MIB OID Name	cpqFcaPhyDrvNotReadyErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.30
MIB OID Name	cpqFcaPhyDrvHasMonInfo
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.31
MIB OID Name	cpqFcaPhyDrvCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.32
MIB OID Name	cpqFcaPhyDrvHotPlugs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.33
MIB OID Name	cpqFcaPhyDrvMediaErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.34
MIB OID Name	cpqFcaPhyDrvHardwareErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.35
MIB OID Name	cpqFcaPhyDrvAbortedCmds
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.36
MIB OID Name	cpqFcaPhyDrvSpinUpErrs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.37
MIB OID Name	cpqFcaPhyDrvBadTargetErrs
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.38
MIB OID Name	cpqFcaPhyDrvSize
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.39
MIB OID Name	cpqFcaPhyDrvBusFaults
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.40
MIB OID Name	cpqFcaPhyDrvHotPlug
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.41
MIB OID Name	cpqFcaPhyDrvPlacement
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.42
MIB OID Name	cpqFcaPhyDrvBusNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.43
MIB OID Name	cpqFcaPhyDrvSerialNum
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.44
----------------	-------------------------------

MIB OID Name	cpqFcaPhyDrvPreFailMonitoring
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.45
MIB OID Name	cpqFcaPhyDrvCurrentWidth
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.46
MIB OID Name	cpqFcaPhyDrvCurrentSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.47
MIB OID Name	cpqFcaPhyDrvFailureCode
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.48
MIB OID Name	cpqFcaPhyDrvBlinkTime
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.49
MIB OID Name	cpqFcaPhyDrvSmartStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.50
MIB OID Name	cpqFcaPhyDrvRotationalSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.51
MIB OID Name	cpqFcaPhyDrvType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.52
MIB OID Name	cpqFcaPhyDrvSataVersion
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.53
MIB OID Name	cpqFcaPhyDrvBoxConnector
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.54
MIB OID Name	cpqFcaPhyDrvOnConnector
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.55
MIB OID Name	cpqFcaPhyDrvLocationString
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.56
MIB OID Name	cpqFcaPhyDrvNegotiatedLinkRate
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.57
MIB OID Name	cpqFcaPhyDrvPhyCount
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.5.1.1.58
MIB OID Name	cpqFcaPhyDrvUnsupportedDrive
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1
MIB OID Name	cpqFcaPhyDrvThrTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1
MIB OID Name	cpqFcaPhyDrvThrEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.1
MIB OID Name	cpqFcaPhyDrvThrBoxIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.2
MIB OID Name	cpqFcaPhyDrvThrIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.3
MIB OID Name	cpqFcaPhyDrvThrUsedReallocs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.4
----------------	------------------------------

MIB OID Name	cpqFcaPhyDrvThrSpinupTime
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.5
MIB OID Name	cpqFcaPhyDrvThrFunctTest1
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.6
MIB OID Name	cpqFcaPhyDrvThrFunctTest2
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.7
MIB OID Name	cpqFcaPhyDrvThrFunctTest3
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.8
MIB OID Name	cpqFcaPhyDrvThrViUsedReallocs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.9
MIB OID Name	cpqFcaPhyDrvThrViSpinupTime
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.10
MIB OID Name	cpqFcaPhyDrvThrViFunctTest1
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.11
MIB OID Name	cpqFcaPhyDrvThrViFunctTest2
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.6.1.1.12
MIB OID Name	cpqFcaPhyDrvThrViFunctTest3
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1
MIB OID Name	cpqFcaHostCntlrTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1
MIB OID Name	cpqFcaHostCntlrEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.1
MIB OID Name	cpqFcaHostCntlrIndex
WBEM Class and Property	SMX_FCHBAFCport.PortNumber
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.2
MIB OID Name	cpqFcaHostCntlrSlot
WBEM Class and Property	SMX_FCHBALocation.LocationInformation
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.3
MIB OID Name	cpqFcaHostCntlrModel
WBEM Class and Property	SMX_FCHBAPhysicalPackage.Model

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.4
MIB OID Name	cpqFcaHostCntlrStatus
WBEM Class and Property	SMX_FCHBAPortController.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.5
MIB OID Name	cpqFcaHostCntlrCondition
WBEM Class and Property	SMX_FCHBAPortController.OperationalStatus
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.6
MIB OID Name	cpqFcaHostCntlrWorldWideName
WBEM Class and Property	SMX_FCHBAComputerSystem.Name
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.7
MIB OID Name	cpqFcaHostCntlrStorBoxList
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.8
MIB OID Name	cpqFcaHostCntlrOverallCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.9
MIB OID Name	cpqFcaHostCntlrTapeCntlrList
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.10
----------------	-------------------------------

MIB OID Name	cpqFcaHostCntlrSerialNumber
WBEM Class and Property	SMX_FCHBAPhysicalPackage.SerialNumber
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.11
MIB OID Name	cpqFcaHostCntlrHwLocation
WBEM Class and Property	SMX_FCHBALocation.LocationInformation
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.12
MIB OID Name	cpqFcaHostCntlrWorldWidePortName
WBEM Class and Property	SMX_FCHBAFCPort.PermanentAddress
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.13
MIB OID Name	cpqFcaHostCntlrFirmwareVersion
WBEM Class and Property	SMX_FCHBAFirmwareIdentityFW.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.7.1.1.14
MIB OID Name	cpqFcaHostCntlrOptionRomVersion
WBEM Class and Property	SMX_FCHBAFirmwareIdentityBIOS.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1
MIB OID Name	cpqExtArrRsrcVolTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1
MIB OID Name	cpqExtArrRsrcVolEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.1
MIB OID Name	cpqExtArrRsrcVolBoxIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.2
MIB OID Name	cpqExtArrRsrcVolIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.3
MIB OID Name	cpqExtArrRsrcVolActiveInstances
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.4
MIB OID Name	cpqExtArrRsrcVolDisabledInstances
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.5
MIB OID Name	cpqExtArrRsrcVolAllowCreation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.6
MIB OID Name	cpqExtArrRsrcVolVolumeld
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.7
MIB OID Name	cpqExtArrRsrcVolSourceVolumeld
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.8
MIB OID Name	cpqExtArrRsrcVolTotalSpace
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.9
MIB OID Name	cpqExtArrRsrcVolFreeActiveSpace
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.10
MIB OID Name	cpqExtArrRsrcVolFreeNewSpace
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.8.1.1.11
MIB OID Name	cpqExtArrRsrcVolStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1
MIB OID Name	cpqExtArrSnapshotTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1
MIB OID Name	cpqExtArrSnapshotEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.1
----------------	------------------------------

MIB OID Name	cpqExtArrSnapshotBoxIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.2
MIB OID Name	cpqExtArrSnapshotRsrcVolIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.3
MIB OID Name	cpqExtArrSnapshotIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.4
MIB OID Name	cpqExtArrSnapshotInstance
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.5
MIB OID Name	cpqExtArrSnapshotUsedSpace
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.6
MIB OID Name	cpqExtArrSnapshotDateTime
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.7
MIB OID Name	cpqExtArrSnapshotType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.8
MIB OID Name	cpqExtArrSnapshotMounted
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.2.9.1.1.9
MIB OID Name	cpqExtArrSnapshotAccess
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1
MIB OID Name	cpqFcTapeCntlrTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1
MIB OID Name	cpqFcTapeCntlrEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.1
MIB OID Name	cpqFcTapeCntlrIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.2
MIB OID Name	cpqFcTapeCntlrStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.3
MIB OID Name	cpqFcTapeCntlrCondition
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.4
MIB OID Name	cpqFcTapeCntlrOverallCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.5
MIB OID Name	cpqFcTapeCntlrWWN
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.6
MIB OID Name	cpqFcTapeCntlrFWRev
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.7
MIB OID Name	cpqFcTapeCntlrType
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.8
MIB OID Name	cpqFcTapeCntlrModel
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.1.1.1.9
MIB OID Name	cpqFcTapeCntlrSerialNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1
----------------	--------------------------

MIB OID Name	cpqFcTapeLibraryTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1
MIB OID Name	cpqFcTapeLibraryEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.1
MIB OID Name	cpqFcTapeLibraryCntlrlIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.2
MIB OID Name	cpqFcTapeLibraryScsiBus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.3
MIB OID Name	cpqFcTapeLibraryScsiTarget
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.4
MIB OID Name	cpqFcTapeLibraryScsiLun
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.5
MIB OID Name	cpqFcTapeLibrarySerialNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.6
MIB OID Name	cpqFcTapeLibraryModel
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.7
MIB OID Name	cpqFcTapeLibraryFWRev
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.8
MIB OID Name	cpqFcTapeLibraryStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.9
MIB OID Name	cpqFcTapeLibraryDoorStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.10
MIB OID Name	cpqFcTapeLibraryCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.11
MIB OID Name	cpqFcTapeLibraryOverallCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.12
MIB OID Name	cpqFcTapeLibraryLastError
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.13
MIB OID Name	cpqFcTapeLibraryStatHours
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.14
MIB OID Name	cpqFcTapeLibraryStatMoves
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.15
MIB OID Name	cpqFcTapeLibraryDriveList
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.16
MIB OID Name	cpqFcTapeLibraryLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.17
MIB OID Name	cpqFcTapeLibraryTemperature
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.18
MIB OID Name	cpqFcTapeLibraryRedundancy
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.2.1.1.19
----------------	-------------------------------

MIB OID Name	cpqFcTapeLibraryHotSwap
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1
MIB OID Name	cpqFcTapeDriveTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1
MIB OID Name	cpqFcTapeDriveEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.1
MIB OID Name	cpqFcTapeDriveCntlrIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.2
MIB OID Name	cpqFcTapeDriveScsiBus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.3
MIB OID Name	cpqFcTapeDriveScsiTarget
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.4
MIB OID Name	cpqFcTapeDriveScsiLun
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.5
MIB OID Name	cpqFcTapeDriveSerialNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.6
MIB OID Name	cpqFcTapeDriveModel
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.7
MIB OID Name	cpqFcTapeDriveFWRev
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.8
MIB OID Name	cpqFcTapeDriveType
WBEM Class and Property	Not Implemented
Notes	Deprecated in SNMP

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.9
MIB OID Name	cpqFcTapeDriveFWSubtype
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.10
MIB OID Name	cpqFcTapeDriveStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.11
MIB OID Name	cpqFcTapeDriveCleanReq
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.12
MIB OID Name	cpqFcTapeDriveCleanTapeRepl
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.13
MIB OID Name	cpqFcTapeDriveCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.14
MIB OID Name	cpqFcTapeDriveCleanTapeCount
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.15
MIB OID Name	cpqFcTapeDriveLibraryDrive
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.16
MIB OID Name	cpqFcTapeDriveLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.17
MIB OID Name	cpqFcTapeDriveHotPlug
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.18
----------------	-------------------------------

MIB OID Name	cpqFcTapeDriveBay
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.19
MIB OID Name	cpqFcTapeDriveCurrentWidth
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.3.1.1.20
MIB OID Name	cpqFcTapeDriveCurrentSpeed
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1
MIB OID Name	cpqFcTapeCountersTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1
MIB OID Name	cpqFcTapeCountersEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.1
MIB OID Name	cpqFcTapeCountersCntlrlIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.2
MIB OID Name	cpqFcTapeCountersScsiBus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.3
MIB OID Name	cpqFcTapeCountersScsiTarget
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.4
MIB OID Name	cpqFcTapeCountersScsiLun
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.5
MIB OID Name	cpqFcTapeCountersReWrites
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.6
MIB OID Name	cpqFcTapeCountersReReads
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.7
MIB OID Name	cpqFcTapeCountersTotalErrors
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.8
MIB OID Name	cpqFcTapeCountersTotalUncorrectable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.3.4.1.1.9
MIB OID Name	cpqFcTapeCountersTotalBytes
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.16.4.1.1
MIB OID Name	cpqFcSwitchTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1
MIB OID Name	cpqFcSwitchEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.1
MIB OID Name	cpqFcSwitchIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.2
MIB OID Name	cpqFcSwitchLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.3
MIB OID Name	cpqFcSwitchChassisIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.4
MIB OID Name	cpqFcSwitchChassisSlot
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.5
----------------	------------------------------

MIB OID Name	cpqFcSwitchWorldWideNodeName
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.6
MIB OID Name	cpqFcSwitchWorldWidePortName
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.7
MIB OID Name	cpqFcSwitchIpAddress
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.8
MIB OID Name	cpqFcSwitchIpGateway
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.9
MIB OID Name	cpqFcSwitchIpSubnet
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.10
MIB OID Name	cpqFcSwitchName
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.11
MIB OID Name	cpqFcSwitchNetworkLinkStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.12
MIB OID Name	cpqFcSwitchFibreConnectStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.16.4.1.1.1.13
MIB OID Name	cpqFcSwitchFWRev
WBEM Class and Property	Not implemented
Notes	

6 Network MIB Variable to WBEM Property Mappings

6.1 CPQNIC

MIB OID	1.3.6.1.4.1.232.18.1.1
MIB OID Name	cpqNicMibRevMajor
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.1.2
MIB OID Name	cpqNicMibRevMinor
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.1.3
MIB OID Name	cpqNicMibCondition
WBEM Class and Property	SMX_EthernetCollection.GroupOperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.1.4.1
MIB OID Name	cpqNicOsCommonPollFreq
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.18.2.1.4.2
MIB OID Name	cpqNicOsCommonModuleTable
WBEM Class and Property	Not implemented
Notes	Deprecated

MIB OID	1.3.6.1.4.1.232.18.2.1.4.2.1
MIB OID Name	cpqNicOsCommonModuleEntry
WBEM Class and Property	Not implemented
Notes	Deprecated

MIB OID	1.3.6.1.4.1.232.18.2.1.4.2.1.1
MIB OID Name	cpqNicOsCommonModuleIndex
WBEM Class and Property	Not implemented
Notes	Deprecated

MIB OID	1.3.6.1.4.1.232.18.2.1.4.2.1.2
MIB OID Name	cpqNicOsCommonModuleName
WBEM Class and Property	Not implemented
Notes	Deprecated

MIB OID	1.3.6.1.4.1.232.18.2.1.4.2.1.3
MIB OID Name	cpqNicOsCommonModuleVersion
WBEM Class and Property	Not implemented
Notes	Deprecated

MIB OID	1.3.6.1.4.1.232.18.2.1.4.2.1.4
MIB OID Name	cpqNicOsCommonModuleDate
WBEM Class and Property	Not implemented
Notes	Deprecated

MIB OID	1.3.6.1.4.1.232.18.2.1.4.2.1.5
----------------	--------------------------------

MIB OID Name	cpqNicOsCommonModulePurpose
WBEM Class and Property	Not implemented
Notes	Deprecated

MIB OID	1.3.6.1.4.1.232.18.2.2.1
MIB OID Name	cpqNicIfLogMapTable
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1
MIB OID Name	cpqNicIfLogMapEntry
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.1
MIB OID Name	cpqNicIfLogMapIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.2
MIB OID Name	cpqNicIfLogMapIfNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.3
MIB OID Name	cpqNicIfLogMapDescription
WBEM Class and Property	SMX_EthernetPort.Caption SMX_EthernetPort.Description SMX_EthernetPort.ElementName
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.4
MIB OID Name	cpqNicIfLogMapGroupType
WBEM Class and Property	

	Not Implemented
Notes	Ethernet Teams not supported on ESXi

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.5
MIB OID Name	cpqNiclfLogMapAdapterCount
WBEM Class and Property	Not Implemented
Notes	Ethernet Teams not supported on ESXi

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.6
MIB OID Name	cpqNiclfLogMapAdapterOKCount
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.7
MIB OID Name	cpqNiclfLogMapPhysicalAdapters
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.8
MIB OID Name	cpqNiclfLogMapMACAddress
WBEM Class and Property	SMX_EthernetLANEndpoint.MACAddress
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.9
MIB OID Name	cpqNiclfLogMapSwitchoverMode
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.10
MIB OID Name	cpqNiclfLogMapCondition
WBEM Class and Property	SMX_EthernetPort.OperationalStatus[0]

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.11
MIB OID Name	cpqNicIfLogMapStatus
WBEM Class and Property	Not Implemented
Notes	Ethernet Teams not supported on ESXi

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.12
MIB OID Name	cpqNicIfLogMapNumSwitchovers
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.13
MIB OID Name	cpqNicIfLogMapHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.2
MIB OID Name	cpqNicIfLogMapOverallCondition
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.14
MIB OID Name	cpqNicIfLogMapSpeed
WBEM Class and Property	SMX_EthernetPort.Speed
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.15
MIB OID Name	cpqNicIfLogMapVlanCount
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.16
MIB OID Name	cpqNicIfLogMapVlans
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.17
MIB OID Name	cpqNicIfLogMapLastChange
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.18
MIB OID Name	cpqNicIfLogMapAdvancedTeaming
WBEM Class and Property	Not Implemented
Notes	Ethernet Teams not supported on ESXi

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.19
MIB OID Name	cpqNicIfLogMapSpeedMbps
WBEM Class and Property	SMX_EthernetPort.Speed
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.20
MIB OID Name	cpqNicIfLogMapIPv6Address
WBEM Class and Property	SMX_IPProtocolEndpoint.IPv6Address
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.2.1.1.21
MIB OID Name	cpqNicIfLogMapLACNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1
MIB OID Name	cpqNicIfPhysAdapterTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1
MIB OID Name	cpqNicIfPhysAdapterEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.1
MIB OID Name	cpqNicIfPhysAdapterIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.2
MIB OID Name	cpqNicIfPhysAdapterIfNumber
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.3
MIB OID Name	cpqNicIfPhysAdapterRole
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.4
MIB OID Name	cpqNicIfPhysAdapterMACAddress
WBEM Class and Property	SMX_EthernetPort.PermanentAddress
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.5
MIB OID Name	cpqNicIfPhysAdapterSlot

WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.6
MIB OID Name	cpqNicIfPhysAdapterIoAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.7
MIB OID Name	cpqNicIfPhysAdapterIrq
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.8
MIB OID Name	cpqNicIfPhysAdapterDma
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.9
MIB OID Name	cpqNicIfPhysAdapterMemAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.10
MIB OID Name	cpqNicIfPhysAdapterPort
WBEM Class and Property	SMX_EthernetPort.PortNumber
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.11
MIB OID Name	cpqNicIfPhysAdapterDuplexState
WBEM Class and Property	SMX_EthernetPort.FullDuplex
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.12
MIB OID Name	cpqNicIfPhysAdapterCondition
WBEM Class and Property	SMX_EthernetPort.OperationalStatus[0]
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.13
MIB OID Name	cpqNicIfPhysAdapterState
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.14
MIB OID Name	cpqNicIfPhysAdapterStatus
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.15
MIB OID Name	cpqNicIfPhysAdapterStatsValid
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.16
MIB OID Name	cpqNicIfPhysAdapterGoodTransmits
WBEM Class and Property	SMX_EthernetStatistics.PacketsTransmitted
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.17
MIB OID Name	cpqNicIfPhysAdapterGoodReceives
WBEM Class and Property	SMX_EthernetStatistics.PacketsReceived
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.18
MIB OID Name	cpqNicIfPhysAdapterBadTransmits
WBEM Class and Property	Not implemented

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.19
MIB OID Name	cpqNiclPhysAdapterBadReceives
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.20
MIB OID Name	cpqNiclPhysAdapterAlignmentErrors
WBEM Class and Property	SMX_EthernetStatistics.AlignmentErrors
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.21
MIB OID Name	cpqNiclPhysAdapterFCSErrors
WBEM Class and Property	SMX_EthernetStatistics.FCSErrors
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.22
MIB OID Name	cpqNiclPhysAdapterSingleCollisionFrames
WBEM Class and Property	SMX_EthernetStatistics.SingleCollisionFrames
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.23
MIB OID Name	cpqNiclPhysAdapterMultipleCollisionFrames
WBEM Class and Property	SMX_EthernetStatistics.MultipleCollisionFrames
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.24
MIB OID Name	cpqNiclPhysAdapterDeferredTransmissions
WBEM Class and Property	SMX_EthernetStatistics.DeferredTransmissions
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.25
----------------	-------------------------------

MIB OID Name	cpqNiclfPhysAdapterLateCollisions
WBEM Class and Property	SMX_EthernetStatistics.LateCollisions
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.26
MIB OID Name	cpqNiclfPhysAdapterExcessiveCollisions
WBEM Class and Property	SMX_EthernetStatistics.ExcessiveCollisions
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.27
MIB OID Name	cpqNiclfPhysAdapterInternalMacTransmitErrors
WBEM Class and Property	SMX_EthernetStatistics.InternalMacTransmitErrors
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.28
MIB OID Name	cpqNiclfPhysAdapterCarrierSenseErrors
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.29
MIB OID Name	cpqNiclfPhysAdapterFrameTooLongs
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.30
MIB OID Name	cpqNiclfPhysAdapterInternalMacReceiveErrors
WBEM Class and Property	SMX_EthernetStatistics.InternalMacReceiveErrors
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.31
MIB OID Name	cpqNiclfPhysAdapterHwLocation
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.32
MIB OID Name	cpqNicIfPhysAdapterPartNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.33
MIB OID Name	cpqNicIfPhysAdapterSpeed
WBEM Class and Property	SMX_EthernetPort.Speed
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.34
MIB OID Name	cpqNicIfPhysAdapterConfSpeedDuplex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.35
MIB OID Name	cpqNicIfPhysAdapterAggregationGID
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.36
MIB OID Name	cpqNicIfPhysAdapterSpeedMbps
WBEM Class and Property	SMX_EthernetPort.Speed
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.37
MIB OID Name	cpqNicIfPhysAdapterInOctets
WBEM Class and Property	SMX_EthernetStatistics.BytesReceived
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.38
MIB OID Name	cpqNicIfPhysAdapterOutOctets
WBEM Class and Property	SMX_EthernetStatistics.BytesTransmitted

Notes	
--------------	--

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.39
MIB OID Name	cpqNicIfPhysAdapterName
WBEM Class and Property	SMX_EthernetPort.Caption
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.40
MIB OID Name	cpqNicIfPhysAdapterIoBayNo
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.41
MIB OID Name	cpqNicIfPhysAdapterFWVersion
WBEM Class and Property	SMX_EthernetPortControllerFirmwareIdentity.VersionString
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.1.1.42
MIB OID Name	cpqNicIfPhysAdapterVirtualPortNumber
WBEM Class and Property	SMX_EthernetPort.VirtualPortNumber
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.2
MIB OID Name	cpqNicPhyAdapBaseMemTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.2.1
MIB OID Name	cpqNicPhyAdapBaseMemEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.2.1.1
----------------	------------------------------

MIB OID Name	cpqNicPhyAdapBaseMemIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.2.1.2
MIB OID Name	cpqNicPhyAdapBaseMemIflIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.3.2.1.3
MIB OID Name	cpqNicPhyAdapBaseMemAddr
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1
MIB OID Name	cpqNicIflVlanMapTable
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1
MIB OID Name	cpqNicIflVlanMapEntry
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1.1
MIB OID Name	cpqNicIflVlanMapIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1.2
MIB OID Name	cpqNicIflVlanMapLogIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1.3
MIB OID Name	cpqNicIflVlanMapIflIndex
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1.4
MIB OID Name	cpqNicIflVlanMapVlanId
WBEM Class and Property	SMX_EthernetLANEndpoint.VLANId
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1.5
MIB OID Name	cpqNicIflVlanMapVlanName
WBEM Class and Property	SMX_EthernetLANEndpoint.VLANName
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1.6
MIB OID Name	cpqNicIflVlanMapVlanIPv6Address
WBEM Class and Property	SMX_IPProtocolEndpoint.IPv6Address
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.4.1.1.7
MIB OID Name	cpqNicIflVlanMapVlanLACNumber
WBEM Class and Property	Not Implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.5.1
MIB OID Name	cpqNicVtInstalled
WBEM Class and Property	Not implemented
Notes	

MIB OID	1.3.6.1.4.1.232.18.2.5.2
MIB OID Name	cpqNicVtLicensed
WBEM Class and Property	Not implemented

Notes	
MIB OID	1.3.6.1.4.1.232.18.2.5.3
MIB OID Name	cpqNicVtVirusActivity
WBEM Class and Property	Not implemented
Notes	

7 Server Trap to Indication Mappings

7.1 CPQSTEQ Traps

Trap OID	1.3.6.1.4.1.232.1001
Trap OID Name	cpqSeCpuThresholdPassed
Indication Class	SMX_CPUIndication
Indication ProviderName	"HP Processor"
Indication EventID	"3"
Notes	This trap will be generated for this condition if SNMP traps are enabled.

Trap OID	1.3.6.1.4.1.232.1002
Trap OID Name	cpqSePCCardThermalDegraded
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.1003
Trap OID Name	cpqSePCCardThermalFailure
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.1004
Trap OID Name	cpqSePCCardThermalSafe
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.1005
Trap OID Name	cpqSe2CpuThresholdPassed
Indication Class	SMX_CPUIndication
Indication ProviderName	"HP Processor"
Indication EventID	"3"
Notes	This trap will not be generated for this condition. cpqSeCpuThresholdPassed will be generated.

Trap OID	1.3.6.1.4.1.232.1006
Trap OID Name	cpqSe2CpuStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.1007
Trap OID Name	cpqSeCpuPowerPodstatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.1008
Trap OID Name	cpqSeUSBStorageDeviceAttached
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

Trap OID	1.3.6.1.4.1.232.1009
Trap OID Name	cpqSeUSBStorageDeviceRemoved
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

7.2 CPQSINFO Traps

Trap OID	1.3.6.1.4.1.232.2001
Trap OID Name	cpqSiHoodRemoved
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	
Trap OID	1.3.6.1.4.1.232.2002
Trap OID Name	cpqSiMonitorConditionOK
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2003
Trap OID Name	cpqSiMonitorConditionDegraded
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2004
Trap OID Name	cpqSiMonitorConditionFailed

Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2005
Trap OID Name	cpqSiCorrMemErrStatusDegraded
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"3"
Notes	This trap be generated for this condition.

Trap OID	1.3.6.1.4.1.232.2006
Trap OID Name	cpqSiCorrMemErrStatusOK
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"4"
Notes	This trap be generated for this condition.

Trap OID	1.3.6.1.4.1.232.2007
Trap OID Name	cpqSiMemConfigChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2008
Trap OID Name	cpqSiHotPlugSlotBoardRemoved
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2009
Trap OID Name	cpqSiHotPlugSlotBoardInserted
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2010
Trap OID Name	cpqSiHotPlugSlotPowerUpFailed
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2011
Trap OID Name	cpqSiSysBatteryFailure
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2012
Trap OID Name	cpqSiSysBatteryChargingDegraded
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2013
Trap OID Name	cpqSiSysBatteryCalibrationError
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

7.3 CPQHLTH Traps

Trap OID	1.3.6.1.4.1.232.1
Trap OID Name	cpqHeCorrectableMemoryError
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"1"
Notes	This trap will not be generated for this condition. cpqHe3CorrMemReplaceMemModule will be generated.

Trap OID	1.3.6.1.4.1.232.2
Trap OID Name	cpqHeCorrectableMemoryLogDisabled
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6001
Trap OID Name	cpqHe2CorrectableMemoryError
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"1"
Notes	This trap will not be generated, cpqHe4CorrMemReplaceMemModule will be generated

Trap OID	1.3.6.1.4.1.232.6002
Trap OID Name	cpqHe2CorrectableMemoryLogDisabled
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6003
Trap OID Name	cpqHeThermalTempFailed
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Temperature"
Indication EventID	"1"
Notes	This trap will not be generated for this condition. cpqHe3ThermalTempFailed will be generated.

Trap OID	1.3.6.1.4.1.232.6004
Trap OID Name	cpqHeThermalTempDegraded
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6005
Trap OID Name	cpqHeThermalTempOk
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Temperature"
Indication EventID	"2"
Notes	This trap will not be generated for this condition. cpqHe3ThermTempOk will be generated.

Trap OID	1.3.6.1.4.1.232.6006
Trap OID Name	cpqHeThermalSystemFanFailed
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"3"
Notes	This trap will not be generated for this condition. cpqHe3ThermalSystemFanFailed will be generated.

Trap OID	1.3.6.1.4.1.232.6007
Trap OID Name	cpqHeThermalSystemFanDegraded
Indication Class	Not Implemented

Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6008
Trap OID Name	cpqHeThermalSystemFanOk
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"4"
Notes	This trap will not be generated for this condition. cpqHe3ThermalSystemFanOk will be generated.

Trap OID	1.3.6.1.4.1.232.6009
Trap OID Name	cpqHeThermalCpuFanFailed
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"3"
Notes	This trap will not be generated for this condition. cpqHe3ThermalCpuFanFailed will be generated.

Trap OID	1.3.6.1.4.1.232.6010
Trap OID Name	cpqHeThermalCpuFanOk
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"4"
Notes	This trap will not be generated for this condition. cpqHe3ThermalCPUFanFailed will be generated.

Trap OID	1.3.6.1.4.1.232.6011
Trap OID Name	cpqHeAsrConfirmation
Indication Class	SMX_BaseServerIndication
Indication ProviderName	"HP Recovery"
Indication EventID	"1"
Notes	This trap will not be generated for this condition. cpqHe3AsrConfirmation will be generated.

Trap OID	1.3.6.1.4.1.232.6012
Trap OID Name	cpqHeThermalConfirmation
Indication Class	SMX_BaseServerIndication
Indication ProviderName	"HP Recovery"
Indication EventID	"2"
Notes	This trap will not be generated for this condition. cpqHe3ThermalConfirmation will be generated.

Trap OID	1.3.6.1.4.1.232.6013
Trap OID Name	cpqHePostError
Indication Class	SMX_BaseServerIndication
Indication ProviderName	"HP POST"
Indication EventID	"1"
Notes	This trap will not be generated for this condition. cpqHe3PostError will be generated.

Trap OID	1.3.6.1.4.1.232.6014
Trap OID Name	cpqHeFltToIPwrSupplyDegraded
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	20
Notes	This trap will not be generated for this condition. cpqHe4FltToIPwrSupplyDegraded will be generated

Trap OID	1.3.6.1.4.1.232.6015
Trap OID Name	cpqHe3CorrectableMemoryError
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"1"
Notes	This trap will not be generated for this condition. cpqHe3CorrMemReplaceMemModule will be generated.

Trap OID	1.3.6.1.4.1.232.6016
Trap OID Name	cpqHe3CorrectableMemoryLogDisabled

Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6017
Trap OID Name	cpqHe3ThermalTempFailed
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Temperature"
Indication EventID	"1"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6018
Trap OID Name	cpqHe3ThermalTempDegraded
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6019
Trap OID Name	cpqHe3ThermalTempOk
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Temperature"
Indication EventID	"2"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6020
Trap OID Name	cpqHe3ThermalSystemFanFailed
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"3"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6021
Trap OID Name	cpqHe3ThermalSystemFanDegraded
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6022
Trap OID Name	cpqHe3ThermalSystemFanOk
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"4"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.6023
Trap OID Name	cpqHe3ThermalCpuFanFailed
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"3"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6024
Trap OID Name	cpqHe3ThermalCpuFanOk
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"4"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6025
Trap OID Name	cpqHe3AsrConfirmation
Indication Class	SMX_BaseServerIndication
Indication ProviderName	"HP Recovery"
Indication EventID	"1"

Notes	This trap will be generated for this condition
--------------	--

Trap OID	1.3.6.1.4.1.232.6026
Trap OID Name	cpqHe3ThermalConfirmation
Indication Class	SMX_BaseServerIndication
Indication ProviderName	"HP Recovery"
Indication EventID	"2"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6027
Trap OID Name	cpqHe3PostError
Indication Class	SMX_BaseServerIndication
Indication ProviderName	"HP POST"
Indication EventID	"1"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6028
Trap OID Name	cpqHe3FltToIPwrSupplyDegraded
Indication Class	SMX_PowerSupplyIndicatoin
Indication ProviderName	"HP Power"
Indication EventID	20
Notes	This trap will not be generated for this condition. cpqHe4FltPwrSupplyDegraded will be generated.

Trap OID	1.3.6.1.4.1.232.6029
Trap OID Name	cpqHe3CorrMemReplaceMemModule
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"1"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.6030
Trap OID Name	cpqHe3FltToIPowerSupplyDegraded
Indication Class	SMX_PowerSupplyIndication

Indication ProviderName	"HP Power"
Indication EventID	20
Notes	This trap will not be generated for this condition. cpqHe4FitPwrSupplyDegraded will be generated.

Trap OID	1.3.6.1.4.1.232.6031
Trap OID Name	cpqHe3FitToIPowerSupplyFailed
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"3"
Notes	This trap will not be generated for this condition. cpqHe4FitToIPowerSupplyFailed will be generated.

Trap OID	1.3.6.1.4.1.232.6032
Trap OID Name	cpqHe3FitToIPowerRedundancyLost
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"5" or "6"
Notes	This trap will be generated for this condition. The two different indications differentiate between redundancy reduced and redundancy lost.

Trap OID	1.3.6.1.4.1.232.6033
Trap OID Name	cpqHe3FitToIPowerSupplyInserted
Indication Class	SMX_powerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"2"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.6034
Trap OID Name	cpqHe3FitToIPowerSupplyRemoved
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"1"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6035
Trap OID Name	cpqHe3FItToIFanDegraded
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"20"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6036
Trap OID Name	cpqHe3FItToIFanFailed
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"3"
Notes	

Trap OID	1.3.6.1.4.1.232.6037
Trap OID Name	cpqHe3FItToIFanRedundancyLost
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"5" or "6"
Notes	This trap will be generated for this condition The two different indications differentiate between redundancy reduced and redundancy lost.

Trap OID	1.3.6.1.4.1.232.6038
Trap OID Name	cpqHe3FItToIFanInserted
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"2"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.6039
Trap OID Name	cpqHe3FItToIFanRemoved
Indication Class	SMX_FanIndication

Indication ProviderName	"HP Cooling"
Indication EventID	"4"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6040
Trap OID Name	cpqHe3TemperatureFailed
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Temperature"
Indication EventID	"1"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6041
Trap OID Name	cpqHe3TemperatureDegraded
Indication Class	Not Implemented
Indication Class	
Indication ProviderName	
Indication EventID	
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.6042
Trap OID Name	cpqHe3TemperatureOk
Indication Class	SMX_SensorIndication
Indication ProviderName	"HP Temperature"
Indication EventID	"2"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6043
Trap OID Name	cpqHe3PowerConverterDegraded
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6044
Trap OID Name	cpqHe3PowerConverterFailed
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6045
Trap OID Name	cpqHe3PowerConverterRedundancyLost
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6046
Trap OID Name	cpqHe3CacheAccelParityError
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6047
Trap OID Name	cpqHeResilientMemOnlineSpareEngaged
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6048
Trap OID Name	cpqHe4FltToIPowerSupplyOk
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"4"

Notes	This trap will be generated for this condition
--------------	--

Trap OID	1.3.6.1.4.1.232.6049
Trap OID Name	cpqHe4FitToIPowerSupplyDegraded
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"20"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6050
Trap OID Name	cpqHe4FitToIPowerSupplyFailed
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"3"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.6051
Trap OID Name	cpqHeResilientMemMirroredMemoryEngaged
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6052
Trap OID Name	cpqHeResilientAdvancedECCMemoryEngaged
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6053
Trap OID Name	cpqHeResilientMemXorMemoryEngaged
Indication Class	Not Implemented

Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6054
Trap OID Name	cpqHe3FitToIPowerRedundancyRestored
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	"8"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.6055
Trap OID Name	cpqHe3FitToIFanRedundancyRestored
Indication Class	SMX_FanIndication
Indication ProviderName	"HP Cooling"
Indication EventID	"8"
Notes	This trap will not be generated for this condition.

Trap OID	1.3.6.1.4.1.232.6056
Trap OID Name	cpqHe4CorrMemReplaceMemModule
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"1"
Notes	Deprecated in 8.20

Trap OID	1.3.6.1.4.1.232.6057
Trap OID Name	cpqHeResMemBoardRemoved
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	Deprecated in 8.20

Trap OID	1.3.6.1.4.1.232.6058
Trap OID Name	cpqHeResMemBoardInserted
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	Deprecated in 8.20

Trap OID	1.3.6.1.4.1.232.6059
Trap OID Name	cpqHeResMemBoardBusError
Indication Class	SMX_MemoryIndication
Indication ProviderName	"HP Memory"
Indication EventID	"2"
Notes	Deprecated in 8.20

Trap OID	1.3.6.1.4.1.232.6060
Trap OID Name	cpqHeEventOccurred
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6061
Trap OID Name	cpqHeManagementProcInReset
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6062
Trap OID Name	cpqHeManagementProcReady
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

Trap OID	1.3.6.1.4.1.232.6063
Trap OID Name	cpqHeManagementProcFailedReset
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.6064
Trap OID Name	cpqHe5CorrMemReplaceMemModule
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	Updated for 8.20 trap replaced 6056

Trap OID	1.3.6.1.4.1.232.6065
Trap OID Name	cpqHe5ResMemBoardRemoved
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	Updated for 8.20 trap replaced 6057

Trap OID	1.3.6.1.4.1.232.6066
Trap OID Name	cpqHe5ResMemBoardInserted
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	Updated for 8.20 trap replaced 6058

Trap OID	1.3.6.1.4.1.232.6067
Trap OID Name	cpqHe5ResMemBoardBusError
Indication Class	Not Implemented

Indication ProviderName	
Indication EventID	
Notes	Updated for 8.20 trap replaced 6059

Trap OID	1.3.6.1.4.1.232.6068
Trap OID Name	cpqHeResilientMemLockStepMemoryEngaged
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	Added for 8.20

Trap OID	1.3.6.1.4.1.232.6069
Trap OID Name	cpqHe4FitToIPowerSupplyACpowerloss
Indication Class	SMX_PowerSupplyIndication
Indication ProviderName	"HP Power"
Indication EventID	9
Notes	This trap will not be generated for this condition

[7.4 CPQHOST Traps](#)

None of the traps from CPQHOST are implemented in the HPQ namespace in WBEM.

[7.5 CPQRACK Traps](#)

None of the traps from CPQRACK are implemented in the HPQ namespace in WBEM.

[7.6 CPQSM2 Traps](#)

Trap OID	1.3.6.1.4.1.232.9001
Trap OID Name	cpqSm2ServerReset
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9002
Trap OID Name	cpqSm2ServerPowerOutage
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9003
Trap OID Name	cpqSm2UnauthorizedLoginAttempts
Indication Class	SMX_MPIndication
Indication ProviderName	"HP MP"
Indication EventID	"5"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.9004
Trap OID Name	cpqSm2BatteryFailed
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9005
Trap OID Name	cpqSm2SelfTestError
Indication Class	SMX_MPIndication
Indication ProviderName	"HP MP"
Indication EventID	"6"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.9006
Trap OID Name	cpqSm2InterfaceError
Indication Class	SMX_MPIndication
Indication ProviderName	"HP MP"
Indication EventID	"7"

Notes	This trap will be generated for this condition
--------------	--

Trap OID	1.3.6.1.4.1.232.9007
Trap OID Name	cpqSm2BatteryDisconnected
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9008
Trap OID Name	cpqSm2KeyboardCableDisconnected
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9009
Trap OID Name	cpqSm2MouseCableDisconnected
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9010
Trap OID Name	cpqSm2ExternalPowerCableDisconnected
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9011
Trap OID Name	cpqSm2LogsFull
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

Trap OID	1.3.6.1.4.1.232.9012
Trap OID Name	cpqSm2SecurityOverrideengaged
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9013
Trap OID Name	cpqSm2SecurityOverrideDisengaged
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9014
Trap OID Name	cpqSm2ServerFatalError
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9015
Trap OID Name	cpqSm2NicLinkDown
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.9016
Trap OID Name	cpqSm2NicLinkUp
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

CPQTHRSH Traps

None of the traps from CPQTHRSH are implemented in the HPQ namespace in WBEM.

7.7 CPQWINOS Traps

None of the traps from CPQWINOS are implemented in the HPQ namespace in WBEM.

8 Storage Trap to Indication Mappings

8.1 CPQIDA Traps

Trap OID	1.3.6.1.4.1.232.1
Trap OID Name	cpqDaLogDrvStatusChange
Indication Class	SMX_SmartArrayStorageVolumeIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"101", "102", "103"
Notes	This trap will not be generated for this condition. cpqDa6LogDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.2
Trap OID Name	cpqDaSpareStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3
Trap OID Name	cpqDaPhyDrvStatusChange
Indication Class	SMX_SmartArrayDiskDriveIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"201", "202", "203", "204"

Notes	This trap will not be generated for this condition. cpqDa7PhyDrvStatusChange will be generated.
--------------	---

Trap OID	1.3.6.1.4.1.232.4
Trap OID Name	cpqDaPhyDrvThreshPassedTrap
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5
Trap OID Name	cpqDaAccelStatusChange
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11", "12"
Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.6
Trap OID Name	cpqDaAccelBadDataTrap
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11", "12"
Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.7
Trap OID Name	cpqDaAccelBatteryFailed
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"6", "7", "8"
Notes	This trap will not be generated for this condition. cpqDa6BatteryFailed will be generated.

Trap OID	1.3.6.1.4.1.232.3001
-----------------	----------------------

Trap OID Name	cpqDa2LogDrvStatusChange
Indication Class	SMX_SmartArrayStorageVolumeIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"101", "102", "103"
Notes	This trap will not be generated for this condition. cpqDa6LogDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3002
Trap OID Name	cpqDa2SpareStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3003
Trap OID Name	cpqDa2PhyDrvStatusChange
Indication Class	SMX_SmartArrayDiskDriveIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"201", "202", "203", "204"
Notes	This trap will not be generated for this condition. cpqDa7PhyDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3004
Trap OID Name	cpqDa2PhyDrvThreshPassedTrap
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3005
Trap OID Name	cpqDa2AccelStatusChange
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11"

Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.
--------------	--

Trap OID	1.3.6.1.4.1.232.3006
Trap OID Name	cpqDa2AccelBadDataTrap
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11", "12"
Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3007
Trap OID Name	cpqDa2AccelBatteryFailed
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"6", "7", "8"
Notes	This trap will not be generated for this condition. cpqDa6AccelBatteryFailed will be generated.

Trap OID	1.3.6.1.4.1.232.3008
Trap OID Name	cpqDa3LogDrvStatusChange
Indication Class	SMX_SmartArrayStorageVolume
Indication ProviderName	"HP Smart Array"
Indication EventID	"101", "102", "103"
Notes	This trap will not be generated for this condition. cpqDa6LogDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3009
Trap OID Name	cpqDa3SpareStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3010
-----------------	----------------------

Trap OID Name	cpqDa3PhyDrvStatusChange
Indication Class	SMX_SmartArrayDiskDriveIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"201", "202", "203", "204"
Notes	This trap will not be generated for this condition. cpqDa7PhyDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3011
Trap OID Name	cpqDa3PhyDrvThreshPassedTrap
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3012
Trap OID Name	cpqDa3AccelStatusChange
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11"
Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3013
Trap OID Name	cpqDa3AccelBadDataTrap
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11", "12"
Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3014
Trap OID Name	cpqDa3AccelBatteryFailed
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"

Indication EventID	"6", "7", "8"
Notes	This trap will not be generated for this condition. cpqDa6BatteryFailed will be generated.

Trap OID	1.3.6.1.4.1.232.3015
Trap OID Name	cpqDaCntlrStatusChange
Indication Class	SMXSmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"1", "2"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.3016
Trap OID Name	cpqDaCntlrActive
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3017
Trap OID Name	cpqDa4SpareStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3018
Trap OID Name	cpqDa4PhyDrvStatusChange
Indication Class	SMX_SmartArrayDiskDriveIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"201", "202", "203", "204"
Notes	This trap will not be generated for this condition. cpqDa7PhyDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3019
-----------------	----------------------

Trap OID Name	cpqDa4PhyDrvThreshPassedTrap
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3020
Trap OID Name	cpqDaTapeLibraryStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3021
Trap OID Name	cpqDaTapeLibraryDoorStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3022
Trap OID Name	cpqDaTapeDriveStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3023
Trap OID Name	cpqDaTapeDriveCleaningRequired
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3024
Trap OID Name	cpqDaTapeDriveCleanTapeReplace
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3025
Trap OID Name	cpqDa5AccelStatusChange
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11"
Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3026
Trap OID Name	cpqDa5AccelBadDataTrap
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11"
Notes	This trap will not be generated for this condition. cpqDa6AccelStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3027
Trap OID Name	cpqDa5AccelBatteryFailed
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"6", "7", "8"
Notes	This trap will not be generated for this condition. cpqDa6AccelBatteryFailed will be generated.

Trap OID	1.3.6.1.4.1.232.3028
Trap OID Name	cpqDa5CntlrStatusChange
Indication Class	SMX_SmartArrayIndication

Indication ProviderName	"HP Smart Array"
Indication EventID	"1", "2"
Notes	This trap will not be generated for this condition. cpqDaCntlrStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3029
Trap OID Name	cpqDa5PhyDrvStatusChange
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"201", "202", "203", "204"
Notes	This trap will not be generated for this condition. cpqDa7PhyDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3030
Trap OID Name	cpqDa5PhyDrvThreshPassedTrap
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3031
Trap OID Name	cpqDa2TapeLibraryStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3032
Trap OID Name	cpqDa2TapeDriveStatusChange
Indication ProviderName	Not Implemented
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3033
-----------------	----------------------

Trap OID Name	cpqDa6CntlrStatusChange
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"1", "2"
Notes	This trap will not be generated for this condition. cpqDa6CntlrStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3034
Trap OID Name	cpqDa6LogDrvStatusChange
Indication Class	SMX_SmartArrayStorageVolumeIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"101", "102", "103"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.3035
Trap OID Name	cpqDa6SpareStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3036
Trap OID Name	cpqDa6PhyDrvStatusChange
Indication Class	SMX_SmartArrayDiskDriveIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"201", "202", "203", "204"
Notes	This trap will not be generated for this condition. cpqDa7PhyDrvStatusChange will be generated.

Trap OID	1.3.6.1.4.1.232.3037
Trap OID Name	cpqDa6PhyDrvThreshPassedTrap
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

Trap OID	1.3.6.1.4.1.232.3038
Trap OID Name	cpqDa6AccelStatusChange
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.3039
Trap OID Name	cpqDa6AccelBadDataTrap
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"9", "10", "11"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.3040
Trap OID Name	cpqDa6AccelBatteryFailed
Indication Class	SMX_SmartArrayIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"6", "7", "8"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.3041
Trap OID Name	cpqDa6TapeLibraryStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3042
Trap OID Name	cpqDa6TapeLibraryDoorStatusChange
Indication Class	Not Implemented

Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3043
Trap OID Name	cpqDa6TapeDriveStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3044
Trap OID Name	cpqDa6TapeDriveCleaningRequired
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3045
Trap OID Name	cpqDa6TapeDriveCleanTapeReplace
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3046
Trap OID Name	cpqDa7PhyDrvStatusChange
Indication Class	SMX_SmartArrayDiskDriveIndication
Indication ProviderName	"HP Smart Array"
Indication EventID	"201", "202", "203", "204"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.3047
-----------------	----------------------

Trap OID Name	cpqDa7SpareStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3048
Trap OID Name	cpqDaCntlrPartnerStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3901
Trap OID Name	cpqDaSasLinkDown
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.3902
Trap OID Name	cpqDaSasLinkUp
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

8.2 CPQIDE Traps

8.3 CPQSCSI Traps

Trap OID	1.3.6.1.4.1.232.1
Trap OID Name	cpqScsiCntlrStatusChange

Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.2
Trap OID Name	cpqScsiLogDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	No logical drives in SCSI provider

Trap OID	1.3.6.1.4.1.232.3
Trap OID Name	cpqScsiPhyDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5001
Trap OID Name	cpqScsi2CntlrStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5002
Trap OID Name	cpqScsi2LogDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5003
Trap OID Name	cpqScsi2PhyDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5004
Trap OID Name	cpqTapePhyDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5005
Trap OID Name	cpqScsi3CntlrStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5006
Trap OID Name	cpqScsi3PhyDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5007
Trap OID Name	cpqTape3PhyDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

Trap OID	1.3.6.1.4.1.232.5008
Trap OID Name	cpqTape3PhyDrvCleaningRequired
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5009
Trap OID Name	cpqTape3PhyDrvCleanTapeReplace
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5010
Trap OID Name	cpqTape3LibraryFailed
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5011
Trap OID Name	cpqTape3LibraryOkay
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5012
Trap OID Name	cpqTape3LibraryDegraded
Indication Class	Not Implemented

Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5013
Trap OID Name	cpqTape3LibraryDoorOpen
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5014
Trap OID Name	cpqTape3LibraryDoorClosed
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5015
Trap OID Name	cpqScsiCdLibraryStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5016
Trap OID Name	cpqTape4PhyDrvStatusChange
Indication ProviderName	Not Implemented
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5017
Trap OID Name	cpqScsi4PhyDrvStatusChange

Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5018
Trap OID Name	cpqTapeLibraryStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5019
Trap OID Name	cpqTape5PhyDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5020
Trap OID Name	cpqScsi5PhyDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5021
Trap OID Name	cpqScsi3LogDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.5022
Trap OID Name	cpqSasPhyDrvStatusChange
Indication Class	HPSAS_DeviceIndication
Indication ProviderName	"HP SAS"
Indication EventID	"201", "202", "203", "204"
Notes	This trap will not be generated for this condition.

Trap OID	1.3.6.1.4.1.232.5023
Trap OID Name	cpqSasLogDrvStatusChange
Indication Class	HPSAS_DeviceIndication
Indication ProviderName	"HP SAS"
Indication EventID	"101", "102", "103"
Notes	This trap will not be generated for this condition.

Trap OID	1.3.6.1.4.1.232.5025
Trap OID Name	cpqSas2TapeDrvStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

8.4 CPQSTSYS Traps

Trap OID	1.3.6.1.4.1.232.1
Trap OID Name	cpqSsFanStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSsFan6StatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8001
Trap OID Name	cpqSs2FanStatusChange

Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6FanStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8002
Trap OID Name	cpqSsTempFailed
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array""HP SAS"
Indication EventID	"309"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs3TempFailed will be generated

Trap OID	1.3.6.1.4.1.232.8003
Trap OID Name	cpqSsTempDegraded
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array""HP SAS"
Indication EventID	"308"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs3TempDegraded will be generated

Trap OID	1.3.6.1.4.1.232.8004
Trap OID Name	cpqSsTempOk
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"307"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition.

	cpqSs3TempOK will be generated
--	--------------------------------

Trap OID	1.3.6.1.4.1.232.8005
Trap OID Name	cpqSsSidePanelInPlace
Indication Class	Not implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.8006
Trap OID Name	cpqSsSidePanelRemoved
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.8007
Trap OID Name	cpqSsPwrSupplyDegraded
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStateChange will be generated

Trap OID	1.3.6.1.4.1.232.8008
Trap OID Name	cpqSs3FanStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6FanStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8009
Trap OID Name	cpqSs3TempFailed
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"309"
Notes	Only SmartArray supports generating SNMP traps. This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.8010
Trap OID Name	cpqSs3TempDegraded
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"308"
Notes	Only SmartArray supports generating SNMP traps. This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.8011
Trap OID Name	cpqSs3TempOk
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"307"
Notes	Only SmartArray supports generating SNMP traps. This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.8012
Trap OID Name	cpqSs3SidePanelInPlace
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.8013
Trap OID Name	cpqSs3SidePanelRemoved
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.8014
Trap OID Name	cpqSs3PwrSupplyDegraded
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8015
Trap OID Name	cpqSs4PwrSupplyDegraded
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"301", "302", "303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8016
Trap OID Name	cpqSsExFanStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition.

	cpqSs6FanStatusChange will be generated
--	---

Trap OID	1.3.6.1.4.1.232.8017
Trap OID Name	cpqSsExPowerSupplyStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"301", "302", "303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8018
Trap OID Name	cpqSsExPowerSupplyUpsStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"301", "302", "303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8019
Trap OID Name	cpqSsExTempSensorStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"307", "308", "309"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs3TempOK, cpqSs3TempDegraded or cpqSs3TempFailed will be generated

Trap OID	1.3.6.1.4.1.232.8020
Trap OID Name	cpqSsEx2FanStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication

	SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6FanStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8021
Trap OID Name	cpqSsEx2PowerSupplyStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"301", "302", "303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8022
Trap OID Name	cpqSsExBackplaneFanStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6FanStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8023
Trap OID Name	cpqSsExBackplaneTempStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"308"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs3TempOK, cpqSs3TempDegraded, cpqSs3TempFailed will be generated

Trap OID	1.3.6.1.4.1.232.8024
Trap OID Name	cpqSsExBackplanePowerSupplyStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"301", "302", "303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8025
Trap OID Name	cpqSsExRecoveryServerStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.8026
Trap OID Name	cpqSs5FanStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6FanStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8027
Trap OID Name	cpqSs5TempStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"307", "308", "309"
Notes	Only SmartArray supports generating SNMP traps. This

	trap will not be generated for this condition. cpqSs3TempOK, cpqSs3TempDegraded, cpqSs3TempFailed will be generated
--	---

Trap OID	1.3.6.1.4.1.232.8028
Trap OID Name	cpqSs5PwrSupplyStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"301", "302", "303"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs6PwrSupplyStatusChange will be generated

Trap OID	1.3.6.1.4.1.232.8029
Trap OID Name	cpqSs6FanStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"304", "305", "306"
Notes	Only SmartArray supports generating SNMP traps. This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.8030
Trap OID Name	cpqSs6TempStatusChange
Indication Class	SMX_SmartArrayStorageEnclosureTempIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"307", "308", "309"
Notes	Only SmartArray supports generating SNMP traps. This trap will not be generated for this condition. cpqSs3TempOK, cpqSs3TempDegraded, cpqSs3TempFailed will be generated

Trap OID	1.3.6.1.4.1.232.8031
Trap OID Name	cpqSs6PwrSupplyStatusChange

Indication Class	SMX_SmartArrayStorageEnclosureIndication SMX_SASIndication
Indication ProviderName	"HP Smart Array", "HP SAS"
Indication EventID	"301", "302", "303"
Notes	Only SmartArray supports generating SNMP traps. This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.8032
Trap OID Name	cpqSsConnectionStatusChange
Indication Class	Not Implemented
Indication ProviderName	
Indication EventID	
Notes	

[CPQFCA Traps](#)

None of the traps from CPQFCA are implemented in the HPQ namespace in WBEM.

9 Network Trap to Indication Mappings

[9.1 CPQNIC Traps](#)

Trap OID	1.3.6.1.4.1.232.18001
Trap OID Name	cpqNicConnectivityRestored
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"
Indication EventID	"3"
Notes	Deprecated This trap will not be generated for this condition. cpqNic2ConnectivityRestored will be generated.

Trap OID	1.3.6.1.4.1.232.18002
Trap OID Name	cpqNicConnectivityLost
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"

Indication EventID	"2"
Notes	Deprecated This trap will not be generated for this condition. cpqNic2ConnectivityLost will be generated.

Trap OID	1.3.6.1.4.1.232.18003
Trap OID Name	cpqNicRedundancyIncreased
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"
Indication EventID	"6"
Notes	Deprecated This trap will not be generated for this condition. cpqNic2RedundancyIncreased will be generated

Trap OID	1.3.6.1.4.1.232.18004
Trap OID Name	cpqNicRedundancyReduced
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"
Indication EventID	"4"
Notes	Deprecated This trap will not be generated for this condition. cpqNic2RedundancyReduced will be generated

Trap OID	1.3.6.1.4.1.232.18005
Trap OID Name	cpqNic2ConnectivityRestored
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"
Indication EventID	"3"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.18006
Trap OID Name	cpqNic2ConnectivityLost
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"
Indication EventID	"2"
Notes	This trap will be generated for this condition

Trap OID	1.3.6.1.4.1.232.18007
Trap OID Name	cpqNic2RedundancyIncreased
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"
Indication EventID	"6"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.18008
Trap OID Name	cpqNic2RedundancyReduced
Indication Class	SMX_EthernetIndication
Indication ProviderName	"HP Ethernet"
Indication EventID	"4"
Notes	This trap will be generated for this condition.

Trap OID	1.3.6.1.4.1.232.18009
Trap OID Name	cpqNicVirusLikeActivityDetected
Indication Class	Not implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.18010
Trap OID Name	cpqNicVirusLikeActivityStopped
Indication Class	Not implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.18011
Trap OID Name	cpqNic3ConnectivityRestored
Indication Class	Not implemented
Indication ProviderName	
Indication EventID	

Notes	
--------------	--

Trap OID	1.3.6.1.4.1.232.18012
Trap OID Name	cpqNic3ConnectivityLost
Indication Class	Not implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.18013
Trap OID Name	cpqNic3ConnectivityIncreased
Indication Class	Not implemented
Indication ProviderName	
Indication EventID	
Notes	

Trap OID	1.3.6.1.4.1.232.18014
Trap OID Name	cpqNic3ConnectivityReduced
Indication Class	Not implemented
Indication ProviderName	
Indication EventID	
Notes	

10 Revisions

Version	Changes
1.0	Initial Version