


# 

## Product environmental attributes – THE ECO DECLARATION


The declaration may be published only when all rows and/or fields marked with an \* are filled-in (n.a. for not applicable).  
Additional information regarding each item may be found under P14.

<b>Brand *</b>	<i>Hewlett-Packard Company</i>	<b>Logo</b> 
<b>Company name *</b>	<i>Hewlett-Packard Company</i>	
<b>Contact information *</b>	Hans Wendschlag <a href="http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html">http://www.hp.com/hpinfo/globalcitizenship/environment/contactemail.html</a>	
<b>Internet site *</b>	<a href="http://www.hp.com/hpinfo/globalcitizenship/environment/">http://www.hp.com/hpinfo/globalcitizenship/environment/</a>	
<b>Additional information</b>		

<b>The company declares (based on product specification or test results based obtained from sample testing), that the product conforms to the statements given in this declaration.</b>	
<b>Type of product *</b>	<i>Storage</i>
<b>Commercial name *</b>	<i>HP StorageWorks D2000 Disk Enclosures</i>
<b>Model number *</b>	<i>AJ940A HP StorageWorks D2600 Disk Enclosure</i> <i>AJ941A HP StorageWorks D2700 Disk Enclosure</i>
<b>Issue date *</b>	<i>Feb 23,2010</i>
<b>Intended market *</b>	<input checked="" type="checkbox"/> Global <input type="checkbox"/> Europe <input type="checkbox"/> Asia, Pacific & Japan <input type="checkbox"/> Americas <input type="checkbox"/> Other
<b>Additional information</b>	


This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

<b>Quality Control</b>		<b>Requirement met</b>	
		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	<input checked="" type="checkbox"/>	<input type="checkbox"/>
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see <a href="http://www.itecodeclaration.org">www.itecodeclaration.org</a> ).	<input checked="" type="checkbox"/>	<input type="checkbox"/>

<b>Model number *</b>	<b>AJ940A HP StorageWorks D2600 Disk Enclosure</b> <b>AJ941A HP StorageWorks D2700 Disk Enclosure</b>	<b>Logo</b>	
<b>Issue date *</b>	<b>Feb 23, 2010</b>		

<b>Product environmental attributes - Legal requirements</b>		<b>Requirement met</b>		
Item		Yes	No	n.a.
<b>P1</b>	<b>Hazardous substances and preparations</b>			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorocarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridiny)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm <sup>2</sup> /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact):	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P2</b>	<b>Batteries</b>			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is provided in user manual. (See legal reference)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P2.2*	Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P2.3*	Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medical or data integrity reasons do not have to be "easily removable". (See legal reference)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P3</b>	<b>Safety, EMC connection to the telephone network and labeling</b>			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P4</b>	<b>Consumable materials</b>			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P5</b>	<b>Product packaging</b>			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montreal Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>


Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	AJ940A HP StorageWorks D2600 Disk Enclosure AJ941A HP StorageWorks D2700 Disk Enclosure	Logo	
Issue date *	Feb 23, 2010		

Product environmental attributes - Market requirements - Environmental conscious design		Requirement met		
Item	*=mandatory to fill in. Additional information regarding each item may be found under P14.	Yes	No	n.a.
<b>P6 Treatment information</b>				
P6.1*	Information for recyclers/treatment facilities is available (see legal reference).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>P7 Design</b>				
<b>Disassembly, recycling</b>				
P7.1*	Parts that have to be treated separately are easily separable	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.2*	Plastic materials in covers/housing have no surface coating.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.3*	Plastic parts >100g consist of one material or of easily separable materials.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.4*	Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.5	Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.6*	Labels are easily separable. (This requirement does not apply to safety/regulatory labels).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>Product lifetime</b>				
P7.7*	Upgrading can be done e.g. with processor, memory, cards or drives	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.8*	Upgrading can be done using commonly available tools	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.9.	Spare parts are available after end of production for: _____ years			<input checked="" type="checkbox"/>
P7.10	Service is available after end of production for: _____ years			<input checked="" type="checkbox"/>
<b>Material and substance requirements</b>				
P7.11*	Product cover/housing material type: Material type: <b>PC+ABS</b> Material type: <b>ABS</b> Material type: <b>PC</b>			
P7.12	Electrical cable insulation materials of power cables are PVC free.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.13	Electrical cable insulation materials of signal cables are PVC free	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P7.14	All cover/housing plastic parts >25g are free from chlorine and bromine.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P7.15	All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.16	Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P7.17	Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) <input type="checkbox"/> , TBBPA (reactive) <input type="checkbox"/> , Other; chemical name: _____, CAS #: _____	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P7.18	Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: _____, CAS #: _____ 2. Chemical name: _____, CAS #: _____ 3. Chemical name: _____, CAS #: _____ Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P7.19	Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P7.20	Of total plastic parts' weight >25g, recycled material content is <b>25%</b> .			
P7.21	Of total plastic parts' weight >25g, biobased material content is _____ %.			
P7.22	Light sources are free from mercury If mercury is used specify: Number of lamps: _____ and max. mercury content per lamp: _____ mg	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P8 Batteries</b>				
P8.1*	Battery chemical composition:			<input checked="" type="checkbox"/>
P8.2	Batteries meet the requirements of the following voluntary program/s:			<input checked="" type="checkbox"/>

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	AJ940A HP StorageWorks D2600 Disk Enclosure AJ941A HP StorageWorks D2700 Disk Enclosure		
Issue date *	Feb 23, 2010	Logo	


**Product environmental attributes - Market requirements (continued) Requirement met**

Item	Yes	No	n.a.			
<b>P9 Energy consumption</b>						
9.1 For the product the following power levels or energy consumptions are reported:						
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 230 V AC	Reference / Standard for energy modes and test method *	<input type="checkbox"/>	
AJ940A	214.21 W	201.17 W	206.72 W	Idle with drives installed	<input type="checkbox"/>	
AJ940A	58.834 W	58.807 W	58.619 W	Idle with no drives installed	<input type="checkbox"/>	
AJ940A	25.89 W	24.5 W	25.1 W	Standby	<input type="checkbox"/>	
AJ940A	292.68 W	289.5 W	284 W	Operational with I/O activity	<input type="checkbox"/>	
AJ941A	242.28 W	240.78 W	236.84 W	Idle with drives installed	<input type="checkbox"/>	
AJ941A	56.53 W	56.37 W	55.41 W	Idle with no drives installed	<input type="checkbox"/>	
AJ941A	25.65 W	24.45 W	25.75 W	Standby	<input type="checkbox"/>	
AJ941A	295.17 W	291.67 W	287.14 W	Operational with I/O activity	<input type="checkbox"/>	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W	W		<input checked="" type="checkbox"/>	
PTEC * Typical Energy Consumption	W	W	W		<input checked="" type="checkbox"/>	
TEC * Typical Energy Consumption	kWh/week	kWh/week	kWh/week		<input checked="" type="checkbox"/>	
ETEC * Annual Energy Consumption	kWh/year	kWh/year	kWh/year		<input checked="" type="checkbox"/>	
Display resolution* :	Megapixels				<input checked="" type="checkbox"/>	
Print Speed* :	Images per minute				<input checked="" type="checkbox"/>	
Default time to enter energy save mode:	minutes				<input checked="" type="checkbox"/>	
P9.2*	Information about the energy save function is provided with the product.			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P9.3*	The product meets the energy requirements of the following voluntary program/s: ENERGY STAR® version: Tier: Product category: <input type="text"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
	Others specify: <input type="text"/>			<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

**Emissions**

**Noise emission – Declared according to ISO 9296**

P10.1	Mode	Mode description	Declared A-weighted sound power level $L_{WAd}$ (B)	Declared A-weighted sound pressure level $L_{pAm}$ (dB)				
				Operator position <input type="checkbox"/>	Bystander positions <input checked="" type="checkbox"/>			
	Idle	* One or more steady-state conditions in which the equipment being tested is energized but is not operating	AJ940A = 6.03 AJ941A = 6.00	Desktop <input type="checkbox"/>	(only if product is not operator attended)	<input type="checkbox"/>		
	Operation	Condition in which the equipment being tested is performing its intended function(s)	AJ940A = 6.39 AJ941A = 6.56	or Desk side <input type="checkbox"/>		<input type="checkbox"/>		
	Other mode							
Measured according to: <input checked="" type="checkbox"/> ISO7779 <input type="checkbox"/> ECMA-74 <input type="checkbox"/> Other (only if not covered by ECMA-74 with $L_{pAm}$ measurement distance m)								
P10.2	The product meets the acoustic noise requirements of the following voluntary program/s: ISO 9296					<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Model number *	AJ940A HP StorageWorks D2600 Disk Enclosure AJ941A HP StorageWorks D2700 Disk Enclosure	Logo	
Issue date *	Feb 23, 2010		

Product environmental attributes - Market requirements (continued)		Requirement met		
Item		Yes	No	n.a.
<b>Chemical emissions from printing products</b>				
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard <input type="checkbox"/> , other specify:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P10.4	Typical emission rate (print phase) is (mg/h): Dust            Ozone            Styrene            Benzene            TVOC			<input checked="" type="checkbox"/>
P10.5	Chemical emission requirements of the following voluntary program/s are met for : Dust <input type="checkbox"/> Ozone <input type="checkbox"/> Styrene <input type="checkbox"/> Benzene <input type="checkbox"/> TVOC <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>Electromagnetic emissions</b>				
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P11 Consumable materials for printing products</b>				
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11.3*	2-sided (duplex) printing/copying is an integrated product function.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P12 Ergonomics for computing products</b>				
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<b>P13 Packaging and documentation</b>				
P13.1*	Product packaging material type(s): <i>Corrugate, LDPE</i> weight (kg): <i>3.565kg</i> Product packaging material type(s): weight (kg): Product packaging material type(s): weight (kg):			
P13.2*	Product plastic packaging is free from PVC.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13.3*	Specify media for user and product documentation (tick box): Electronic <input checked="" type="checkbox"/> , Paper <input checked="" type="checkbox"/> , Other <input type="checkbox"/>			<input type="checkbox"/>
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: <i>0%</i>			<input type="checkbox"/>
<b>P14 Additional information (See Note B4)</b>				

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

## Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2.3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials)	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19