

HPE ProLiant Compute DL380a Gen12

SUBJECT: Product Environmental Information Declaration

DATE OF DECLARATION: 2024, December 02

Regulatory reference:	COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013
Product type:	Computer Server
Manufacturer's name:	Hewlett Packard Enterprise 1701 E Mossy Oaks Road Spring, TX 77389-1913 United States of America Contact: sustainability@hpe.com for questions
Product model number:	Product Model: HPE ProLiant Compute DL380a Gen12 RMN: TPS-F042 Product Specifications "QuickSpecs" here
Year of manufacture:	2024
Product category:	Server

Number 1.1.1 and 1.1.2

Internal power supply efficiency and power factor.

Power supplies	Internal power supply efficiency at 230 VAC					
	HPE P/S part number	10% load	20% load	50% load	100% load	PF @50% Load
HPE 1500W M-CRPS Ti Ht Plg PS Kit	P67247-101	94.41%	96.02%	96.38%	94.29%	0.9970
HPE 1500W M-CRPS Ti Ht Plg PS Kit	P67247-601	91.61%	94.67%	96.24%	94.13%	0.9960
HPE 2400W M-CRPS Ti Ht Plg PS Kit	P67255-101	93.10%	95.42%	96.34%	95.04%	0.9856
HPE 2400W M-CRPS Ti Ht Plg PS Kit	P67255-201	91.92%	94.91%	96.27%	95.21%	0.9938

Number 1.2.3—firmware

1.2.3. From 1 March 2021, the latest available version of the firmware shall be made available from two years after the placing on the market of the first product of a certain product model for a minimum period of eight years after the placing on the market of the last product of a certain product model, free of charge or at a fair, transparent and non-discriminatory cost. The latest available security update to the firmware shall be made available from the time a product model is placed on the market until at least eight years after the placing on the market of the last product of a certain product model, free of charge.

a) Firmware and security update availability	Specific security issues, resolved in firmware, are identified in the documentation that accompanies the release of each firmware revision. HPE product support, and firmware, are available from the HPE Support Center . More information on HPE Product Security and Vulnerability Alerts
--	--

Number 2 SPECIFIC ECODESIGN REQUIREMENTS ONLY FOR SERVERS WITH ONE OR TWO PROCESSOR SOCKETS

2.0- Lot 9 - SPEC SERT® Measurement Results

2.1. Idle state power

2.2. Active state efficiency

SPEC SERT Measurement Results

Product & configuration		Power efficiency						
HPE ProLiant Compute DL380a Gen12 2-4 socket server		ETSI EN 303 470 V1.1.1 (2019-03)- Environmental Engineering (EE); Energy Efficiency measurement methodology and metrics for servers						
System Configuration	Test System	CPU Populated	Active Eff.	Active Perf. (Perf _{CPU})	Max Watts @ SERT Run	Idle Watts	Idle Calculated Limit Watts	Idle 35 C Watts
(2) Intel® Xeon® 6780E, (16) 64GB Micron DDR5 64GB 2Rx4 PC5-6400B-RA1-1211-XT RAM, (2) HPE 15360GB SFF NVMe, (1) HPE 2400W Hot Plug Power Supply	high-end performance	2	102.0	85.5	1190.7	268.8	882.1	495.6
(2) Intel Xeon 6710E, (16) 32GB Micron DDR5 32GB 2Rx8 PC5-6400B-RE1-1211-XT RAM, (2) HPE 15360GB SFF NVMe, (1) HPE 2400W Hot Plug Power Supply	low-end performance	2	88.8	45.1	614.7	242.7	507.0	490.0

Idle must be lower than the calculated limit to pass. As described in 2.1 of regulation. Active results must be higher than what is in 2.2 Table 5 of regulation.

Number 3.1—for Servers

3.1. From 1 March 2020, with the exception of custom made servers, made on a one-off basis, the following product information on servers shall be provided in the instruction manuals for installers and end-users (when present with the product), and on the free-access websites of manufacturers, their authorized representatives and importers from the time a product model is placed on the market until at least eight years after the placing on the market of the last product of a certain product model:

a) product type;	Computer Server
(b) manufacturer's name, registered trade name and registered trade address at which they can be contacted;	Hewlett Packard Enterprise 1701 E Mossy Oaks Road Spring, TX 77389-1913 United States of America

(c) product model number, and if applicable the low-end performance configuration and the high-end performance configuration model numbers;	TPS-F042
(d) year of manufacture;	2024
(e) PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power, with the exception of direct current servers, expressed in % and rounded to the first decimal place;	See PS Efficiency Form above
(f) power factor at 50 % of the rated load level, with the exception of direct current servers, rounded to three decimal places;	See PS Efficiency Form above
(g) PSU rated power output (Watts), rounded to the nearest integer. If a product model is part of a server product family, all PSUs offered in a server product family shall be reported with the information specified in (e) and (f);	See PS Efficiency Form 1 above
(h) idle state power, expressed in Watts and rounded to the first decimal place;	See SERT Measurement Results above
(i) list of all components for additional idle power allowances, if any (additional PSU, HDDs or SSDs, additional memory, additional buffered DDR channels, additional I/O devices).	See SERT Measurement Results above
(j) maximum power, expressed in Watts and rounded to the first decimal place;	See SERT Measurement Results above
(k) declared operating condition class, as detailed in Table 6;	Declare Operating Condition Class A2 (10-35 C).
(l) idle state power (Watts) at the higher boundary temperature of the declared operating condition class;	See SERT Measurement Results above
(m) the active state efficiency and the performance in active state of the server;	See SERT Measurement Results above
(n) information on the secure data deletion functionality referred to in point 1.2.2 of this Annex, including instructions on how to use the functionality, the techniques used and the supported secure data deletion standard(s), if any;	Web Link to Secure deletion document here
(o) for blade servers, a list of recommended combinations with compatible chassis;	if applicable
(p) if a product model is part of a server product family, a list of all model configurations that are represented by the model shall be supplied. If a product model is part of a server product family, the product information required for items e) to m) under point 3.1 shall be reported for the low-end and high-end performance configurations of the server product family.	See SERT Measurement Results above

Number 3.3—for servers and online data storage products

3.3. From 1 March 2020, the following product information on servers and online data storage products shall be made available from the time a product model is placed on the market until at least eight years after the placing on the market of the last product of a certain product model free of charge by manufacturers, their authorized representatives and importers to third parties dealing with maintenance, repair, reuse, recycling and upgrading of servers (including brokers, spare parts repairers, spare parts providers, recyclers and third party maintenance) upon registration by the interested third party on a website provided

3.3 (a) **indicative weight range (less than 5 g, between 5 g and 25 g, above 25 g)** at component level, of the following critical raw materials:

- (a) Cobalt in the batteries;
- (b) Neodymium in the HDDs

Cobalt in the batteries
[here](#)

Neodymium in the HDDs
[here](#)

3.3 (b) instructions on the disassembly operations referred to in point 1.2.1 of this Annex, including, for each necessary operation and component: (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.

Web link to product support documents
[here](#)

Revision history

Date	Version	Action	Description of change
02-Dec-2024	Version 1	Created	New EU Lot 9 Declaration

[Visit HPE.com](#)

[Chat now](#)

© Copyright 2025 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Intel Xeon is a trademark of Intel Corporation or its subsidiaries in the U.S. and/or other countries. All third-party marks are property of their respective owners.

a50011931ENW

HEWLETT PACKARD ENTERPRISE

hpe.com

