

**Product Environmental Information Declaration
Form for
EU COMMISSION REGULATION No 2019/424**

SUBJECT: Product Environmental Information Declaration

DATE OF DECLARATION: 2020, May 1

Regulatory Reference:	COMMISSION REGULATION (EU) 2019/424 of 15 March 2019 laying down ecodesign requirements for servers and data storage products pursuant to Directive 2009/125/EC of the European Parliament and of the Council and amending Commission Regulation (EU) No 617/2013
Product Type:	Rack server, 2 socket
Manufacturer's Name:	Hewlett Packard Enterprise 11445 Compaq Center W Dr Houston, TX 77070 United States of America Contact: sustainability@hpe.com for questions
Product Model Number:	Product Model: DL360 Gen 9 RMN: HSTNS-2146
Year of Manufacture:	2014
Product Category:	Server

Product Environmental Information Declaration Form for EU COMMISSION REGULATION No 2019/424

Number 1.1.1 and 1.1.2

Internal Power Supply efficiency and Power Factor.

Power Supplies- Platinum and Titanium. Gold Power supply ok for multi-output, until Jan. 2023	Internal Power Supply Efficiency at 230 VAC					
	HPE P/S part number	10% load	20% load	50% load	100% load	PF @50% Load
500W FS Platinum 720478-B21	723595-101	88,57	92,62	94,43	93,53	0.99
500W FS Platinum 720478-B21	723595-501	89,08	92,80	94,40	93,45	0.99
500W FS Platinum 720478-B21	723595-201	88,34	92,03	94,32	93,04	0.99
800W FS Platinum 720479-B21	723600-101	89,03	92,94	94,40	92,76	0.99
800W FS Platinum 720479-B21	723600-201	89,80	92,87	94,50	92,65	1.00
800W FS Titanium 720482-B21	734870-101	93,90	95,87	96,41	94,79	1.00
1400W FS Platinum 720620-B21	733428-101	91,13	94,05	94,22	91,19	1.00
1400W FS Platinum 720620-B21	733428-401	89,84	93,18	94,28	91,98	0.96

Number 1.2.3 - Firmware

1.2.3 From 1 March 2021, the latest available version of the firmware shall be made available from two years after the placing on the market of the first product of a certain product model for a minimum period of eight years after the placing on the market of the last product of a certain product model, free of charge or at a fair, transparent and non-discriminatory cost. The latest available security update to the firmware shall be made available from the time a product model is placed on the market until at least eight years after the placing on the market of the last product of a certain product model, free of charge.

a) Firmware and security update availability	Specific security issues, resolved in firmware, are identified in the documentation that accompanies the release of each firmware revision.
--	---

Product Environmental Information Declaration Form for EU COMMISSION REGULATION No 2019/424

	HPE product support, and firmware, are available from the HPE Support Center .
--	--

Number 2 SPECIFIC ECODESIGN REQUIREMENTS ONLY FOR SERVERS WITH ONE OR TWO PROCESSOR SOCKETS
2.0- Lot 9- SERT Test Results
2.1. Idle state power
2.2. Active state efficiency

SERT Test Results

Product & Configuration	Power Efficiency					
DL360 Gen9 2P Rack Server	ETSI EN 303 470 V1.1.1 (2019-03)- Environmental Engineering (EE); Energy Efficiency measurement methodology and metrics for servers					
System Configuration (2) Intel E5-2660 v4 Processor 2.0 GHz 14 core (8) 32GB memory DIMMS 2400 256GB (2) 1.60TB SATA SSD Drive (1) HPE 500W Flex Slot Platinum Hot Plug Power Supply (723595-501) (1) Imbedded 4P 1Gbps Ethernet adapter	Test System	CPU Populated	Active	Idle Watts	Idle Calculated Watts	Idle 35 C Watts
	Single Configuration	CPU populated 2	27.3	62.4	134.6	61.3
	Idle must be lower than the calculated limit to pass. As described in 2.1 of regulation. Active results must be higher than what is in 2.2 Table 5 of regulation					



**Product Environmental Information Declaration
Form for
EU COMMISSION REGULATION No 2019/424**

--	--

Product Environmental Information Declaration Form for EU COMMISSION REGULATION No 2019/424

umber 3.1- for Servers

3.1. From 1 March 2020, with the exception of custom made servers, made on a one-off basis, the following product information on servers shall be provided in the instruction manuals for installers and end-users (when present with the product), and on the free-access websites of manufacturers, their authorized representatives and importers from the time a product model is placed on the market until at least eight years after the placing on the market of the last product of a certain product model:

a) product type;	Computer Server
(b) manufacturer's name, registered trade name and registered trade address at which they can be contacted;	Hewlett Packard Enterprise 11445 Compaq Center W Dr Houston, TX 77070 United States of America
(c) product model number, and if applicable the low-end performance configuration and the high-end performance configuration model numbers;	DL360 Gen 9
(d) year of manufacture;	2014
(e) PSU efficiency at 10 % (if applicable), 20 %, 50 % and 100 % of rated output power, with the exception of direct current servers, expressed in % and rounded to the first decimal place;	See PS Efficiency Form above
(f) power factor at 50 % of the rated load level, with the exception of direct current servers, rounded to three decimal places;	See PS Efficiency Form above
(g) PSU rated power output (Watts), rounded to the nearest integer. If a product model is part of a server product family, all PSUs offered in a server product family shall be reported with the information specified in (e) and (f);	See PS Efficiency Form 1 above
(h) idle state power, expressed in Watts and rounded to the first decimal place;	See SERT Test Results above
(i) list of all components for additional idle power allowances, if any (additional PSU, HDDs or SSDs, additional memory, additional buffered DDR channels, additional I/O devices).	See SERT Test Results above
(j) maximum power, expressed in Watts and rounded to the first decimal place;	See PS Efficiency Form above
(k) declared operating condition class, as detailed in Table 6;	Declare Operating Condition Class A2 (10-35 C).
(l) idle state power (Watts) at the higher boundary temperature of the declared operating condition class;	See SERT Test Results above
(m) the active state efficiency and the performance in active state of the server;	See SERT Test Results above
(n) information on the secure data deletion functionality referred to in point 1.2.2 of this Annex, including instructions on how to use the functionality, the techniques used and the supported secure data deletion standard(s), if any;	Web Link to Secure deletion document here

Product Environmental Information Declaration Form for EU COMMISSION REGULATION No 2019/424

(o) for blade servers, a list of recommended combinations with compatible chassis;	if applicable
(p) if a product model is part of a server product family, a list of all model configurations that are represented by the model shall be supplied. If a product model is part of a server product family, the product information required for items e) to m) under point 3.1 shall be reported for the low-end and high-end performance configurations of the server product family.	See SERT Test Results above

Number 3.3- for servers and online data storage products

3.3. From 1 March 2020, the following product information on servers and online data storage products shall be made available from the time a product model is placed on the market until at least eight years after the placing on the market of the last product of a certain product model free of charge by manufacturers, their authorized representatives and importers to third parties dealing with maintenance, repair, reuse, recycling and upgrading of servers (including brokers, spare parts repairers, spare parts providers, recyclers and third party maintenance) upon registration by the interested third party on a website provided

<p>3.3 (a) indicative weight range (less than 5 g, between 5 g and 25 g, above 25 g) at component level, of the following critical raw materials:</p> <p>(a) Cobalt in the batteries; (b) Neodymium in the HDDs</p>	<p>Cobalt in the batteries here</p> <p>Neodymium in the HDDs here</p>
<p>3.3 (b) instructions on the disassembly operations referred to in point 1.2.1 of this Annex, including, for each necessary operation and component: (a) the type of operation; (b) the type and number of fastening technique(s) to be unlocked; (c) the tool(s) required.</p>	<p>Web link to Maintenance and Service Guide here</p> <p>HPE ProLiant DL380 Gen10 Server - Document List here</p> <p>Hewlett Packard Enterprise Information Library here Product: ProLiant Gen9 Server</p>