


### Overview

### HPE SimpliVity 325 Gen10

HPE SimpliVity 325 Gen10, based on HPE ProLiant DL325 Gen10, is a compact, scalable, 1U rack-mounted building block that delivers integrated server, storage, and storage networking services. HPE SimpliVity 325 Gen10 is the secure and versatile, single-socket server for virtualization and I/O intensive workloads and is ideal for remote office or space-constrained locations. This 1P, 1U platform delivers an exceptional balance of processor, memory and I/O for 2P performance at 1P TCO. Get the most out of your virtualized environment with this versatile server delivering a lower hypervisor software cost and better cost per virtual machine (VM).



### What's New

- HPE SimpliVity now offers updates for VMware ESXi 7.0 along with many exciting new features in its latest software release.
- HPE Backup Archives with Cloud Bank
- HPE StoreOnce Immutability

**Notes:** For VMware and HW compatibility and software details, please visit <https://www.hpe.com/info/simplivity-interop-doc> or <https://support.hpe.com/hpsc/public/km/search?q=Simplivity&t=DriversandSoftware&sort=%40hpescuniversaldate%20descending&layout=table>

### Scalable and Configurable

- Expandable in 1 node increments up to 96 total nodes
- Processor - Choice of AMD® EPYC™ 7002 Series Processors
- Memory - 256GB to 2048GB (Per node depending on configuration)
- Network - 10Gb, 1Gb
- Power - Redundant
- Virtualization Software and Licensing
- All in a compact 1U form factor
- 1 PCIe expansion slot (Slot 1 PCIe 3.0)

### Notes:

- It is strongly recommended that an HPE SimpliVity 325 Gen10 cluster have a minimum of two nodes to realize the full benefits of the high availability hyperconverged solution.
- A single cluster supports up to 16 nodes. A single federation supports up to 96 nodes. See product documentation for details.

## Overview

### Software Features

- VMware vSphere
- HPE SimpliVity management plugin for VMware vCenter
- HPE Backup Archive to Cloud Bank
- HPE StoreOnce Integration
- Optional Data Encryption support
- Optional RapidDR support- HPE SimpliVity RapidDR is targeted to address SMB and Edge IT generalist persona DR orchestration needs with stringent SLAs around Recovery Point Objectives (RPOs) and Recovery Time Objectives (RTOs)

### Hardware Availability Features

- Cluster expansion without downtime
- Hot-pluggable SSD
- Redundant power supplies
- Integrated storage controller with battery-backed cache
- HPE ProLiant Integrated Lights-Out Advanced (iLO) 5 Remote Management

### Services

- HPE Pointnext full suite of support offerings (Tech Care, Tech Care and Complete Care).
- Remote support technology to provide 24x7 secure remote support

**Notes:** For the best support experience, HPE Pointnext Installation Services and 24x7x365 support recommended.

HPE SimpliVity 325 Gen10: At-a-Glance	
<b>Node Size</b>	1U
<b>Processor</b>	1x AMD® EPYC™ Processor, 16 to 64 cores selectable, 1CPU option slot
<b>Memory</b>	256GB to 2048GB per node selectable
<b>Storage</b>	Extra Small - 4 x 1.92TB SSD Kit (4.6TB usable)
	Small - 6x 1.92TB SSD Kit (7.5TB usable)
<b>Network Ports</b>	Embedded Ethernet 4x1GbE LOM, 10Gb FLOM <b>Notes:</b> Embedded 4x 1GbE LOM is not equipped on new boards for 7xx2 series processors.
<b>Power Supplies</b>	Dual power supplies provide highly available power
	HPE 500W FS Plat Hot Plug LH Power Supply Kit
	HPE 800W FS Plat Hot Plug Power Supply Kit
	HPE 800W FS -48VDC Hot Plug Power Supply Kit
	HPE 800W FS Titanium Hot Plug Power Supply Kit
	HPE 800W FS Universal Hot Plug Power Supply Kit
HPE 1600W FS Platinum Hot Plug LH Power Supply Kit	
<b>Hardware Warranty</b>	Server Warranty includes 3-Year Parts, 3-Year Labor, 3-Year Onsite support with next business day response
<b>Hardware Support</b>	3-year HPE SimpliVity 325 Gen10 solution support (required)

**Notes:**

- Warranty for SSDs is subject to maximum usage limitations. Maximum usage limit is the maximum amount of data that can be written to the drive. Drives that have reached this limit will not be eligible for replacement.
- Two power supplies per node are required for redundancy. 500W and 800W power supplies are only supported with specific configurations.



## Standard Features

### Features and Benefits

#### HPE InfoSight for HPE SimpliVity enables predictive data analytics

For SimpliVity nodes HPE InfoSight provides system details at the federation, cluster, and host level for historic capacity utilization, trends, resource consumption and prediction. Alleviates support issues and reduces operational expenses with automated wellness alerts and case creation. Provides a unified view of HPE SimpliVity assets such as Datastore, VM, Backups, Capacity, and IOPS.

#### Fully integrated system

Combines x86 resources, storage, and storage networking in a smaller form factor, single-socket, entry level hyperconverged system. Simplifies management and delivers great cost efficiency and agility with increased visibility and control.

#### Peak and predictable performance

The all-flash solution provides predictable and linear performance at near-wire speeds with reduced latency. Software-optimized inline deduplication, compression, and optimization helps minimize I/O and network traffic, improving performance while delivering great storage and bandwidth efficiency.

#### Scale in and scale out

Easily expand or shrink configurations as your needs change. Each node supports a large number of fully protected virtual machines (VMs), with the networked collection of nodes at both local and remote sites managed as a single entity.

#### VM centricity and mobility

Enables all actions, policies, and management at the VM level. Global unified management and integration with established administrative systems streamline operations and improve IT agility.

#### Dramatic TCO reduction

Single AMD EPYC processors allows for a 50% reduction in socket based hypervisor licensing costs (within the VMware Core count guidelines). Drastically reduce the need to purchase multiple discrete components, optimize storage capacity with guaranteed 10:1 data efficiency, and prevent over-provisioning for performance and capacity with on-demand expansion.

#### Cloud backup

HPE SimpliVity with **HPE Cloud Volumes Backup** enables simple, efficient, flexible backup directly to the cloud from data center or multiple, on-premises edge sites

#### Secondary, centralized backup

HPE SimpliVity with HPE StoreOnce protects data center and distributed edge sites by easily and efficiently replicating applications and data directly to a centralized HPE StoreOnce appliance for compliance and long-term retention requirements.

---

## Software Overview

### Pre-integrated software

- HPE SimpliVity Startup Wizard

### Virtualization Platform Software and Licenses

- VMware vSphere installation media is required to complete the installation and is available from HPE when ordering HPE SimpliVity 325 Gen10
- Valid licenses for the following VMware software components are required and are available from HPE when ordering HPE SimpliVity 325 Gen10
  - (1) VMware vSphere license(s) per node
  - (1) VMware vCenter license

### Notes:

- [HPE SimpliVity 325 Gen10 supports VMware vSphere ESXi](#) .



## Standard Features

- HPE SimpliVity 325 Gen10 for VMware vSphere requires valid VMware vSphere, and vCenter licenses. VMware licenses can only be removed from the order if it is confirmed that the end-customer has valid licenses in place (Enterprise License Agreement (ELA), vCloud Air Partner or unused Enterprise Purchasing Program tokens).
- Purchasing VMware licenses from Hewlett Packard Enterprise allows Hewlett Packard Enterprise to be the single point of contact for the entire solution, inclusive of the virtualization software, and is recommended.

### Management

- HPE InfoSight for HPE SimpliVity
- VMware vCenter
- HPE SimpliVity management plugin for VMware vCenter

### Notes:

- HPE SimpliVity 325 Gen10 supports VMware vCenter 6.5, 6.7 and 7.0
  - For VMware and HW compatibility, please see the [HPE SimpliVity OmniStack Interoperability Guide](#) or [HPE Support Center portal](#)
- 



## Service and Support

### HPE Pointnext - Service and Support

**Get the most from your HPE Products.** Get the expertise you need at every step of your IT journey with **HPE Pointnext Services**. We help you lower your risks and overall costs using automation and methodologies that have been tested and refined by HPE experts through thousands of deployments globally. HPE Pointnext **Advisory Services** focus on your business outcomes and goals, partnering with you to design your transformation and build a roadmap tuned to your unique challenges. Our **Professional** and **Operational Services** can be leveraged to speed up time-to-production, boost performance and accelerate your business. HPE Pointnext specializes in flawless and on-time implementation, on-budget execution, and creative configurations that get the most out of software and hardware alike.

### Consume IT on your terms

**HPE GreenLake** brings the cloud experience directly to your apps and data wherever they are—the edge, colocations, or your data center. It delivers cloud services for on-premises IT infrastructure specifically tailored to your most demanding workloads. With a pay-per-use, scalable, point-and-click self-service experience that is managed for you, HPE GreenLake accelerates digital transformation in a distributed, edge-to-cloud world..

- Get Faster time to market
- Save on TCO, align costs to business
- Scale quickly, meet unpredictable demand
- Simplify IT operations across your data centers and clouds

### Managed services to run your IT operations

**HPE GreenLake Management Services** provides services that monitor, operate, and optimize your infrastructure and applications, delivered consistently and globally to give you unified control and let you focus on innovation.

---

## Recommended Services

### HPE Pointnext Tech Care\*

**Notes:** \*Minimum required level of support is 3yr Tech Care Basic

HPE Pointnext Tech Care is the new operational service experience for HPE products. Tech Care goes beyond traditional support by providing access to product specific experts, an AI driven digital experience, and general technical guidance to not only reduce risk but constantly search for ways to do things better. HPE Pointnext Tech Care has been reimaged from the ground up to support a customer-centric, AI driven, and digitally enabled customer experience to move your business forward. HPE Pointnext Tech Care is available in three response levels. Basic, which provides 9x5 business hour availability and a 2 hour response time. Essential which provides a 15 minute response time 24x7 for most enterprise level customers, and Critical which includes a 6 hour repair commitment where available and outage management response for severity 1 incidents.

<https://www.hpe.com/services/techcare>

### HPE Pointnext Complete Care

HPE Pointnext Complete Care is a modular, edge-to-cloud IT environment service that provides a holistic approach to optimizing your entire IT environment and achieving agreed upon IT outcomes and business goals through a personalized and customer-centric experience. All delivered by an assigned team of HPE Pointnext Services experts. HPE Pointnext Complete Care provides:

- A complete coverage approach -- edge to cloud
- An assigned HPE team
- Modular and fully personalized engagement
- Enhanced Incident Management experience with priority access
- Digitally enabled and AI Driven customer experience

<https://www.hpe.com/services/complecare>

---



---

## Service and Support

### Other Related Services

#### HPE Server Hardware Installation

Provides for the basic hardware installation of HPE branded servers, storage devices and networking options to assist you in bringing your new hardware into operation in a timely and professional manner.

<https://h20195.www2.hpe.com/v2/getdocument.aspx?docname=5981-9356enw>

#### HPE Installation and Startup Service

Provides for the installation of your HPE hardware according to product specifications including options. The HPE service delivery technician will connect the product to a LAN as appropriate and enable remote support to allow for automatic case creation for hardware failures. Installation and start up services also includes the installation of one supported operating system type (Windows® or Linux)

#### HPE Service Credits

Offers flexible services and technical skills to meet your IT demands as your business evolves. With a menu of services, you can access additional resources and specialist skills to help you maintain peak performance of your IT. HPE Service Credits help you proactively respond to your dynamic IT and business needs.

#### HPE Education Services

Provides comprehensive training designed to expand the skills of your IT staff and keep them up to speed with the latest technologies.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

---

### Parts and Materials

Hewlett Packard Enterprise will provide HPE-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

#### Defective Media Retention

An option available with HPE Pointnext Complete Care and HPE Pointnext Tech Care and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

---

### For more information

- [www.hpe.com/services](http://www.hpe.com/services)
- <https://www.hpe.com/us/en/services/operational.html>

To learn more on HPE Storage Services, please contact your Hewlett Packard Enterprise sales representative or Hewlett Packard Enterprise Authorized Channel Partner. Contact information for a representative in your area can be found at "Contact HPE"

<https://www.hpe.com/us/en/contact-hpe.html>

HPE Support Services are sold by HPE and Hewlett Packard Enterprise Authorized Service Partners:

- Services for customers purchasing from HPE or an enterprise reseller are quoted using HPE order configuration tools.
  - Customers purchasing from a commercial reseller can find HPE Support Services at <https://ssc.hpe.com/portal/site/ssc/>
- 



## Configuration Information

### HPE SimpliVity 325 Gen10: Overview for New System

Use the following steps to order a new SimpliVity 325 Gen10 system:

- **Step 1:** Begin with the base node chassis
- **Step 2:** Select the hardware options to add to the base node: processors, memory, storage, networking, power, other optional HW
- **Step 3:** The software license that corresponds to the node configuration will be automatically added
- **Step 4:** Select service and support

### Step 1: Begin with the base node chassis

#### Base Node

Select the node chassis

#### Description

Description	SKU
HPE SimpliVity 325 Gen10 Node	R2Z06A
HPE SimpliVity 325 Node for AMD with VMware Tracking	R2Z27A

### Step 2: Select the hardware options to add to the base node:

#### Processors

##### CPU Configurations

Select 2<sup>nd</sup> Gen AMD® EPYC™ CPU

Remarks	Description	SKU
64C, 2.0GHz,200W	AMD EPYC 7702P (2.0GHz/64-core/200W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P16637-L21
32C, 2.65GHz, 180W	AMD EPYC 7502P (2.5GHz/32-core/180-200W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P16639-L21
24C, 2.9GHz, 180W	AMD EPYC 7402P (2.8GHz/24-core/180-200W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P16641-L21
16C, 2.9GHz, 155W	AMD EPYC 7302P (3.0GHz/16-core/155-180W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P16644-L21
32C, 2.2GHz, 155W	AMD EPYC 7452 (2.35GHz/32-core/155W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P16921-L21
24C, 2.3GHz,155W	AMD EPYC 7352 (2.3GHz/24-core/155W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P21424-L21
48C, 2.2GHz, 200W	AMD EPYC 7552 (2.2GHz/48-core/165-200W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P21864-L21
64C, 2.0GHz, 200W	AMD EPYC 7702 (2.0GHz/64-core/200W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P22034-L21
64C, 2.0GHz,200W	AMD EPYC 7702P (2.0GHz/64-core/200W) FIO Processor Kit for HPE ProLiant DL325 Gen10	P16637-L21

#### Memory for 2nd Gen AMD® EPYC™ CPU

Select a quantity of memory options for the node

Remarks	Description	SKU
RDIMM – Single Rank	HPE 16GB (1x16GB) Single Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart	P19041-B21
RDIMM - Dual Rank	HPE 32GB (1x32GB) Dual Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart	P19043-B21
LRDIMM - Quad Rank	HPE 64GB (1x64GB) Quad Rank x4 DDR4-2933 CAS-21-21-21 Load Reduced Smart Memory Kit	P19044-B21
RDIMM - Dual Rank	HPE 64GB (1x64GB) Dual Rank x4 DDR4-2933 CAS-21-21-21 Registered Smart Memory Kit	P19045-B21
LRDIMM - Quad Rank	HPE 128GB (1x128GB) Quad Rank x4 DDR4-2933 CAS-21-21-21 Load Reduced Smart Memory Kit	P19047-B21



## Configuration Information

### Notes:

- For more information go to: <http://www.hpe.com/docs/memory-population-rules>
- 2933 MT/s memory SKUs must be selected in quantities of 4, 8, 12, or 16
- Minimum 256GB memory must be configured per node
- RDIMM and LRDIMM cannot be mixed
- Mixing of x4 & x8 memory is not allowed
- P19047-B21 and P19044-B21 cannot be mixed
- 2933 MT/s DIMMs are only supported with AMD® EPYC® 7x2 Series Processor Family
- 2933 MT/s memory SKUs offer a transfer rate of 2933 MT/s at 1 DIMM per channel and 2666 MT/s at 2 DIMMs per channel

### Storage

Effective capacity varies by environment and is a function of realized deduplication and compression rates. The capacities in this table offer a conservative range based on compression and deduplication rates found in standard, primary storage use cases.

Select one storage kit for the node.

Usable Capacity	Description	SKU
7.5 TB	HPE SimpliVity 6x1.92TB SFF SSD Kit	Q9Y49A
4.6 TB	HPE SimpliVity 4x1.92TB SFF SSD Kit	R2Z28A

**Notes:** The appropriate OmniStack software will be included by the configurator

### Networking

A 10GbE FlexLOM is required.

Remarks	Description	SKU
	HPE Ethernet 1Gb 4-port FLR-T BCM5719 Adapter	629135-B22
	HPE Ethernet 1Gb 4-port FLR-T I350-T4V2 Adapter	665240-B21
	HPE FlexFabric 10Gb 2-port FLR-SFP+ 57810S Adapter	700751-B21
	HPE FlexFabric 10Gb 2-port FLR-T 57810S Adapter	700759-B21
	HPE FlexFabric 10Gb 4-port FLR-T 57840S Adapter	764302-B21
	HPE Ethernet 10/25Gb 2-port FLR-SFP28 BCM57414 Adapter	817709-B21
	HPE Ethernet 10/25Gb 2-port FLR-SFP28 MCX4121A-ACFT Adapter	817749-B21

**Notes:** Embedded 4x 1GbE LOM is not equipped on new boards for 7xx2 series processors.

### PCI Adapter

System Max	Description	SKU
1	HPE Ethernet 1Gb 4-port BASE-T BCM5719 Adapter	647594-B21
1	HPE Ethernet 10Gb 2-port SFP+ 57810S Adapter	652503-B21
1	HPE Ethernet 10Gb 2-port BASE-T 57810S Adapter	656596-B21
1	HPE Ethernet 1Gb 4-port BASE-T I350-T4V2 Adapter	811546-B21
1	HPE Ethernet 10/25Gb 2-port SFP28 MCX4121A-ACUT Adapter	817753-B21
1	HPE Ethernet 10/25Gb 2-port SFP28 QL41401-A2G Adapter	867328-B21
1	HPE Ethernet 10/25Gb 2-port SFP28 BCM57414 Adapter	817718-B21

### Optional Fibre Channel HBA cards

System Max	Description	SKU
1	HPE SN1100Q 16Gb Dual Port Fibre Channel Host Bus Adapter	P9D94A
1	HPE SN1600Q 32Gb Dual Port Fibre Channel Host Bus Adapter	P9M76A





## Configuration Information

### Power Supplies

Two power supplies are required

Remarks	Description	SKU
	HPE 800W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	865414-B21
	HPE 800W Flex Slot Universal Hot Plug Low Halogen Power Supply Kit	865428-B21
	HPE 800W Flex Slot -48VDC Hot Plug Low Halogen Power Supply Kit	865434-B21
	HPE 800W Flex Slot Titanium Hot Plug Low Halogen Power Supply Kit	865438-B21
	HPE 1600W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	830272-B21
	HPE 500W Flex Slot Platinum Hot Plug Low Halogen Power Supply Kit	865408-B21
	HPE DL325 Gen10 Redundant Power Supply Enablement Kit	P04983-B21

### Notes:

- The power supply requirement can vary based configuration and environment. 800W Power Supply is only supported with specific configurations. Please refer to HPE Power Advisor for proper power sizing.
- All configured nodes ship with a standard 6-foot IEC C-13/C-14 jumper cord (A0K02A). This jumper cord is also included with each standard AC power supply option kit. If a different power cord is required, please check the ProLiant Power Cables web page. <https://h20195.www2.hpe.com/v2/getpdf.aspx/4AA6-6836ENW.pdf>

### Step 3: The software license that corresponds to the node configuration will be automatically added

#### HPE SimpliVity Software

Based on the hardware configurations selected, the appropriate software will be included by the configurator.

The software is determined by storage configuration and is required.

Remarks	Description	SKU
	HPE SimpliVity 325 4.6TB Software	R2Z77A
	HPE SimpliVity 325 7.5TB Software	R2Z78A

#### VMware Software

##### vSphere

A valid VMware vSphere license is required for each CPU to complete deployment

**Notes:** HPE SimpliVity 325 Gen10 supports ESXi 6.5, 6.7 and 7.0e.

Remarks	Description	SKU
	VMware vSphere Remote Office Branch Office Standard 25VM 3yr E-LTU	P9A82AAE
	VMware vSphere Remote Office Branch Office Standard 25VM 5yr E-LTU	P9A83AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 3yr E-LTU	P9A85AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 5yr E-LTU	P9A86AAE
	VMware vSphere Standard 1 Processor 3yr E-LTU	BD711AAE
	VMware vSphere Enterprise Plus 1 Processor 3yr Software	BD715A
	VMware vSphere Enterprise Plus 1 Processor 3yr E-LTU	BD715AAE
	VMware vSphere Remote Office Branch Office Standard 25VM 3yr E-LTU	P9A82AAE
	VMware vSphere Remote Office Branch Office Advanced 25VM 3yr E-LTU	P9A85AAE
	VMware vSphere Standard 1 Processor 5yr Software	BD512A
	VMware vSphere Standard 1 Processor 5yr E-LTU	BD512AAE
	VMware vSphere Enterprise Plus 1 Processor 5yr Software	BD514A
	VMware vSphere Enterprise Plus 1 Processor 5yr E-LTU	BD514AAE



## Configuration Information

### Notes:

- If an order is placed without VMware licenses, the user agrees to supply the necessary license.
- HPE SimpliVity 325 Gen10 for VMware vSphere requires valid VMware vSphere, and vCenter licenses. VMware licenses can only be removed from the order if it is confirmed that the end-customer has a valid license in place (Enterprise License Agreement (ELA), vCloud Air Partner or unused Enterprise Purchasing Program tokens).
- Purchasing VMware licenses from Hewlett Packard Enterprise allows Hewlett Packard Enterprise to be the single point of contact for the entire solution inclusive of the virtualization software and is recommended. When the VMware license is not included on the order the solution level support experience is impacted.

### HPE Integrated Lights Out Advanced Software (iLO Advanced)

The HPE iLO Advanced license is required

Remarks	Description	SKU
	HPE iLO Advanced 1-server License with 3yr Support on iLO Licensed Features	BD505A

### Step 4: Select service and support

Select service and support to perform the storage upgrade, migration, install and redeployment.

HPE provides a full range of support offers for these products. Tech Care NBD is the minimum level of support, but Tech Care, Data center Care and GreenLake are also available.

Contact your local sales representative or channel partner for more details.

Installation services are required for these products. HA124A1#5ZD needs to be ordered in a quantity matching the sum of the software SKUs from Step 2.



## Additional Options

### Server Options

Remarks	Description	SKU
	HPE 1U Small Form Factor Easy Install Rail Kit	734807-B21
	HPE 1U Cable Management Arm for Rail Kit	734811-B21
	HPE DL325 Gen10 Serial Port Enablement Kit	P05045-B21
	HPE Serial Special Cable Kits	Q7Y55A
	HPE 1U Gen10 Bezel Kit	867998-B21
	HPE Bezel Lock Kit	875519-B21
	HPE Trusted Platform Module 2.0 Gen10 Option	864279-B21
	HPE Gen10 TPM 1.2 FIO Setting	872108-B21
	HPE 1U Gen10 Chassis Intrusion Detection Kit	866473-B21

---



---

## Technical Specifications

### Physical Dimensions

- 1U form factor: 1.69 x 17.11 x 24.21 in ( 4.29 x 43.46 x 61.49 cm)
- 

### End-of-life Management and Recycling

Hewlett-Packard offers end-of-life Hewlett Packard Enterprise product return, trade-in, and recycling programs in many geographic areas. To recycle your product, please go to: <http://www.hpe.com/recycle> or contact your nearest Hewlett Packard Enterprise sales office. Products returned to Hewlett Packard Enterprise will be recycled, recovered or disposed of in a responsible manner.

The EU WEEE directive (2002/95/EC) requires manufacturers to provide treatment information for each product type for use by treatment facilities. This information (product disassembly instructions) is posted on the Hewlett Packard Enterprise web site at: <http://www.hpe.com/recycle>. These instructions may be used by recyclers and other WEEE treatment facilities as well as Hewlett Packard Enterprise OEM customers who integrate and re-sell Hewlett Packard Enterprise equipment.

---

### EU Lot9 Regulation

If you require validation for an RFP the Compliance Team has a help desk to support EU compliance inquiries and can be reached at Technical Regulations Europe [tre@hpe.com](mailto:tre@hpe.com) or you may also contact [sustainability@hpe.com](mailto:sustainability@hpe.com)

---



**Summary of Changes**

<b>Date</b>	<b>Version History</b>	<b>Action</b>	<b>Description of Change</b>
15-Nov-2021	Version 10	Changed	Overview, Standard Features, and Configuration Information sections were updated.
01-Nov-2021	Version 9	Changed	Service and Support Pointnext Tech Care and Complete Care information updated
06-Jul-2021	Version 8	Changed	Rebranding applied to QuickSpecs
01-Mar-2021	Version 7	Changed	Overview, Standard Features, and Configuration Information sections were updated.
10-Aug-2020	Version 6	Changed	Configuration Information section was updated.
15-Jun-2020	Version 5	Changed	Overview, Standard Features, and Configuration Information sections were updated.
04-May-2020	Version 4	Changed	Overview and Configuration Information sections were updated.
02-Mar-2020	Version 3	Changed	Technical Specifications sections were updated.
02-Dec-2019	Version 2	Changed	Overview and Standard Features sections were updated.
03-Sep-2019	Version 1	New	QuickSpecs created.



## Copyright

Make the right purchase decision.  
Contact our presales specialists.



Chat



Email



Call



Get updates



© Copyright 2021 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

AMD and EPYC are US registered trademarks of AMD Corporation.

a00073538enw - 16487 - Worldwide - V10 - 15-November-2021