

# HPE Smart Storage Batteries QuickSpecs

## Centralized lithium-ion backup protecting cache and NVDIMMs

The HPE Smart Storage Battery is a lithium-ion, low-halogen centralized backup source and is required to back up the write cache content onto flash memory on the HPE Smart Array Gen9 and newer storage controllers in case of an unplanned server power loss. The battery is also the backup power source for HPE NVDIMMs and allows any data in flight on the DRAM to be moved to the non-volatile NAND flash. Only one battery is required per server as it can support multiple devices.

# HPE Smart Storage Batteries

## HPE Smart Array Hybrid Capacitors

The HPE Smart Storage Hybrid Capacitor is a battery-free technology for power storage that provides data protection for cached data while eliminating costs and environmental impact of lithium-ion batteries.

For those running HPE Gen10 servers, the HPE Smart Hybrid Capacitor is a centralized backup power source supporting multiple controllers where the NAND flash memory on HPE Smart Array Performance Class controllers and the HPE Smart Hybrid Capacitor work together to save cached data in the event of unplanned server power loss.

When the hybrid capacitor module detects power loss, it keeps critical parts of the controller active long enough to allow data to be copied from the onboard controller cache to the flash memory.

Please note, although the hybrid capacitor module is mechanically compatible with the 96W Smart Storage Battery (P01366-B21 and P01367-B21), the module cannot be used in combination with the Smart Storage Battery. In most cases, only a single Smart Storage Battery or a single Smart Hybrid Capacitor can be used per system. Please check your server platform QuickSpecs for details.

## Models

### Batteries

HPE 96W Smart Storage Lithium-ion Battery with 145mm Cable Kit	P01366-B21
HPE 96W Smart Storage Lithium-ion Battery with 260mm Cable Kit	P01367-B21
HPE 12W Smart Storage Battery	782961-B21

### Hybrid Capacitors

HPE Smart Storage Hybrid Capacitor with 145mm Cable Kit	P02377-B21
HPE Smart Storage Hybrid Capacitor with 260mm Cable Kit	P02381-B21
HPE 16W Smart Hybrid Capacitor with 145mm Cable	P65038-B21
HPE 16W Smart Hybrid Capacitor with 260mm Cable	P65042-B21

**Notes:** The HPE Smart Storage Hybrid Capacitor is only supported on Gen10 servers or later.

Before installing the HPE Smart Storage Hybrid Capacitor, verify that the system BIOS meets the minimum firmware requirements to support the hybrid capacitor module.

**Notes:** The 16W Capacitors are replacements for P02377-B21 and P02381-B21 and support the same servers. 16W spare replacements will also be supported if using the previous capacitors.

## **HPE Smart Storage Battery Key Features**

- Supports HPE Smart Array P-class controllers and HPE NVDIMMs
- Supports up to 24 devices.
- Low halogen
- Lithium-ion

## **HPE Hybrid Capacitor Key Features**

- High reliability, even in higher temperature environments
  - No batteries, not a Class 9 Dangerous Good product (no hazardous material disposal, no battery shipping requirements)
  - A single module supports up to three (3) Smart Array Controllers
  - Charges to full capacity in ~3 minutes after discharge
  - Capable of operating in higher temperatures with no impact to service life
-

## Standard Features

HPE Smart Storage Battery	
<b>Pack Power</b>	7.2 Volts - 10.8 Watt-hour
<b>Shelf Life</b>	Stored at 25 degrees Celsius, shelf life is 15 months (26-30% State of Charge) Stored at 45 degrees Celsius, shelf life is 6 months (26-30% SOC)
<b>Dimension</b>	139 mm (length) x 19.5 mm (width) x 29 mm (height)
<b>Server Support</b>	Please see platform QuickSpecs for server support.
HPE Hybrid Capacitor	
<b>Voltage</b>	2.5-3.6v
<b>Discharge/charge</b>	Full capacity in approximately 3 minutes after discharge
<b>Maintenance</b>	Maintenance-free
<b>Operating Temperature</b>	10° C to 60°C environment
<b>Storage Temperature</b>	10° C to 35° C, less than 65% relative humidity
<b>Notes: Sudden temperature change or high humidity may cause deterioration of its characteristics.</b>	
<b>Shelf Life</b>	When stored at 10 ~ 35°C and less than 65% relative humidity, shelf life is 20 months minimum. (100% State of Charge)
<b>Relative Humidity</b>	65% or less (non-condensing) for storage
<b>Operating Altitude</b>	from sea level, of 1.0°C per every 304.8 m (1.8°F per every 1000 ft) above sea level to a maximum of 3048 m (10,000 ft).
<b>Non-operating Altitude</b>	Up to 15,240m (50,000 feet) above sea level
<b>Leakage Current</b>	<2.0 uA in Ship/Storage mode
<b>Safety Conformance or Certifications</b>	UL, CB, KCC, CE
<b>EMC (Class A)</b>	FCC 47 CFR Part 15 Subpart B and AS/NZS CISPR 32
<b>Unit Dimensions (WxDxH)</b>	5.46" (138.65mm)x1.13"(28.8mm)x0.76"(19.36mm)
<b>Unit Weight</b>	P02377-B21 – 85g (+5/-10) P02381-B21 – 90g (+5/-10)
<b>Firmware Support Minimum requirements</b>	HPE servers with Intel processors (BIOS)      Min version: 2.00 HPE servers with AMD processors (BIOS)      Min version: 1.40 HPE Smart Array SR controllers (firmware)      Min version: 1.90 HPE Smart Array MR controllers (firmware)      Min version: 24.23.0-0041
<b>Server Support</b>	Please see platform QuickSpecs for server support.

## Standard Features

## HPE 96W Smart Storage Battery or Smart Storage Hybrid Capacitor?

	96W Battery	Smart Storage Hybrid Capacitor
Gen10 or newer	Yes	Yes
Controller Support	Yes	Yes
NVDIMM Support	Yes	No
Max. Device Support	Up to 24 NVDIMM and/or Smart Array Controllers	Up to 3 HPE Smart Array Controllers
Discharge to > Charge	Hours	Minutes
Operating Environments	Climate controlled environments	Higher temperature environments such as NEBs, ASHRAE, or Telco
Class 9 Dangerous Goods	Yes	No

**Notes:** The HPE Smart Storage Hybrid Capacitor is only supported on Gen10 servers or newer. Before installing the hybrid capacitor module, verify that the system BIOS meets the minimum firmware requirements to support the capacitor pack.

Not for use with Server that use NVDIMMs.

For more information on updating firmware, see the Intelligent Provisioning User Guide on the Hewlett Packard Enterprise website (<http://www.hpe.com/info/intelligentprovisioning/docs>).

To get the latest firmware and software updates, download the Service Pack for ProLiant (SPP) from the Hewlett Packard Enterprise website (<http://www.hpe.com/servers/spp/download>).

## Material Safety Data Sheet

Hewlett Packard Enterprise provides battery Material Safety Data Sheets (MSDS) and other battery product information sheets as a service to its customers. For more information please visit:

<https://www.hpe.com/us/en/about/environment/msds-specs.html#.WIDLu2bruUk>

## Warranty

The warranty for this device is 3-year parts only.

## Warranty Upgrade Options

- Response - Upgrade on-site response from next business day to same day 4 hours.
- Coverage - Extend hours of coverage from 9 hours x 5 days to 24 hours x 7 days.
- Duration - Select duration of coverage for a period of 1, 3, or 5 years.

**Notes:** Warranty upgrade options can come in the form of HPE Services, which are sold at the HPE System level this product attaches to.

## HPE Services

No matter where you are in your digital transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

<https://www.hpe.com/services>

---

## Consulting Services

No matter where you are in your journey to hybrid cloud, experts can help you map out your next steps. From determining what workloads should live where, to handling governance and compliance, to managing costs, our experts can help you optimize your operations.

<https://www.hpe.com/services/consulting>

---

## HPE Managed Services

HPE runs your IT operations, providing services that monitor, operate, and optimize your infrastructure and applications, delivered consistently and globally to give you unified control and let you focus on innovation.

[HPE Managed Services | HPE](#)

---

## Operational services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources. Meet service-level targets and business objectives with features designed to drive better business outcomes.

<https://www.hpe.com/services/operational>

---

## HPE Complete Care Service

HPE Complete Care Service is a modular, IT environment service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals through a personalized experience. All delivered by an assigned team of HPE Services experts. HPE Complete Care Service provides:

- A complete coverage approach
- An assigned HPE team
- Modular and fully personalized engagement
- Enhanced Incident Management experience with priority access
- Digitally enabled and AI driven customer experience

<https://www.hpe.com/services/complecare>

---

## Service and Support

## HPE Tech Care Service

HPE Tech Care Service is the operational support service experience for HPE products. The service goes beyond traditional support by providing access to product specific experts, an AI driven digital experience, and general technical guidance to not only reduce risk but constantly search for ways to do things better. HPE Tech Care Service delivers a customer-centric, AI driven, and digitally enabled customer experience to move your business forward. HPE Tech Care Service is available in three response levels. Basic, which provides 9x5 business hour availability and a 2-hour response time. Essential which provides a 15-minute response time 24x7 for most enterprise level customers, and Critical which includes a 6-hour repair commitment where available and outage management response for severity 1 incidents.

<https://www.hpe.com/services/techcare>

---

## HPE Lifecycle Services

HPE Lifecycle Services provide a variety of options to help maintain your HPE systems and solutions at all stages of the product lifecycle. A few popular examples include:

- Lifecycle Install and Startup Services: Various levels for physical installation and power on, remote access setup, installation and startup, and enhanced installation services with the operating system.
- HPE Firmware Update Analysis Service: Recommendations for firmware revision levels for selected HPE products, taking into account the relevant revision dependencies within your IT environment.
- HPE Firmware Update Implementation Service: Implementation of firmware updates for selected HPE server, storage, and solution products, taking into account the relevant revision dependencies within your IT environment.
- Implementation assistance services: Highly trained technical service specialists to assist you with a variety of activities, ranging from design, implementation, and platform deployment to consolidation, migration, project management, and onsite technical forums.
- HPE Service Credits: Access to prepaid services for flexibility to choose from a variety of specialized service activities, including assessments, performance maintenance reviews, firmware management, professional services, and operational best practices.

**Notes:** To review the list of Lifecycle Services available for your product go to:

<https://www.hpe.com/services/lifecycle>

For a list of the most frequently purchased services using service credits, see the [HPE Service Credits Menu](#)

---

## Other Related Services from HPE Services

### HPE Education Services

Training and certification designed for IT and business professionals across all industries. Broad catalogue of course offerings to expand skills and proficiencies in topics ranging from cloud and cybersecurity to AI and DevOps. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

<https://www.hpe.com/services/training>

## Service and Support

### Defective Media Retention

An option available with HPE Complete Care Service and HPE Tech Care Service and applies only to Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and services options.

### Parts and Materials

HPE will provide HPE-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product QuickSpecs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

### How to Purchase Services

Services are sold by Hewlett Packard Enterprise and Hewlett Packard Enterprise Authorized Service Partners:

- Services for customers purchasing from HPE or an enterprise reseller are quoted using HPE order configuration tools.
- Customers purchasing from a commercial reseller can find services at <https://ssc.hpe.com/portal/site/ssc/>

### AI Powered and Digitally Enabled Support Experience

Achieve faster time to resolution with access to product-specific resources and expertise through a digital and data driven customer experience.

Sign into the HPE Support Center experience, featuring streamlined self-serve case creation and management capabilities with inline knowledge recommendations. You will also find personalized task alerts and powerful troubleshooting support through an intelligent virtual agent with seamless transition when needed to a live support agent.

<https://support.hpe.com/hpesc/public/home/signin>

---

## GreenLake

[GreenLake](#) is the cloud to run and manage your entire hybrid landscape—private, public, and edge. It helps you to:

- Streamline IT Operations across compute, storage, and networking without the chaos.
- Unify and secure data, as you move faster.
- Accelerate AI, from pilot to production.

The result: greater operational efficiency, lower TCO, and faster AI delivery—all from one unified, intelligent platform built for today's hybrid enterprise.

---

## HPE Smart Array SR SmartCache

### Single-Server License

Used to purchase a license for one server.

Contains one license per server, a printed license entitlement certificate, end user license agreement, and license key installation card delivered via physical shipment. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s). Include one year of 24x7 HPE Software Technical Support Services.

### Flexible-Quantity License

Used to purchase multiple licenses with a single activation key.

Contains license(s) for a customer defined quantity of servers, a license entitlement certificate for the quantity of licenses purchased, end user license agreement, and license key installation card delivered via physical shipment. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s).

Include one year of 24x7 HPE Software Technical Support Services.

### Flexible-Quantity Electronic License

Used to purchase multiple licenses with a single activation key.

Contains license(s) for a customer defined quantity of servers, a license entitlement certificate for the quantity of licenses purchased, end user license agreement, and license key installation information delivered via e-mail. The license entitlement certificate must be redeemed online or via fax in order to obtain the license activation key(s).

Include one year of 24x7 HPE Software Technical Support Services.

**Notes:** For more information please visit: <http://www.hpe.com/servers/smartcache>

### HPE Smart Array SR Secure Encryption

HPE Smart Array SR Secure Encryption (Data at Rest Encryption/per Server Entitlement) E-LTU

Q2F26AAE

For use with SmartRAID SR controllers only.

**Notes:** HPE Smart Array SR Secure Encryption licensing is based on the number of servers requiring encryption for direct attached storage.

For more information visit: <http://www.hpe.com/servers/secureencryption>

---

## Related Options

Date	Version History	Action	Description of Change
06-Apr-2026	<a href="#">Version 10</a>	Changed	Overview section was updated.
02-Mar-2026	<a href="#">Version 9</a>	Changed	Overview and Standard Features sections were updated.
04-Dec-2023	<a href="#">Version 8</a>	Changed	Service and Support Section was Updated
06-Mar-2023	<a href="#">Version 7</a>	Changed	Merged Batteries and Hybrid Capacitors
16-Jan-2023	<a href="#">Version 6</a>	Changed	Obsolete SKUs were removed
04-Oct-2021	<a href="#">Version 5</a>	Changed	Service and Support Section was updated
18-Jan-2021	<a href="#">Version 4</a>	Changed	Related Options section was updated
04-Mar-2019	<a href="#">Version 3</a>	Changed	Related Options section was updated
05-Feb-2018	<a href="#">Version 2</a>	Added	Added 12W Battery SKUs and Gen9 compatibility
04-Dec-2017	<a href="#">Version 1</a>	Added	New QuickSpecs.

[Shape the Future of QuickSpecs - Your Input Matters](#)

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

a00028553enw - 15928 - Worldwide - V10 - 06-April-2026  
HEWLETT PACKARD ENTERPRISE  
HPE.com

