

NVIDIA® Accelerators for HPE QuickSpecs

Do you require higher performance for artificial intelligence (AI) training and inference, high-performance computing (HPC) or graphics?

Hewlett Packard Enterprise supports select NVIDIA GPUs for HPE ProLiant Compute, HPE Cray Supercomputing, HPE Alletra Storage and others to address HPC, AI, virtualization, edge computing, and graphics rendering and visualization.

Overview

Operating Systems and Virtualization Software Support for ProLiant Servers

See [HPE Servers Support & Certification Matrices](#)

- [Microsoft Windows Server](#)
- [VMware ESXi](#)
- [VMware Compatibility Guide](#)
- [Red Hat Enterprise Linux \(RHEL\)](#)
- [SUSE Linux Enterprise Server \(SLES\)](#)
- [Canonical Ubuntu](#)
- [Oracle Linux and Oracle VM](#)
- [Citrix](#)

Enterprise customers with a current vGPU software license (GRID vPC, GRID vApps or Quadro vDWS), can log into the enterprise software download to [NVIDIA Drivers](#).

What's New

- NVIDIA RTX PRO 4500 Blackwell Server Edition 32GB PCIe Accelerator for HPE

Models

NVIDIA Ampere 2-way 2-slot Bridge for HPE	R6V66A
NVIDIA A16 64GB PCIe Non-CEC Accelerator for HPE	R8T26C
NVIDIA L4 24GB PCIe Accelerator for HPE	S0K89C
NVIDIA L40 48GB PCIe Accelerator for HPE	S0K90C
NVIDIA L40S 48GB PCIe Accelerator	S2L70A
NVIDIA L40S 48GB PCIe Accelerator	S2L70C
NVIDIA RTX 4000 Ada Graphics Accelerator for HPE	S3T54C
NVIDIA L20 48GB PCIe GPU Accelerator for HPE	S4A92C
NVIDIA H200 NVL 141GB PCIe Accelerator for HPE	S3U30C
NVIDIA 2-way NVLink Bridge for H200 NVL	S4A90C
NVIDIA 4-way NVLink Bridge for H200 NVL	S4A91C
NVIDIA RTX PRO 6000 Blackwell Server Edition 96GB PCIe Accelerator for HPE	S6A73C
NVIDIA RTX A1000 8GB PCIe Accelerator for HPE	S5T74C
NVIDIA RTX PRO 6000D 84GB PCIe Accelerator for HPE	S6W21C
NVIDIA RTX A400 4GB PCIe ATX Bracket Accelerator for HPE	S7K99C
NVIDIA RTX A400 4GB PCIe Low Profile Bracket Accelerator for HPE	S7U71C
NVIDIA RTX PRO 4500 Blackwell Server Edition 32GB PCIe Accelerator for HPE	S6W30C

Notes:

- Please see the platform QuickSpecs for configuration rules including enablement kits.
-

Overview

XXXXXX is a SKU designation built from a standard six-digit part number, with the final character indicating the specific SKU available across multiple server families. Use the table below to identify the correct SKU suffix for each server product line. In some cases, Specialized Compute will use the "A" SKU, while Compute will use the "C" SKU.

-C	-A
COMPUTE	SPECIALIZED COMPUTE
HPE ProLiant Servers DL20/DL160/DL180 ML30/ML110/ML350 DL325/DL345/DL365/DL385 DL360/DL380/ DL380a/DL560/DL580 DX360/DX380 DX170r/DX190r/DX200/ DX560/DX4200 MicroServer HPE ProLiant for Microsoft Azure Stack HPE Synergy 480/660 Systems HPE Edgeline Systems and Servers HPE Integrity Superdome/Superdome Flex HPE Compute Scale-up Server	HPE Cray Supercomputing HPE Apollo 35/40/70 Systems HPE Apollo 2000/6500 Servers HPE XL170r/XL190rGen10 Server for BlueData Software HPE Converged System 300/500 HPE Integrity BL860c i6/BL870c i6/BL890c i6 Server Blades HPE Integrity MC990 X Server HPE Integrity rx2800 i6 Server

Notes: Disclaimer This may not be a complete listing of applicable servers

Standard Features

NVIDIA Ampere 2-way 2-slot NVLink Bridge for HPE

NVIDIA Ampere 2-way 2-slot Bridge for HPE	R6V66A
--	--------

Supported Servers

R6V66A Supported Servers	CPU *	
HPE ProLiant DL380a Gen11	SPR, EMR	See NVIDIA H100 NVL PCIe for details
HPE ProLiant DL385 Gen11	Genoa, Turin	See NVIDIA H100 NVL PCIe for details
HPE ProLiant XL675d Gen 10Plus	Rome	See NVIDIA H100 NVL PCIe for details
HPE ProLiant XL675d Gen 10Plus	Milan	See NVIDIA H100 NVL PCIe for details

Supported Servers

R9W59C Supported Servers	CPU *
HPE DL345 Gen10 Plus	Milan
HPE ProLiant DL380 Gen10 Plus	Icelake
HPE SY480 Gen10 Plus E4	Icelake

Standard Features

Supported Servers	
R9H23C Supported Servers	CPU *
HPE Alletra 4110 Storage Server	SPR, EMR
HPE Alletra 4120 Storage Server	SPR, EMR
HPE ProLiant DL325 Gen10 Plus v2	Milan
HPE ProLiant DL325 Gen11	Genoa, Turin
HPE ProLiant DL360 Gen10	Cascade
HPE ProLiant DL360 Gen10 Plus	Icelake
HPE ProLiant DL360 Gen11	SPR, EMR
HPE ProLiant DL380 Gen10	Cascade
HPE ProLiant DL380 Gen10 Plus	Icelake
HPE ProLiant DL385 Gen10 Plus v2	Milan
HPE Synergy 480 Gen10 Plus H	Icelake
HPE Synergy 480 Gen10 Plus P	Icelake
HPE Synergy 480 Gen10	Cascade
HPE Edgeline EL8000 e920/e920d/e920t	Icelake
HPE Apollo 4200 Gen10 Plus	Icelake
HPE ProLiant ML350 Gen10	Cascade

NVIDIA A16 64GB non-CEC PCIe Accelerator for HPE	
NVIDIA A16 64GB PCIe Non-CEC Accelerator for HPE	R8T26C
Performance	FP32 TF32 TF321 (TFLOPS): 4x 4.5 4x 9 4x 18 FP16 FP161 (TFLOPS): 4x 17.9 4x 35.9 INT8 INT81 (TOPS): 4x 35.9 4x 71.8
Memory Size	64 GB GDDR-6 (16 GB/GPU)
Memory Bandwidth	4x 200 GB/s
System Interface	PCIe Gen4 x16
Power	250W
Form Factor	10.5" Dual slot, Full Height, Full Length
Performance	FP32 TF32 TF321 (TFLOPS): 4x 4.5 4x 9 4x 18 FP16 FP161 (TFLOPS): 4x 17.9 4x 35.9 INT8 INT81 (TOPS): 4x 35.9 4x 71.8

Standard Features

Supported Servers	
R8T26C Supported Servers	CPU *
HPE ProLiant DL320 Gen11	SPR, EMR
HPE ProLiant DL380 Gen10	Cascade
HPE ProLiant DL380 Gen10 Plus	Icelake
HPE ProLiant DL380 Gen11	SPR, EMR
HPE ProLiant ML350 Gen11	SPR, EMR
HPE Synergy 480 Gen 10 Plus	Icelake
HPE ProLiant DL385 Gen10 Plus v2	Milan
HPE ProLiant DL365 Gen11	Genoa, Turin
HPE ProLiant DL385 Gen11	Genoa, Turin

Supported Servers	
R9S38C Supported Servers	CPU *
HPE Superdome Flex	Cascade
HPE Superdome Flex 280	Cooper
HPE ProLiant DL380 Gen10	Cascade
HPE ProLiant DL380 Gen11	SPR, EMR
HPE ProLiant DL380 Gen10 Plus	Icelake
HPE ProLiant DL385 Gen10 Plus v2	Milan

Standard Features

NVIDIA H200 NVL 141GB PCIe Accelerator for HPE with NVIDIA AI Enterprise License *	
NVIDIA H200 NVL 141GB PCIe Accelerator for HPE	S3U30C
Performance	34TF FP64, 67TF FP32, 1,979TF FP16, 3,958 TF FP8
Memory Size	141GB HBM3e
Memory Bandwidth	4.8TB/s
Multi-instance GPUs	Up to 7MIGs @ 18GB
System Interface	PCIe Gen5
Power	600W
Form Factor	10.5"x1.37"x4.37", Full Height, Full Length

Notes: Includes a five-year [NVIDIA AI Enterprise](#) subscription. Activate your [NVIDIA AI Enterprise License here](#).

Supported Servers	
S3U30C	CPU *
Supported Servers	
HPE ProLiant DL380a Gen12	SRF, GNR
HPE ProLiant DL385 Gen11	Genoa, Turin

NVIDIA 2-way NVLink Bridge for H200 NVL		
NVIDIA 2-way NVLink Bridge for H200 NVL	S4A90C	
S4A90C	CPU *	
Supported Servers		
HPE ProLiant DL380a Gen12	SRF, GNR	See NVIDIA H200 NVL PCIe for details
HPE ProLiant DL385 Gen11	Genoa, Turin	See NVIDIA H200 NVL PCIe for details

NVIDIA 4-way NVLink Bridge for H200 NVL		
NVIDIA 4-way NVLink Bridge for H200 NVL	S4A91C	
S4A91C	CPU *	
Supported Servers		
HPE ProLiant DL380a Gen12	SRF, GNR	See NVIDIA H200 NVL PCIe for details

Standard Features

NVIDIA L4 24GB PCIe Accelerator for HPE	
NVIDIA L4 24GB PCIe Accelerator for HPE	S0K89C
Performance	30TF FP32, 242TF FP16, 485TF INT8 (with sparsity, specs are one-half lower without)
Memory Size	24GB GDDR6
Memory Bandwidth	300GB/s
System Interface	PCIe Gen4 x16
Power	72W (40W minimum)
Form Factor	Half-height, Half-length, Single-slot

Standard Features

Supported Servers	
S0K89C	CPU *
Supported Servers	
HPE Alletra 4110 Storage Server	SPR, EMR
HPE Alletra 4120 Storage Server	SPR, EMR
HPE Alletra 4140 Storage Server	SPR, EMR
HPE Alletra 4210 Storage Server	SRF, GNR
HPE Apollo 4200 Gen10 Plus	ICX
HPE Compute Scale-up Server 3200	SPR
HPE EL8000 e920, e920d, e920t Gen 10 Plus	ICX
HPE EL8000 930t Gen11	SPR
HPE ProLiant DL145 Gen11	Sienna
HPE ProLiant DL320 Gen11	SPR, EMR
HPE ProLiant DL320 Gen12	SRF, GNR
HPE ProLiant DL340 Gen12	SRF, GNR
HPE ProLiant DL360 Gen10 Plus	Icelake
HPE ProLiant DL360 Gen11	SPR, EMR
HPE ProLiant DL360 Gen12	SRF, GNR
HPE ProLiant DL380 Gen10 Plus	Icelake
HPE ProLiant DL380 Gen11	SPR, EMR
HPE ProLiant DL380 Gen12	SRF, GNR
HPE ProLiant DL380a Gen11	SPR, EMR
HPE ProLiant DL145 Gen11	Sienna
HPE ProLiant DL325 Gen11	Genoa, Turin
HPE ProLiant DL345 Gen11	Genoa, Turin
HPE ProLiant DL365 Gen11	Genoa, Turin
HPE ProLiant DL385 Gen11	Genoa, Turin
HPE ProLiant ML110 Gen11	SPR, EMR
HPE ProLiant ML350 Gen11	SPR, EMR
HPE ProLiant ML350 Gen12	GNR
HPE Superdome Flex	Cascade
HPE Superdome Flex 280	Cooper
HPE ProLiant DL325 Gen12	Turin
HPE ProLiant DL345 Gen12	Turin

Standard Features

NVIDIA L40 48GB PCIe Accelerator for HPE	
NVIDIA L40 48GB PCIe Accelerator for HPE	S0K90C
Performance	90TF FP32, FP8 Tensor core TFLOPS 724 (with sparsity)
Memory Size	48GB GDDR6
Memory Bandwidth	864GB/s
System Interface	PCIe Gen4 x16
Power	300W
Form Factor	4.4"H x 10.5"L dual-slot
Display Port	4x DisplayPort 1.4a

Supported Servers	
S0K90C	CPU *
Supported Servers	
HPE ProLiant DL320 Gen11	SPR, EMR
HPE ProLiant DL380 Gen10 Plus	Icelake
HPE ProLiant DL380 Gen11	SPR, EMR
HPE ProLiant DL380a Gen11	SPR, EMR
HPE ProLiant DL385 Gen11	Genoa
HPE ProLiant DL560 Gen11	SPR
HPE ProLiant ML350 Gen11	SPR, EMR
HPE ProLiant XL675d Gen10 Plus	Milan
HPE Superdome 3200 Server	SPR
HPE Superdome Flex	Cascade
HPE Superdome Flex 280	Cooper

Standard Features

NVIDIA RTX PRO 6000 Blackwell Server Edition 96GB PCIe Accelerator for HPE	
NVIDIA RTX PRO 6000 Blackwell Server Edition 96GB PCIe Accelerator for HPE	S6A73C
Performance	1.6 PFLOPS FP4 TC, 811 TFLOPS FP8 TC, 406 TFLOPS FP16/BF16 TC, 203 TFLOPS TF32 TC
Memory Size	96GB GDDR7
Memory Bandwidth	1.6TB/s
Multi-instance GPUs	Up to 4MIGs @ 24GB
System Interface	PCIe Gen5 x16
Power	600W
Form Factor	4.4"H x 10.5"L dual-slot
Display Port	4x DisplayPort 2.1

Supported Servers	
S6A73C	CPU *
Supported Servers	
HPE ProLiant DL380a Gen12	SRF, GNR
HPE ProLiant DL385 Gen11	Genoa, Turin
HPE ProLiant DL380 Gen12	SPR, GNR

NVIDIA RTX PRO 6000D Blackwell Server Edition 84GB PCIe (China, Hong Kong, Macau only) **	
NVIDIA RTX PRO 6000D Blackwell Server Edition 84GB PCIe	S6W21C
Performance	593 TFLOPS FP4 TC, 296 TFLOPS FP8 TC, 148 TFLOPS FP16/BF16 TC, 74 TFLOPS TF32 TC
Memory Size	84GB GDDR7
Memory Bandwidth	1398 GB/s
Multi-instance GPUs	Up to 4MIGs @ 24GB
System Interface	PCIe Gen5 x16
Power	600W
Form Factor	4.4"H x 10.5"L dual-slot
Display Port	4x DisplayPort 2.1b

Supported Servers	
S6W21C	CPU *
Supported Servers	
HPE ProLiant DL380a Gen12	SRF, GNR
HPE ProLiant DL380 Gen12	SPR, GNR
HPE ProLiant DL385 Gen11	Genoa, Turin

Standard Features

NVIDIA RTX A1000 8GB PCIe Accelerator for HPE

NVIDIA RTX A1000 8GB PCIe Accelerator for HPE	S5T74C
Performance	53.8TF FP16
Memory Size	8GB GDDR6
Memory Bandwidth	192GB/s
System Interface	PCIe Gen4 x8
Power	50W
Form Factor	2.7" H x 6.4" L single-slot
Display Port	4x mini-DisplayPort 1.4a

Supported Servers

S5T74C	CPU *
Supported Servers	
HPE ProLiant ML30 Gen11	Intel Xeon E
HPE ProLiant DL20 Gen11	Intel Xeon E
HPE ProLiant DL380 Gen12	SPR, GNR
HPE ProLiant ML350 Gen12	GNR
HPE Alletra 4120 Storage Server	SPR
HPE Alletra 4140 Storage Server	SPR

NVIDIA RTX A400 PCIe 4GB ATX Bracket Accelerator for HPE

NVIDIA RTX A400 PCIe 4GB ATX Bracket Accelerator for HPE	S7K99C
Performance	21.7 TFLOPS FP16
Memory Size	4GB GDDR6
Memory Bandwidth	96GB/s
System Interface	PCIe Gen4 x16
Power	50W
Form Factor	2.7" H x 6.4" L, single slot
Display Port	4x mini-DisplayPort 1.4a

Supported Servers

S7K99C	CPU *
Supported Servers	
HPE ProLiant ML30 Gen11	Intel Xeon E
HPE ProLiant DL20 Gen11	Intel Xeon E

Standard Features

NVIDIA RTX A400 PCIe 4GB LP Bracket Accelerator for HPE	
NVIDIA RTX A400 PCIe 4GB LP Bracket Accelerator for HPE	S7U71C
Performance	21.7 TF FP16
Memory Size	4GB GDDR6
Memory Bandwidth	96GB/s
System Interface	PCIe Gen4 x16
Power	50W
Form Factor	2.7" H x 6.4" L, single slot
Display Port	4x mini-DisplayPort 1.4a

Supported Servers	
S7U71C	CPU *
Supported Servers	
HPE ProLiant MicroServer Gen11	Intel Xeon E

Standard Features

NVIDIA L40S 48GB PCIe Accelerator for HPE	
NVIDIA L40S 48GB PCIe Accelerator for HPE	S2L70A/ S2L70C
Performance	90TF FP32, FP8 Tensor core TFLOPS 1,466 (with sparsity)
Memory Size	48GB GDDR6
Memory Bandwidth	864GB/s
System Interface	PCIe Gen4 x16
Power	350W
Form Factor	4.4" H x 10.5" L dual-slot
Display Port	4 x DisplayPort 1.4a

Supported Servers	
S2L70C	CPU *
Supported Servers	
HPE EL8000t 930t Gen11	SPR
HPE EL8000 e920d Gen 10 Plus	ICX
HPE EL8000 xd295v Gen11	Genoa
HPE Compute Scale up Server 3200	SPR
HPE ProLiant DL320 Gen11	SPR, EMR
HPE ProLiant DL320 Gen12	SRF, GNR
HPE ProLiant DL380 Gen11	SPR, EMR
HPE ProLiant DL380 Gen12	SRF, GNR
HPE ProLiant DL380a Gen11	SPR, EMR
HPE ProLiant DL380a Gen12	SRF
HPE ProLiant DL145 Gen11	Sienna
HPE ProLiant DL385 Gen11	Genoa, Turin
HPE ProLiant ML350 Gen12	GNR
HPE ProLiant DL345 Gen12	Turin

Supported Servers	
S2L70A	CPU *
Supported Servers	
HPE Cray XD295v Gen11	Genoa
HPE ProLiant Xl675d Gen10 Plus	Milan

Standard Features

NVIDIA RTX 4000 Ada Accelerator for HPE

NVIDIA RTX 4000 Ada Graphics Accelerator for HPE	S3T54C
Performance	26.7 TFLOPS single precision, 61.8 TFLOPS RT Core, 327.6 TFLOPS Tensor
Memory Size	20GB GDDR6
Memory Bandwidth	360GB/s
System Interface	PCIe Gen4 x16
Power	130W
Form Factor	4.4"H x 9.5"L single-slot
Display Port	4x DisplayPort 1.4a

Supported Servers

S3T54C Supported Servers	CPU *
HPE ProLiant ML30 Gen11	Intel Xeon E
HPE ProLiant DL380 Gen11	SPR, EMR
HPE ProLiant ML350 Gen11	SPR, EMR
HPE ProLiant ML110 Gen11	SPR, EMR

NVIDIA L20 48GB PCIe Accelerator for HPE (China, Hong Kong, Macau only) **

NVIDIA L20 48GB PCIe GPU Accelerator for HPE	S4A92C
Performance	237 TFLOPS FP4 TC, 237 TFLOPS FP8 TC, 119 TFLOPS FP16/BF16 TC, 59.3TFLOPS TF32 TC
Memory Size	48GB GDDR6
Memory Bandwidth	864GB/s
System Interface	PCIe Gen4 x16
Power	350W
Form Factor	4.4"H x 10.5"L dual-slot
Display Port	4x DisplayPort 1.4a

Supported Servers

S4A92C Supported Servers	CPU *
HPE ProLiant Compute DL320 Gen12	SRF, GNR
HPE ProLiant Compute DL340 Gen12	SRF, GNR
HPE ProLiant DL380a Gen11	SPR, EMR
HPE ProLiant DL380a Gen12	SRF
HPE ProLiant DL385 Gen11	Genoa, Turin

Standard Features

NVIDIA RTX PRO 4500 Blackwell Server Edition 32GB Accelerator for HPE	
NVIDIA RTX PRO 4500 Blackwell Server Edition 32GB Accelerator for HPE	S6W30C
Performance	1.6 PFLOPS FP4 TC, 811 TFLOPS FP8 TC, 406 TFLOPS FP16/BF16 TC, 203 TFLOPS TF32 TC
Memory Size	32GB GDDR7
Memory Bandwidth	800GB/s
System Interface	PCIe Gen5 x16
Power	165W
Form Factor	4.4"H x 10.5"L single-slot

Supported Servers	
S6W30C Supported Servers	CPU *
HPE ProLiant DL145 Gen11	Sienna
HPE ProLiant DL380 Gen12	SPR, GNR

Notes:

* CPU Type

- Cascade: 2nd Gen Intel Xeon Scalable Processor
- Cooper: 3rd Gen Intel Xeon Scalable Processor
- Icelake: 3rd Gen Intel Xeon Scalable Processor
- SPR (Sapphire Rapids): 4th Gen Intel Xeon Scalable Processor
- EMR (Emerald Rapids) 5th Gen Intel Xeon Scalable Processor
- GNR (Granite Rapids) 6th generation Xeon Scalable server Processor
- SRF (Sierra Forest) 6th generation Xeon Scalable server Processor
- Coffee: 9th Gen Intel Core i3 Processor
- Broad: 5th Gen Intel Xeon D Processor
- EPYC: 1st Gen AMD EPYC Processor
- Rome: 2nd Gen AMD EPYC Processor
- Milan: 3rd Gen AMD EPYC Processor
- Genoa: 4th Gen AMD EPYC Processor
- Trento: AMD Processor

** NVIDIA L20 48GB PCIe Accelerator and NVIDIA RTX PRO 6000D Blackwell Server Edition 84GB PCIe Accelerator for HPE are only setup to be sold in China, Hong Kong and Macau

Service and Support

Service and Support

If this is a qualified option, it is covered under the HPE Support Service(s) applied to the HPE ProLiant Server. Please check HPE ProLiant Server documentation for more details on the services for this option.

Warranty and Support Services

Warranty and Support Services will extend to include HPE options configured with your server or storage device. The price of support service is not impacted by configuration details. HPE sourced options that are compatible with your product will be covered under your server support at the same level of coverage, allowing you to upgrade freely. Installation for HPE options is available as needed. To keep support costs low for everyone, some high value options will require additional support. Additional support is only required on select high value workload accelerators, fibre switches, InfiniBand and UPS batteries over 12KVA.

HPE Services - Service and Support

Get the most from your HPE Products. Get the expertise you need at every step of your IT journey with [HPE Services](#). We help you lower your risks and overall costs using automation and methodologies that have been tested and refined by HPE experts through thousands of deployments globally. HPE Services [Advisory Services](#), focus on your business outcomes and goals, partnering with you to design your transformation and build a roadmap tuned to your unique challenges. Our [Operational Services](#) can be leveraged to speed up time-to-production, boost performance and accelerate your business. HPE Services specializes in flawless and on-time implementation, on-budget execution, and creative configurations that get the most out of software and hardware alike.

GreenLake

[GreenLake](#) is the cloud to run and manage your entire hybrid landscape—private, public, and edge. It helps you to:

- Streamline IT Operations across compute, storage, and networking without the chaos
- Unify and secure data, as you move faster
- Accelerate AI, from pilot to production

The result: greater operational efficiency, lower TCO, and faster AI delivery—all from one unified, intelligent platform built for today's hybrid enterprise.

Managed services to run your IT operations

[HPE Management Services](#) provides services that monitor, operate, and optimize your infrastructure and applications, delivered consistently and globally to give you unified control and let you focus on innovation.

Service and Support

Recommended Services

HPE Tech Care Service.

HPE Tech Care Service is the new operational service experience for HPE products. Tech Care goes beyond traditional support by providing access to product specific experts, an AI driven digital experience, and general technical guidance to not only reduce risk but constantly search for ways to do things better. HPE Tech Care Service has been reimagined from the ground up to support a customer-centric, AI driven, and digitally enabled customer experience to move your business forward. HPE Tech Care Service is available in three response levels. Basic, which provides 9x5 business hour availability and a 2-hour response time. Essential which provides a 15-minute response time 24x7 for most enterprise level customers, and Critical, which includes a 6-hour repair commitment where available and outage management response for severity 1 incidents.

<https://www.hpe.com/services/techcare>

HPE Complete Care Service

HPE Complete Care Service is a modular, IT environment service that provides a holistic approach to optimizing your entire IT environment and achieving agreed upon IT outcomes and business goals through a personalized and customer-centric experience. All delivered by an assigned team of HPE Services experts. HPE Complete Care Service provides:

- A complete coverage approach
- An assigned HPE team
- Modular and fully personalized engagement
- Enhanced Incident Management experience with priority access
- Digitally enabled and AI driven customer experience

<https://www.hpe.com/services/completecure>

Protect your business beyond warranty with HPE Support Services

HPE Services provides a comprehensive portfolio including Advisory and Transformational, Professional, and Operational Services to help accelerate your digital transformation. From the onset of your transformation journey, Advisory and Transformational Services focus on designing the transformation and creating a solution roadmap. Professional Services specializes in creative configurations with flawless and on-time implementation, and on-budget execution. Finally, operational services provide innovative new approaches like Flexible Capacity and Complete Care, to keep your business at peak performance. HPE is ready to bring together all the pieces of the puzzle for you, with an eye on the future, and make the complex simple.

Service and Support

Parts and Materials

Hewlett Packard Enterprise will provide HPE-supported replacement parts and materials necessary to maintain the covered hardware product in operating condition, including parts and materials for available and recommended engineering improvements.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product QuickSpecs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

The defective media retention service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction.

HPE Support Center

The HPE Support Center is a personalized online support portal with access to information, tools and experts to support HPE business products. Submit support cases online, chat with HPE experts, access support resources or collaborate with peers.

Learn more: <http://www.hpe.com/support/hpesc>

The HPE's Support Center Mobile App* allows you to resolve issues yourself or quickly connect to an agent for live support. Now, you can get access to personalized IT support anywhere, anytime.

HPE Insight Remote Support and HPE Support Center are available at no additional cost with an HPE warranty, HPE Support Service or HPE contractual support agreement.

Notes: *HPE Support Center Mobile App is subject to local availability.

For more information

Visit the Hewlett Packard Enterprise Service and Support [website](#).

Summary of Changes

Date	Version History	Action	Description of Change
20-Apr-2026	Version 79	Added	Added RTX PRO 6000D sustaining quals Added RTX PRO 4500 sustaining quals Added Display Port information
		Removed	Removed H100NVL Removed -K/-K21 from SKU table
16-Mar-2026	Version 78	Added	Added NVIDIA RTX PRO 4500 Blackwell Server Edition 32GB PCIe Accelerator for HPE
02-Mar-2026	Version 77	Added	Added RTX A1000 sustaining quals Added RTX PRO 6000D Blackwell Server Edition Added RTX A400 4GB ATX Bracket PCIe Added RTX A400 4GB LP Bracket PCIe
15-Dec-2025	Version 76	Added	Added RTX Pro 6000 Blackwell Server Edition sustaining quals
20-Oct-2025	Version 75	Added	Added RTX A1000 sustaining quals Added L40s sustaining quals Added L4 sustaining quals Updated L20 power spec
16-Jul-2025	Version 74	Added	Added RTX A1000 8GB Added RTX Pro 6000 Blackwell Server Edition sustaining quals.
04-Jul-2025	Version 73	Added	Added SKU number S6A73C for RTX Pro 6000 Blackwell Server Edition Added sustaining quals.
16-Jun-2025	Version 72	Added	Added RTX Pro 6000 Blackwell Server Edition Added L20 saleable regions. Added H100 NVL, H200 NVL software license notes. Added sustaining quals.
		Removed	These obsolete SKUs H100 copy R9S41C/ R9S41A were removed from Standard Features section in page 5
02-Jun-2025	Version 71	Changed	Added L20 sustaining quals and L4 sustaining qual Standard Features section was updated. Obsolete SKU was removed.
10-Mar-2025	Version 70	Changed	Standard Features section was updated
18-Feb-2025	Version 69	Changed	Standard Features section was updated
03-Feb-2025	Version 68	Changed	Overview and Standard Features sections were updated Added sustaining SKUs.
02-Dec-2024	Version 67	Changed	Overview section was updated. Obsolete SKUs were removed. Added Turin quals and missing CSUS 3200 + L4, added H200 NVL
04-Nov-2024	Version 66	Changed	Standard Features section was updated. Obsolete SKUs were removed.
07-Oct-2024	Version 65	Changed	Overview and Standard Features sections were updated

Summary of Changes

Date	Version History	Action	Description of Change
03-Sep-2024	Version 64	Changed	Overview and Standard Features sections were updated Readded RTX 4000 Ada
05-Aug-2024	Version 63	Changed	Overview and Standard Features sections were updated Obsolete SKUs were removed Added RTX 4000 Ada and sustaining quals
01-Jul-2024	Version 62	Changed	Overview and Standard Features sections were updated Added RTX 4000 Ada and sustaining quals
15-Apr-2024	Version 61	Changed	Overview and Standard Features sections were updated
04-Mar-2024	Version 60	Changed	Added sustaining quals and H100 NVL Overview and Standard Features sections were updated.
19-Feb-2024	Version 59	Changed	Updates and fixes
05-Feb-2024	Version 58	Changed	Removed Qualcomm AI100 PCIe, Intel Data Center GPU Flex 140 and 170. Standard Features section was updated
08-Jan-2024	Version 57	Changed	Add Qualcomm AI100 PCIe, Intel Data Center GPU Flex 140 and 170; Removed NVIDIA H100 NVL, added January sustaining quals
06-Nov-2023	Version 56	Changed	Added L40S. Overview and Standard Features sections were updated.
18-Sep-2023	Version 55	Changed	Added L40S. Overview and Standard Features sections were updated Added sustaining quals for Aug and September
10-Jul-2023	Version 54	Changed	Added links for supported OS and removed from tables
05-Jun-2023	Version 53	Changed	Added sustaining quals, adding missing NVLink bridge quals Standard Features section was updated.
03-Apr-2023	Version 52	Changed	Added L4 and L40, removed note on launched combos. Overview and Standard Features sections were updated.
06-Mar-2023	Version 51	Changed	Removed notes on launched combos. Added 2 A100, 2 H100, 1 A16. Standard Features section was updated.
06-Feb-2023	Version 50	Changed	Added H100
10-Jan-2023	Version 49	Changed	Added Gen11 quotable but not orderable systems
21-Nov-2022	Version 48	Changed	Added numerous ESXi qualifications, added back missing A30
01-Aug-2022	Version 47	Changed	Overview and Standard Features sections were updated.
05-Jul-2022	Version 46	Changed	Added A10 non-CEC, A30 non-CEC, Added A16 non-CEC, Updated DL385 Gen10 Plus with Milan processors to Gen10 Plus v2 Overview and Standard Features sections were updated.
20-Jun-2022	Version 45	Changed	Added A2 non-CEC, sustaining A40 non-CEC and sustaining A100 80GB non-CEC Overview and Standard Features sections were updated
02-May-2022	Version 44	Changed	Overview and Standard Features sections were updated. Added compatibility. Added A100 80GB non CEC PCIe and A40 48GB non-CEC.. Removed OBS V100/V100S PCIe SKUs. Removed A2 and A16.
11-Oct-2021	Version 43	Changed	Service and Support section was updated
07-Sep-2021	Version 42	Changed	Standard Features section was updated Obsolete SKUs were removed

Summary of Changes

Date	Version History	Action	Description of Change
02-Aug-2021	Version 41	Changed	Added NVIDIA A10 C-SKU Overview, Standard Features and Service and Support sections were updated.
06-Jul-2021	Version 40	Changed	Overview and Standard Features sections were updated.
07-Jun-2021	Version 39	Changed	Standard Features section was updated
04-May-2021	Version 38	Changed	Standard Features section was updated.
12-Apr-2021	Version 37	Changed	Overview and Standard Features sections were updated.
06-Apr-2021	Version 36	Changed	Overview and Standard Features sections were updated.
01-Feb-2021	Version 35	Changed	Overview and Standard Features sections were updated. Added A100 HGX Products
07-Dec-2020	Version 34	Changed	Add NVLink Bridge and A100 HGX products
05-Oct-2020	Version 33	Changed	Changed Naming, Added A100 New Product and Updated server language to be inclusive of Pan-HPE support
06-Apr-2020	Version 32	Changed	Overview and Standard Features sections were updated Obsolete SKUs were removed
02-Dec-2019	Version 31	Changed	Overview and Standard Features sections were updated Obsolete SKUs were removed
03-Jun-2019	Version 30	Changed	Models and Standard Features sections were updated
02-Apr-2019	Version 29	Changed	Overview and Standard Features sections were updated. Obsolete SKUs were removed.
04-Feb-2019	Version 28	Changed	Overview and Standard Features sections were updated
03-Dec-2018	Version 27	Changed	Standard Features section was updated
15-Oct-2018	Version 26	Changed	Overview and Standard Features sections were updated.
01-Oct-2018	Version 25	Changed	Overview, Additional Options and Service and Support sections were updated. Added GV100 Bridge Kit; corrected wrong PNs
04-Jun-2018	Version 24	Changed	Changes made throughout document; adding V100 FHHL card
07-May-2018	Version 23	Changed	Add HPE NVIDIA Tesla V100 PCIE 32GB Computational Accelerator / HPE NVIDIA Tesla V100 SXM2 32GB Computational Accelerator.
02-Apr-2018	Version 22	Changed	Updates throughout document; added GV100
04-Dec-2017	Version 21	Changed	New modules added
16-Oct-2017	Version 20	Changed	Update verbiage in the Standard
25-Sep-2017	Version 19	Changed	Update verbiage in the Standard Features Sections
11-Jul-2017	Version 18	Changed	New models were added and updates throughout the whole document
05-Jun-2017	Version 17	Changed	Remove obsolete info and SKUs and update the recent info
08-May-2017	Version 16	Changed	New models were added and updates throughout the whole document
28-Nov-2016	Version 15	Changed	Updates throughout the whole document
26-Sep-2016	Version 14	Changed	Added new SKUs to QS
06-Jun -2016	Version 13	Changed	Add The new information to the QS and remove obsolete SKU's
31-Mar-2016	Version 12	Changed	Update all the sections and general info throughout the QuickSpecs
01-Dec-2015	Version 11	Changed	Update the Standard Features and the technical Specifications section
17-Aug-2015	Version 10	Changed	Update several Overview and technical specifications.

Summary of Changes

Date	Version History	Action	Description of Change
09-Feb-2015	Version 9	Changed	Update several Overview and technical specifications.
01-Dec-2014	Version 8	Changed	Revised wording and Technical Specifications
09-Sep-2014	Version 7	Changed	Changes made throughout the QuickSpecs.
05-Jun-2014	Version 6	Changed	High Performance Clusters and Thermal Solutions were revised
31-Mar-2014	Version 5	Changed	NVIDIA Tesla K40C 12 GB Computational Accelerator and NVIDIA Quadro K2000 PCIe Graphics Adapter were added
18-Feb-2014	Version 4	Changed	Changes made throughout the QuickSpecs
09-Dec-2013	Version 3	Changed	NVIDIA Tesla K10 Rev B Dual GPU Module and NVIDIA Tesla K40 12 GB Module were added.
20-Sep-2013	Version 2	Changed	Changes made in the following Sections Standard Features Optional Features Technical Specifications
10-Sep-2013	Version 1	New	New QuickSpecs

[Shape the Future of QuickSpecs - Your Input Matters](#)

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Windows and Microsoft are registered trademarks of Microsoft Corp, in the U.S.

c04123180 - 14576 - WorldWide - V79 - 20-April-2026
HEWLETT PACKARD ENTERPRISE
HPE.com

