

ATEN CS1316 G2 0X1X16 ANALOG KVM SWITCH FOR HPE SERVERS (Q1F46A)

KVM Switches



WHAT'S NEW

- Expanded product line that includes 4, 8, and 16 port models to support additional server growth/wider installation in IT environments
- Push button ports for easy target device selection
- HPE Factory Integration Services support allowing for purchase and installation

OVERVIEW

Do you need consolidated server access, management, and control for desktop and rack-mount environments?

The ATEN G2 Standard Series Analog KVM Switch for HPE offers a cost-effective solution. Target device selection is easy with 3 options: port selection through push-buttons on the switch, hotkey combinations from the keyboard, or a menu-driven on-screen display. This switch easily connects servers with KVM consoles such as the HPE LCD8500 1U Rackmount

through HPE configure-to-order (CTO) process

- Support for tiering/cascade topology to control up to 256 devices through a single KVM console

Console kit, or other monitor, keyboard, and mouse configurations. The ATEN G2 switch combines multi-platform OS support with a selection of models featuring up to 16 ports and tiering support for up to 256 devices. This switch features two-level password security for authorized users to view and control connected devices, while supporting 4 user profiles and an administrator profile. All ATEN G2 KVM Switch models are backed by HPE Foundation Care extensions, which match the server's warranty and service levels at no additional cost.

FEATURES

ATEN G2 KVM Switches are Suitable for Installation in Most IT Environments

ATEN G2 KVM Switches for HPE are qualified for integration into HPE racks using HPE Factory Integration Services.

Mounting Hardware is included for easy installation into HPE G2 Advanced and Enterprise Racks.

Attachable foot pads are included for deployment of the switch in a desktop configuration.

ATEN G2 KVM Switches for HPE Support Three Different Methods to Select Your Target Device

ATEN G2 KVM Switches for HPE feature front side push-button selection with LED indicators allow for direct selection of the target device.

Keyboard hot-key support allows target device selection when the switch is inaccessible inside the rack.

A menu-driven multi-lingual OSD (On Screen Display) feature allows for target device selection through a graphical interface on the connected monitor or KVM console.

ATEN G2 KVM Switches for HPE Allow Access to up to 256 Servers Through a Single KVM Installation

ATEN G2 KVM Switches for HPE come in 4, 8, and 16 port models to support up to 16, 64, and 256 devices respectively through two level tiering/cascade technology.

Switch connectivity to individual servers is supported through interface adapter cable options that support servers using USB with both VGA and Display Port video connections.

ATEN G2 KVM Switches for HPE Provide Security Features to Prevent Unauthorized Users

ATEN G2 KVM Switches for HPE feature two level password security so only authorized users view and control connected devices.

ATEN G2 KVM Switches for HPE support up to four separate user profiles and an administrator profile.



Technical specifications

ATEN CS1316 G2 0x1x16 Analog KVM Switch for HPE Servers

Product Number	Q1F46A
Warranty	Standard limited 3-year warranty
Product Dimensions (metric)	4.40 x 43.72 x 16.13 cm
Weight	2.10 kg



For additional technical information, available models and options, please reference the [QuickSpecs](#)

HPE POINTNEXT SERVICES

[HPE Pointnext Services](#) brings together technology and expertise to help you drive your business forward and prepare for whatever is next.

Operational Services from HPE Pointnext Services

[HPE Pointnext Tech Care](#) provides fast access to product-specific experts, an AI-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

[HPE Pointnext Complete Care](#) is a modular, edge-to-cloud IT environment service that provides a holistic approach to optimizing your entire IT environment, and achieving agreed upon IT outcomes and business goals through a personalized and customer-centric experience. All delivered by an assigned team of HPE Pointnext Services experts.

HPE Integration and Performance Services help you customize your experience at any stage of your product lifecycle with a menu of services based on individual needs, workloads, and technologies.

- Advise, design, and transform
- Deploy
- Integrate and migrate
- Operate and improve
- Financial Services
- Greenlake Management Services
- Retire and sanitize
- IT Training and personal development

Other related services

[HPE Education Services](#) delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation. Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.




HPE GREENLAKE

[HPE Greenlake](#) is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

Make the right purchase decision.
Contact our presales specialists.

[Find a partner](#)



© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product
[PSN1012211422THEN](#), May, 2022.