

# ARUBA 5412R 92GT POE+ AND 4-PORT SFP+ (NO PSU) V3 ZL2 SWITCH (JL001A)

## Modular Ethernet Switches

### WHAT'S NEW

- Powerful Aruba Layer 3 modular switch series with VSF stacking, low latency, resiliency and Dynamic Segmentation for a better mobile-first campus experience.
- Aruba ClearPass Policy Manager, Aruba AirWave and Aruba Central support.
- HPE Smart Rate for high speed multi gigabit bandwidth and PoE+ power.
- Scalable line rate 40GbE for wireless traffic aggregation.
- Fast Software Upgrade for 5400R VSF stack minimizes downtime.
- Ready for the software defined network with REST APIs and OpenFlow support.

### OVERVIEW

The Aruba 5400R z12 Switch Series brings enterprise-class resiliency and innovative flexibility to mobile-first networks. This advanced Layer 3 modular switch provides scalable aggregation with HPE Smart Rate multi-gigabit ports for high-speed 802.11ac devices, Dynamic Segmentation, Virtual Switching Framework (VSF) stacking technology, hitless failover, line rate 40GbE, robust QoS and security and requires no software licensing. The 5400R is easy to deploy and manage with advanced security and network management tools like Aruba ClearPass Policy Manager, Aruba AirWave and cloud-based Aruba Central.

### FEATURES

#### Power and Innovation For Your Digital Workplace

The Aruba 5400R z12 Switch Series is an industry-leading mobile campus access solution with HPE Smart Rate multi-gigabit ports for high-speed connectivity for the latest 802.11ac devices. It brings enterprise-class resiliency and true flexibility, security and scalability to mobile campus networks.

Based on the 6th generation ProVision ASIC, the Aruba 5400R has a high-speed, high-capacity architecture with 2 Tbps crossbar switching fabric with low 2.1µ latency and built-in programmable and easy to use

REST API interface that provides configuration automation for Mobile-first campus networks.

Flexible connectivity options with 6- or 12- slot compact chassis, support for line rate 40GbE uplinks, up to 96 line rate 10GbE ports (SFP+ and 10GBASE-T), 1GbE and up to 288 ports of PoE+ with internal power supplies.

Optimized for the digital workplace with unified management and security tools such as Aruba ClearPass Policy Manager, Aruba Airwave and Aruba Central. Provides optimal configuration automatically when connected to Aruba access points for PoE priority, VLAN configuration, and rogue AP containment.

License free software with advanced Layer 2 and 3 feature set including IPv6, IPv4 BGP, policy based routing, VRRP, OSPF, Tunnel Node and robust QoS.

### **Resiliency and High Availability at the Edge**

The Aruba 5400R z12 Switch Series using the sixth generation ProVision ASIC delivers wire-speed classification and policy enforcement. This hardware-based control of access and traffic allows protection, detection and response to network threats with no network performance degradation.

Uninterrupted switching and routing for improved support of applications such as unified communications and enhanced L3 high availability.

Supports virtual router redundancy protocol (VRRP) allowing groups of two routers to dynamically back each other up to create highly available router environments in both IPv4 and IPv6 networks.

Redundant management and power systems enhance system availability and continuity of operations. Hot-swappable modules and optional redundant power supply provides uninterrupted power and allows swapping of modules with no impact on the network availability.

Virtual Switching Framework (VSF) virtualizes up to two physical switches into one logical device for simpler, flatter, more agile networks. Fast Software Upgrade minimizes downtime during upgrade on 5400R VSF stack.

### **Robust Security and Dynamic Quality of Service (QoS)**

The Aruba 5400R z12 Switch Series includes a robust set of security and quality of services features to build a network that meets ever-changing corporate policies and compliances.

Flexible authentication options include 802.1X, MAC and Web delivering greater policy-driven application security. Industry standard MACsec provides link-level encryption security between two points using copper or fiber links (available on select modules only).

Advanced distributed denial of service (DDOS) protection, such as DHCP Snooping, IP Source Guard, and ARP Protection, and flexible traffic controls, such as policy-based routing, QoS, and ACLs, manage end-to-end application priorities.

Powerful multilevel-access security controls, such as varying security management login, RADIUS/TACACS+, and SSH for safe control change management access. Defend the edge of your IPv6 network with DHCPv6 Protection and Dynamic IPv6 Lockdown.

Tunnel Node to transport network traffic to Aruba controller with authentication and network policies applied and enforced at the

controller.

### **Simplify with Integrated Wired/Wireless Management**

The Aruba 5400R zl2 Switch Series supports Aruba ClearPass Policy Manager for unified and consistent policy between wired and wireless users and simplifies implementation and management of guest login, user onboarding, network access, security, QoS, and other network policies.

Supports Aruba AirWave to provide common platform for Zero-Touch Provisioning management, and monitoring for wired and wireless network devices.

RMON, XRMON and sFlow provide advanced monitoring and reporting capabilities for statistics, history, alarms, and events.

Aruba Central cloud-based management platform offers simple, secure, and cost effective way to manage switches.

Supports both cloud-based Central and on-premise AirWave with the same hardware ensuring change of management platform without ripping and replacing switching infrastructure.

## Technical specifications

## Aruba 5412R 92GT PoE+ and 4-port SFP+ (No PSU) v3 zl2 Switch


<b>Product Number</b>	JL001A
<b>Differentiator</b>	Ultra-flexible 12-slot campus access solution "starter kit" with 44 Gig PoE+ ports and 4 10G SFP+ ports. This is a 92-port "starter kit": 1x 12-slot 5400R chassis, 3x J9986A 24 port GbE 10/100/1000 PoE+ MACsec v3 modules, 1x J9990A 20 port GbE 10/100/1000 PoE+ plus 4 port 1 GbE/10 GbE SFP+ MACsec v3 module, 1x J9827A mgmt module, and 1x J9832A fan tray. Totals are 92x GbE and 4x 10 GbE ports. Does not include PSUs these must be ordered separately.
<b>Ports</b>	(92) RJ-45 autosensing 10/100/1000 PoE+ ports (4) open 10GbE SFP+ transceiver slots (8) open module slots Supports a maximum of 288 autosensing 10/100/1000 ports or 288 SFP ports or 96 SFP+ ports or 96 HPE Smart Rate Multi-Gigabit or 24 40GbE ports, or a combination
<b>Memory and processor</b>	Freescale P2020 dual core @ 1.2 GHz 16 MB flash 1 GB SD Card 4 GB DDR3 SODIMM
<b>Latency</b>	1000 Mb Latency: < 2.8 $\mu$ s 10 Gbps Latency: < 1.8 $\mu$ s 40 Gbps Latency: < 1.5 $\mu$ s
<b>Throughput</b>	up to 1142.8 Mpps
<b>Routing/switching capacity</b>	1920 Gbps
<b>Switch fabric speed</b>	2030 Gbps
<b>PoE capability</b>	2,760W, depending on power supplies installed
<b>Management features</b>	Aruba AirWave Network Management Aruba Central IMC - Intelligent Management Center Command-line interface Web browser Configuration menu Out-of-band management (RJ-45 Ethernet) SNMP manager Out-of-band management (serial RS-232C or micro USB)
<b>Input voltage</b>	110 - 127 / 200 - 240 VAC, rated
<b>Operating humidity range</b>	15 to 95% @ 113°F (45°C) (noncondensing)
<b>Heat dissipation</b>	4900 BTU/hr (5169.5 kJ/hr)
<b>Product Dimensions (metric)</b>	44.45 x 45.09 x 30.73 cm
<b>Weight</b>	20.5 kg

For additional technical information, available models and options, please reference the [QuickSpecs](#)

## ARUBA GLOBAL SERVICES

Aruba Global Services simplifies and accelerates the network technology lifecycle, enabling your network to scale with better predictability and cost-effectiveness. Whether you operate your own network and need to improve your IT efficiencies or you want to offload some of the burden, we have the services you need to reach your goals.

Learn more about what Aruba Global Services has to offer at: [arubanetworks.com/services/](http://arubanetworks.com/services/)



### Support Services from Aruba

Support services reduce complexity and increase your team's productivity, ensuring you keep pace with technology advances and software releases, and obtain break-fix support required to keep your network running. Access to premium services means you have the right help at the right time.

### Professional Services from Aruba

With deep intellectual capital and purpose-built tools, our team delivers a range of standard and custom professional services designed to accelerate your value from Aruba technology.

**QuickStart Services** include:

- Planning, audit and assessment
- Architecture review and design
- Deployment, migration, and knowledge transfer

**Proactive Engineering Services** include:

- Intelligent Operations
- Customer Experience Management
- Network optimization

Our **Education Services** allow your team to come up to speed quickly.

### Aruba Network as-a-Service (NaaS)

Our NaaS solution, Aruba Managed Connectivity Services, part of the HPE GreenLake services family, simplifies network operations, accelerates equipment handling, and increases the value of your Aruba network. If you need expert guidance and automation-based operations for your team, please explore the NaaS approach from Aruba [here](#).

Make the right purchase decision. Contact our presales specialists.



Chat now (sales)



Call now



Buy now



Share now



Get updates

**aruba**  
a Hewlett Packard  
Enterprise company

© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product [PSN8079991NZEN](#), October, 2022.