

HPE Storage Switch M-series SN2010M

HPE 25GbE 18SFP28 4QSFP28 Power to Connector Airflow Half Width Switch SN2010M with NVIDIA Cumulus (S2T75A)



What's new

- The NVIDIA® Cumulus Linux® Network Operating System is now bundled with the HPE Storage Switch M-series SN2010M using SKU S2T75A.

Overview

How can you provide fast, reliable, and cost-effective connectivity in the data center with predictable performance and investment protection?

The HPE Storage Switch M-series SN2010M is ideal for modern server and storage networks. Supporting port speeds of 1, 10, 25, 40, 50, and 100 GbE, they deliver predictable performance and zero packet loss at line-rate. Its unique port counts and half-width form factor allows up to two HPE Storage SN2010M units to be deployed side-by-side for increased density and high-availability in a single rack unit making it the perfect top-of-rack (ToR) switch. Storage-specific features combined with an efficient design provides enterprise-level performance with attractive economics and outstanding ROI. Networks built on HPE M-series switches are fast, reliable, and scalable while also being affordable. This makes these switches ideal for storage, hyperconverged infrastructure, financial services, Big Data, and media and entertainment deployments.

Features

Unleash Storage Performance and Improve Flash ROI

The HPE Storage Switch M-series SN2010M is a half-width 1,10, 25 GbE and 40/100 GbE Ethernet switch designed for primary, secondary storage, and hyperconverged infrastructures. This ToR solution packs 18-ports of 1, 10, 25 GbE and 4-ports of 40/100 GbE that can be reconfigured with breakout cables.

It delivers low latency for 1/10/25 GbE and 40/100 GbE switching, featuring a robust data implementation, control and management planes, and offers a compact form factor and low power consumption.

It provides ultra-low latency of under 300 ns port-to-port. This is advantageous for flash storage which has moved latency bottlenecks from storage access to the network, as well as for the burst nature of today's software-defined and cloud data centers traffic.

The buffering architecture provides superior micro-burst absorption for applications that experience data surges across different parts of the network at random intervals.

Ideal for Demanding Enterprise Data Centers and Storage Environments

The HPE Storage Switch M-series SN2010M provides a flexible combination of ports, allowing great flexibility, efficiency, and simplification of scale-out environments, saving on total cost of ownership.

Unique port configurations allow high-speed rack connectivity to the server at 1/10 GbE or 25 GbE speeds with 40/100 GbE uplink ports that allow for a variety of blocking ratios that suit specific application requirements.

Enhanced for RDMA over Converged Ethernet (RoCE), full buffer utilization, and zero packet loss combined into a small form factor with low latency make it the ideal switch for the Ethernet storage fabric (ESF).

Enhanced for Storage and Hyper Converged Environments

The HPE Storage Switch M-series SN2010M provides high port density in a single rack unit, allowing increased capacity and efficiency, simplifying scale-out environments and saving on total cost of ownership.

With its unique half-width form factor and port counts, this Ethernet switch allows for two HPE Storage SN2010M switch units to be deployed side-by-side, allowing for increased density and high-availability in a single rack unit, making it the ideal ToR switch.

Designed to use less electric power than competing switches, the HPE Storage Switch M-series SN2010M provides one of the industry's lowest power draws, producing less heat than competing products and reducing operating expenses.

Distributed storage, hyperconverged, analytic, and database solutions require the ability to scale out without compromising performance or high availability. HPE Storage SN2010M is a great fit for these environments with a mix of 1/10/25GbE and 40/100GbE ports that are designed for zero packet loss.

High throughput, low latency, and active-active network switching capabilities are crucial when deploying clustered servers and storage. It can deliver connectivity to many clients plus 40/100 GbE connectivity to selected servers, storage systems or network uplinks, and all with low latency.

Superior Performance with Future-proof Growth

The HPE Storage Switch M-series SN2010M Switch provides predictability within a storage network with consistent throughput regardless of the packet size being transferred, or the mixture of ports which are sending data, even within mixed speed environments.

It provides wire-rate performance with zero packet loss across frame sizes and avoids any negative impact on applications that could occur with frame loss; in addition to transferring data across both Layer 2 and Layer 3 networks.

Can be deployed to support 1/10 GbE ports and designed to evolve over time to support 25 GbE speeds with uplink ports at 40/100 GbE speeds. This helps protect your network investment and allows for implementing significant speed upgrades to the architecture over time.

Technical specifications	HPE 25GbE 18SFP28 4QSFP28 Power to Connector Airflow Half Width Switch SN2010M with NVIDIA Cumulus
Product Number	S2T75A
Port speed	Supports speeds of 1, 10, 25, 40, 50, 100 GbE
Aggregate switch bandwidth	1.7 Tbps
Protocol supported	Ethernet
Availability features	Integrated redundant power supply
Form factor	1U half-width
Model availability	18 ports of 1/10/25 GbE and 4 ports of 40/50/100 GbE
Media types	SFP28/QSP28
Software (required)	NVIDIA® Cumulus Linux®, NVIDIA® ONYX®, or no OS depending on SKU selection. Refer to SKU description for options available.
Ports	18 SFP28 ports + 4 QSFP28 ports

HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Advisory & Professional services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Support services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- **HPE Complete Care Service:** a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- **HPE Tech Care Service:** the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.
- **HPE Multivendor Services:** Single point of accountability for managing on-site hardware and software support for multivendor products. HPE experts help manage your IT across technologies and platforms for HPE and non-HPE technologies, acting as the single point of contact for your IT operational needs.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

HPE GreenLake

[HPE GreenLake edge-to-cloud platform](#) is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

[For additional technical information, available models and options, please reference the QuickSpecs](#)

Visit [HPE.com](https://www.hpe.com)

[Chat now](#)

© Copyright 2026 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries. NVIDIA is a trademark and/or registered trademark of NVIDIA Corporation in the U.S. and other countries. All third-party marks are property of their respective owners.

Image may differ from the actual product.

[PSN1014808730CZEN](#), March, 2026.

HEWLETT PACKARD ENTERPRISE

[hpe.com](https://www.hpe.com)

