



Hewlett Packard
Enterprise

HPE 3000W 54V OUTPUT 200-277VAC PLATINUM HOT PLUG POWER SUPPLY (P25875-B21)

Server Power Supplies



WHAT'S NEW

- HPE 3000W 200-277VAC Platinum Hot Plug Power Supply, provides additional power for the most demanding workloads in HPE Apollo 2000 and HPE Apollo 6500 Gen10 Plus systems.

OVERVIEW

How do you increase power efficiency on the HPE BladeSystem c7000 Enclosure, HPE Synergy 12000 Frame, HPE Apollo 2000 or HPE Apollo 6500 systems?

HPE Performance Power Supplies provide highly efficient and flexible 80 PLUS certified power options specifically designed for HPE Blade Enclosures. HPE BladeSystem c7000 Enclosures support up to six Platinum (94%) power supplies

and the HPE Synergy 12000 Frame supports up to six Titanium (96%) power supplies, providing high efficiency power solutions. [1] HPE Performance Power Supplies provide flexibility of operating in a different data center power infrastructure with multiple AC/DC power input voltages. Each power option supports hot plug installation and removal, providing fast access to your power supplies. Support for HPE Power Discovery services is available, which allows you to map the power topology inside your rack, speeding implementation time and greatly reducing the risk of human errors that can cause power outages.

FEATURES

Highly Efficient and Flexible Power Supply Options

HPE Performance Power Supplies give you the choice of selecting up to six Platinum, 94%, or Titanium, 96%, 80 PLUS certified power supply options, providing high efficiency power solutions that lower your power requirements and decrease data center operating costs.

Provides you with the ultimate flexibility of operating in different data center power infrastructure environments with multiple options for AC and DC power input voltages.

The power supplies support hot plug installation and removal providing fast, tool-less access to your HPE Performance Power Supplies.

It supports HPE Power Discovery services solution on all Platinum and Titanium power options allowing users to automatically map the power topology inside their racks, speeding implementation time and greatly reducing the risk of human errors that can cause power outages.

Technical specifications

HPE 3000W 54V Output 200-277VAC Platinum Hot Plug Power Supply

Product Number	P25875-B21
Input voltage	200-240VAC, 200-277VAC, -48VDC, HVDC, 277VAC
Power output	2400W, 2650W, 3000W, 2900-3400W
Efficiency	94%, 96%
Product Dimensions (metric)	10.01 x 50.01 x 5 cm
Weight	2.21 kg
Warranty	HPE Power Supplies will be covered at the same service level and for the same coverage period as the server unless the maximum supported lifetime and/or the maximum usage limitation has been exceeded.



For additional technical information, available models and options, please reference the [QuickSpecs](#)

HPE POINTNEXT SERVICES

[HPE Pointnext Services](#) brings together technology and expertise to help you drive your business forward and prepare for whatever is next.

Operational Services from HPE Pointnext Services

[HPE Pointnext Tech Care](#) provides fast access to product-specific experts, an AI-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

[HPE Pointnext Complete Care](#) is a modular, edge-to-cloud IT environment service that provides a holistic approach to optimizing your entire IT environment, and achieving agreed upon IT outcomes and business goals through a personalized and customer-centric experience. All delivered by an assigned team of HPE Pointnext Services experts.

HPE Integration and Performance Services help you customize your experience at any stage of your product lifecycle with a menu of services based on individual needs, workloads, and technologies.

- Advise, design, and transform
- Deploy
- Integrate and migrate
- Operate and improve
- Financial Services
- Greenlake Management Services
- Retire and sanitize
- IT Training and personal development

Other related services

[HPE Education Services](#) delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation. Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

HPE GREENLAKE


[HPE Greenlake](#) is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

[1] Efficiency ratings based on testing performed by Ecova per the requirements of the 80 PLUS program. For more information, visit: plugloadsolutions.com/80PlusPowerSupplies.aspx

Make the right purchase decision.
Contact our presales specialists.

[Find a partner](#)



Share now



Get updates


**Hewlett Packard
Enterprise**

© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product
[PSN1012927166NGEN](#), July, 2022.