



Hewlett Packard
Enterprise

HPE INFINIBAND HDR100/ETHERNET 100GB 2-PORT QSFP56 PCIE3 X16 MCX653106A- ECAT ADAPTER (P06251- H21)

Host Adapters




WHAT'S NEW

- The HDR InfiniBand and Ethernet adapters for HPE ProLiant Gen10 Plus servers are based on standard Mellanox ConnectX-6 technology.

OVERVIEW

Are you looking for extremely high-bandwidth and very low latency communications for your HPE Apollo System and HPE ProLiant DL rack mount server families?

The HPE HDR InfiniBand and Ethernet adapters are designed

- 
- The HDR InfiniBand and Ethernet adapters are now available in the OCP 3.0 form factor with support for HPE iLO shared network port in Ethernet mode.

for customers who deploy high performance computing (HPC) systems with their HPE ProLiant XL and HPE ProLiant DL Gen10 and Gen10 Plus servers in the data center. The HPE InfiniBand HDR/HDR100 and Ethernet adapters are available as stand up cards or in the OCP 3.0 form factor, equipped with 1 port or 2 ports. Combined with HDR InfiniBand switches, they deliver low latency and up to 200Gbps bandwidth, ideal for performance-driven server and storage clustering applications in HPC and enterprise data centers.

FEATURES

Low-Latency, High-Bandwidth InfiniBand Connectivity

HPE HDR InfiniBand adapters deliver up to 200Gbps bandwidth and a sub-microsecond latency for demanding HPC workloads.

The HPE InfiniBand HDR100 adapters, combined with HDR switches and HDR cables, are aimed at simplified infrastructure by reducing the number of required switches for a given 100Gbps InfiniBand fabric.

HPE HDR InfiniBand adapters are supported on the HPE Apollo XL and HPE ProLiant DL Gen10 and Gen10 Plus servers.

Offloading Mechanisms

HPE HDR InfiniBand adapters include multiple offload engines that speed up communications by delivering a low CPU overhead for increasing throughput.

HPE HDR InfiniBand adapters support MPI tag matching and rendezvous offloads, along with adaptive routing on reliable transport.



Technical specifications**HPE InfiniBand HDR100/Ethernet 100Gb 2-port QSFP56 PCIe3 x16 MCX653106A-ECAT Adapter**

| | |
|------------------------------------|---------------------------------|
| Product Number | P06251-H21 |
| Data rate | Up to 100 Gb |
| Bus type | PCIe 3.0 x16 |
| Form factor | Standup LP |
| Server type supported | HPE Apollo Gen10 Systems |
| Product Dimensions (metric) | 60.96 x 35.56 x 25.4 cm |
| Weight | 0.23 kg |
| Warranty | 3-year warranty, parts exchange |
| Connector type | QSFP56 |
| Supported Cables | DAC and AOC |



For additional technical information, available models and options, please reference [the QuickSpecs](#)

HPE POINTNEXT SERVICES

[HPE Pointnext Services](#) brings together technology and expertise to help you drive your business forward and prepare for whatever is next.

Operational Services from HPE Pointnext Services

[HPE Pointnext Tech Care](#) provides fast access to product-specific experts, an AI-driven digital experience, and general technical guidance to help enable constant innovation. We have reimagined IT support from the ground up to deliver faster answers and greater value. By continuously searching for better ways to do things—as opposed to just fixing things that break—HPE Pointnext Tech Care helps you focus on achieving your business goals.

[HPE Pointnext Complete Care](#) is a modular, edge-to-cloud IT environment service that provides a holistic approach to optimizing your entire IT environment, and achieving agreed upon IT outcomes and business goals through a personalized and customer-centric experience. All delivered by an assigned team of HPE Pointnext Services experts.

HPE Integration and Performance Services help you customize your experience at any stage of your product lifecycle with a menu of services based on individual needs, workloads, and technologies.

- Advise, design, and transform
- Deploy
- Integrate and migrate
- Operate and improve
- Financial Services
- Greenlake Management Services
- Retire and sanitize
- IT Training and personal development

Other related services

[HPE Education Services](#) delivers a comprehensive range of services to support your people as they expand their skills required for a digital transformation. Consult your HPE Sales Representative or Authorized Channel Partner of choice for any additional questions and support options.

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

HPE GREENLAKE

[HPE Greenlake](#) is HPE's market-leading IT as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model. HPE GreenLake delivers public cloud services and infrastructure for workloads on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

Make the right purchase decision.
Contact our presales specialists.

[Call for availability](#)



 **Buy now**

 **Share now**

 **Get updates**


**Hewlett Packard
Enterprise**

© Copyright 2022 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

Image may differ from the actual product
[PSN1012180793DKEN](#), May, 2022.