

HPE ProLiant DL145 Gen11

HPE ProLiant DL145 Gen11 8024P 2.4GHz 8c 1P 1x32GB-R 2SFF NS204i-u NC BCM5719 2x1000W PS EMEA Server (P79814-425)



Что нового?

- Support for 8 to 64 cores and TDP ratings of up to 200W.
- AMD® EPYC™ 8004 (Siena) processor family, customized for edge computing and environments with physical constraints such as limited power, space, or cooling, 8 to 64 cores, TDP ratings of up to 200W.
- Compact size, 15 inches wide, 16 inches deep (without bezel), 20 inches (with bezel).
- Support for three single-wide GPUs.
- Various mounting option — Wall, desk, and rack.
- Operating temperature support up to 55° C, bezel with air filter, designed to qualify for NEBS Level 3[1].

Обзор

Ready to experience exceptional performance, affordability, and versatility with a modern edge computing server solution?

The HPE ProLiant DL145 Gen11 server is a 2U, single processor, robust edge computing server designed to cater to the needs of retail, manufacturing, telecommunications, and various other industries. It offers a compelling alternative to traditional servers with its sleek design, affordable pricing, and quiet operation.

Powered by the 4th Generation AMD® EPYC™ 8004 Zen4c architecture, this server provides up to 64 energy-efficient cores, PCIe Gen5 speed, and high-performance EDSFF storage. It can operate continuously in temperatures ranging from -5°C to 55°C and withstand high-dust and high-vibration environments. It is engineered for today's hybrid world, allowing enterprises to virtualize traditional IT applications to power their businesses and accelerate AI success.

Функции

Get Robust Edge Processing Power with a Small Server Footprint

The HPE ProLiant DL145 Gen11 reduces the reliance on cloud infrastructure by tackling a variety of low-latency workloads with efficient processing powered by AMD Siena processors.

The server supports up to 64 cores and offers support for 3x single wide GPUs, customizing its performance for edge workloads while simultaneously delivering more energy efficiency through new EDSFF performance drives.

Additionally, the HPE Integrated Lights Out (iLO) and HPE Compute Ops Management allow for ease of management in a variety of locations. The HPE ProLiant DL145 Gen11 small server footprint puts sustainability efforts top of mind for users.

Customized for Diverse Portfolio of Edge Computing Environments

The HPE ProLiant DL145 leverages a 2U form factor, providing better cooling operation, airflow, and quiet acoustics.

Measuring approximately 15 inches wide and 16 inches deep, the HPE ProLiant DL145 Gen11 can be rack, wall, or desk mounted, providing flexibility for your unique business environment.

Designed to accommodate a variety of environmental constraints, this server can handle up to 55 degree Celsius operating temperature and can withstand moderate to extreme shocks and vibration.

In locations with heavy amounts of dust and debris, the large air filter of the HPE ProLiant DL145 Gen11 is able to filter out harmful airborne material, keeping your device running efficiently.

Keeping your Data and Property Safe with Enhanced Security Features

The HPE ProLiant DL145 Gen11 provides the high-quality security features needed to verify your peace of mind.

Hewlett Packard Enterprise cares about keeping your property and data safe, especially at the edge, where data and property are more vulnerable to attack.

Built on the Hewlett Packard Enterprise signature silicon root of trust, HPE iLO 6, iDevID, and platform certificates, you can be sure your data is being protected from outside threats.

Chassis Intrusion detection with bezel and Kensington locks keep your device safe from unwarranted theft or intrusions.

Технические характеристики		HPE ProLiant DL145 Gen11 8024P 2.4GHz 8c 1P 1x32GB-R 2SFF NS204i-u NC BCM5719 2x1000W PS EMEA Server
Product Number	P79814-425	
Количество ядер процессора	8 core	
Кэш процессора	32 MB L3	
Модель процессора	AMD EPYC™ 8024P (8 core, 2.40 GHz, 32 MB L3, 90W)	
Количество процессоров	1 processor included	
Быстродействие процессора	2.40 GHz	
Тип памяти	HPE DDR5 Smart Memory	
Жесткие диски в комплекте	None ship standard, 2 SFF supported	
Защита на физическом уровне	TPM 2.0, silicon root of trust, secure boot, chassis intrusion detection and bezel lock, and Kensington lock, optional data-at-rest hardware encryption. For full security features refer to the QuickSpecs.	
Управление инфраструктурой	<p>HPE iLO Standard with Intelligent Provisioning (embedded), HPE OneView Standard (requires download), HPE iLO Advanced, HPE iLO Advanced Premium Security Edition, and HPE OneView Advanced (require licenses), HPE Compute Ops Management (subscription included).</p> <p>Refer to the iLO 6 User Guide</p>	
Блок питания	2x HPE ProLiant 900W-1000W Flex Slot Titanium Hot Plug Reverse Air Flow AC Power Supply Kit	
Слоты расширения	<p>1 x16 FHHL PCIe Gen5</p> <p>1 OCP 3.0 Slot as default</p>	
Сетевой контроллер	Broadcom BCM5719 Ethernet 1Gb 4-port BASE-T OCP3 Adapter for HPE	
Контроллер хранилища	HPE NS204i-u Gen11 NVMe Hot Plug Boot Optimized Storage Device	
Функции системных вентиляторов	4x Standard Fans	
Форм-фактор	2U Rack	
Гарантия	<p>3/3/3: Server Warranty includes three years of parts, three years of labor, and three years of on-site support coverage. Additional information regarding worldwide limited warranty and technical support is available at: https://support.hpe.com/hpesc/public/docDisplay?docId=sd00004309en_us. Additional HPE support and service coverage, to supplement the product warranty, is available. For more information, visit: https://www.hpe.com/support.</p>	

[1]Typical NEBS certification is 90 days post production manufacture

HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Advisory & Professional services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so you can focus on innovation.

Support services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- **HPE Complete Care Service:** a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- **HPE Tech Care Service:** the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.
- **HPE Multivendor Services:** Single point of accountability for managing on-site hardware and software support for multivendor products. HPE experts help manage your IT across technologies and platforms for HPE and non-HPE technologies, acting as the single point of contact for your IT operational needs.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options

Defective Media Retention is optional and allows you to retain Disk or eligible SSD/Flash Drives replaced by HPE due to malfunction.

HPE GreenLake

[HPE GreenLake edge-to-cloud platform](#) is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please [explore them here](#).

[Для получения дополнительной технической информации, доступных моделей и опций обратитесь к QuickSpecs](#)

Visit [HPE.com](https://www.hpe.com)

[Чат](#)

© Hewlett Packard Enterprise Development LP, 2026 г. Информация в настоящем документе может быть изменена без предварительного уведомления. Гарантийные обязательства для продуктов и услуг Hewlett Packard Enterprise приведены только в условиях явной гарантии, прилагаемой к каждому продукту и услуге. Никакие сведения в данном документе не могут рассматриваться как дополнительные гарантийные обязательства. Hewlett Packard Enterprise не несет ответственности за технические или редакторские ошибки и упущения в данном документе.

Компоненты и материалы: Компания HPE предоставит запасные части и материалы, поддерживаемые HPE, которые требуются для обслуживания оборудования по договору.

Данная услуга не подразумевает предоставление, ремонт или замену деталей и компонентов, которые достигли своего максимального срока службы и (или) лимита использования (согласно данным руководства по эксплуатации, кратким техническим руководствам или технической документации, предоставленной производителем).

AMD EPYC™ is a trademark of Advanced Micro Devices, Inc. All third-party marks are property of their respective owners.

Изображение может отличаться от реального изделия.

[PSN1014874880KZRU](#), марта, 2026.

HEWLETT PACKARD ENTERPRISE

[hpe.com](https://www.hpe.com)

