

HPE Storage Fibre Channel Switch B-series SN6650B



What's new

- QSFP Port On Demand (PoD) kits including a PoD upgrade license, activating 8 QSFP ports, and 8 32Gb QSFP Fibre Channel optics.
- Port On Demand (PoD) kits including a PoD upgrade license, activating 24 ports, and 24 32Gb Fibre Channel optics.

Overview

Is there a need to modernize your storage network? The all-flash data center and emerging NVMe storage requires a modern storage network that can keep up with pace of innovation seen with compute and storage resources. The HPE B-series SN6650B Fibre Channel Switch is a high-port density building block with 128 Fibre Channel ports that provides the tools to help optimize NVMe storage and automate SAN management tasks. It provides 32 Gb SAN connectivity with up to 4 Tbps of total system bandwidth for data center consolidation, capable of supporting the most demanding all-flash workloads. New automation capabilities enable DevOps resources to automate operations to increase productivity with simple and open automation through open APIs and the Ansible automation engine. The HPE B-series SN6650B Fibre Channel Switch enables new insight into NVMe storage fabrics with modern I/O traffic visibility and VM-level granularity to validate and fine-tune performance for better efficiency.

Features

Flash-Ready Performance

The HPE B-series SN6650B Fibre Channel Switch supports up to 4 Tbps bandwidth with very low latency < 780 ns (including FEC) through the use of cut-through switching.

Shatters application performance barriers with up to 200 million IOPS utilizing up to 566 million frame switching per second.

Delivers up to 384 Gbps of combined in-flight encryption and 192 Gbps of in-flight compression to improve bandwidth and help minimize the risk of unauthorized access.

Built-in ASIC enables I/O insight into NVMe/FC storage traffic with VM-level granularity to validate and fine-tune performance for better efficiency.

Internal fault-tolerant and enterprise-class RAS features help minimize downtime to support growing mission-critical environments.

Easy Manageability with Simple and Open Automation

The HPE B-series SN6650B Fibre Channel Switch provides tools to simplify and automate operations enabling DevOps resources to orchestrate SAN resources through open APIs and the Ansible automation engine.

Easier integration into third-party tools utilizing a library of templates and scripts (REST APIs) to help deploy applications faster.

Supports I/O Insight and VM Insight (included in HPE Power Pack+ software) to provide deeper visibility into FC/NVMe traffic.

Enterprise-class Scalability

HPE B-series SN6650B Fibre Channel Switch delivers industry-leading port density with 128 Fibre Channel ports in an elegant 2U form factor.

Provides 96 32Gb SFP+ ports and eight 4×32Gb QSFP ports to enable data centers to scale efficiently and deliver more connectivity with fewer switches.

Offers cost-effective pay-as-you-grow scalability, expanding from 48 to 128 ports with flexible Ports on Demand (PoD).

Supports 32/16/10/8/4 Gb Fibre Channel.



Technical specifications

HPE Storage Fibre Channel Switch B-series SN6650B



Port speed	32 Gb
Aggregate switch bandwidth	4.096 Tbps
Encryption capability	Security types: DH-CHAP (between switches and end devices), FCAP switch authentication, HTTPS, IPsec, IP filtering, LDAP with IPv6, OpenLDAP, Port Binding, RADIUS, TACACS+, user-defined Role-Based Access Control (RBAC), Secure Copy (SCP), Secure RPC, Secure Syslog, SFTP, SSH v2, SSL, Switch Binding, Trusted Switch. The HPE B-series SN6650B Fiber Channel Switch provides up to 12 in-flight encryption and compression ports.
Protocol supported	Fibre Channel
Management software	HPE PowerPack + software (includes additional software: Fabric Vision, ISL Trunking, IO Insight, VM Insight Software)
Availability features	Hot plug and redundant: Two power supply (FRUs) with integrated power module, three FAN FRUs with two fans each. Enhanced fault detection, Forward error correction (FEC) on 16Gb (configuration dependent) and 32Gb (FEC on full time) for all data paths and system memory.
Form factor	2U
Model availability	48-port 48 32Gb SFP+ bundled Switch, 96-port 96 32 Gb SFP+ PowerPack+ bundled switch
Upgradability	HPE SN6650B 24-port SFP upgrade E-LTU (Port on demand) HPE SN6650B 32-port QSFP upgrade E-LTU (Port-on-demand)
Media types	Hot-pluggable, industry-standard Small Form Factor Pluggable Plus (SFP+), LC connector Short-Wave Laser (SWL), Long-Wave Laser (LWL) Extended Long-Wave Laser (ELWL) distance depends on fiber optic cable and port speed. Supports 32 Gb, 16 Gb, and 10 Gb SFP+ optical transceivers, 4 x 32 Gbps QSFP SWL and 4 x 16 Gbps QSFP SWL optical transceivers.
Ports	96 SFP+ ports capable of operating at 32/16/10/8/4 Gbps FC auto-sensing speeds, and eight QSFP ports capable of operating at 4x32 / 4x16 / 4x8 / 4x4 Gbps FC speeds, QSFP ports capable of operating at 128 Gbps for ISL links.
Software (optional)	HPE Power Pack+ software (Includes Fabric Vision, Extended Fabric, ISL Trunking, IO Insight and VM Insight) HPE Network Advisor Professional Software (free), HPE SAN Network Advisor Professional Plus Upgrade, HPE SAN Network Advisor Enterprise software, HPE Smart SAN for 3PAR, HPE B-series Integrated Routing
Product dimensions (metric)	440 x 86.7 x 609.6 mm
Weight	21.31 kg with two power supply FRUs, and three fan FRUs without transceivers



[For additional technical information, available models and options, please reference the QuickSpecs](#)

Make the right purchase decision.
Contact our presales specialists.

[Find a partner](#)



HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Consulting services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Operational services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- HPE Complete Care Service: a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- HPE Tech Care Service: the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

The [Defective Media Retention \(DMR\)](#) service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction. [Comprehensive Defective Material Retention \(CDMR\)](#) allows you to keep all data retentive components.

HPE GreenLake

[HPE GreenLake edge-to-cloud platform](#) is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them [here](#).

Explore **HPE GreenLake**

© Copyright 2024 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

© Copyright 2018 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Image may differ from the actual product
[PSN1010676547NZEN](#), April, 2024.