

HPE 25Gb SFP28 SR 30m Transceiver (R0R42A)



What's new

- 400GbE QSFP-DD Transceivers Options
- QSFP-DD offers 2x the bandwidth of QSFP form factors

Overview

Does interconnect reliability and reach impacting your infrastructure?

HPE Networking Transceiver Options are designed to increase the performance of network connectivity, requiring high-bandwidth, low-latency connections between compute nodes, storage nodes, and switch nodes. To verify superior system performance, HPE Networking Transceiver Options, deliver compatibility with HPE Storage solutions and networking adapters.

Features

Advanced Transceiver Features

Designed to increase the performance of network connectivity, requiring high-bandwidth, and low-latency connections between compute nodes and switch nodes.

QSFP-DD, QSFP56, QSFP28, SFP56, SFP28, and SFP+ form factors to reduce cost and improve reliability while delivering industry compatibility.

Rigorous Production Testing Delivers Ease of Installation, Performance, and Durability

HPE Networking Transceiver Options exceed industry requirements to deliver high performance and high quality resulting in low or no faults over solution life.

Compliance with Restriction on Hazardous Substances (RoHS) directive.

Transceivers are designed for growing bandwidth in data centers and providing high speed and efficient connectivity.

Breakout Copper DAC and Optical AOC Cables

Allows Ethernet switches to deliver 100GbE ports, which may further breakout into four 25GbE ports or support for 40GbE, which can further breakout into four 10GbE ports.

Optimized port configuration enables high-speed rack connectivity to the server at 10GbE or 25GbE speeds with 100GbE uplink ports.

Now supporting 400GbE interconnectivity, which may further breakout into 4x100GbE or 8x50GbE ports, depending upon the customers application.

Technical specifications

HPE 25Gb SFP28 SR 30m Transceiver

Product Number	R0R42A
Ports	SFP28
Connector type	LC
Wavelength	850nm
Transceiver form factor	Pluggable transceiver
Cable type	Uses OM3/OM4 LC
Fiber type	Multi Mode
Maximum distance	30m OM4
Product dimensions (metric)	15.88 (L) x 10.8 (W) x 3.18 (H) cm
Weight	0.454 kg
Warranty	The information contained herein is subject to change without notice. The only warranties for HPE products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HPE shall not be liable for technical or editorial errors or omissions contained herein.



[For additional technical information, available models and options, please reference the QuickSpecs](#)

HPE Services

No matter where you are in your transformation journey, you can count on HPE Services to deliver the expertise you need when, where and how you need it. From strategy and planning to deployment, ongoing operations and beyond, our experts can help you realize your digital ambitions.

Consulting services

Experts can help you map out your path to hybrid cloud and optimize your operations.

Managed services

HPE runs your IT operations, giving you unified control, so can focus on innovation.

Operational services

Optimize your entire IT environment and drive innovation. Manage day-to-day IT operational tasks while freeing up valuable time and resources.

- HPE Complete Care Service: a modular service designed to help optimize your entire IT environment and achieve agreed upon IT outcomes and business goals. All delivered by an assigned team of HPE experts.
- HPE Tech Care Service: the operational service experience for HPE products. The service provides access to product specific experts, an AI driven digital experience, and general technical guidance to help reduce risk and search for ways to do things better.

Lifecycle Services

Address your specific IT deployment project needs with tailored project management and deployment services.

HPE Education Services

Training and certification designed for IT and business professionals across all industries. Create learning paths to expand proficiency in a specific subject. Schedule training in a way that works best for your business with flexible continuous learning options.

[The Defective Media Retention \(DMR\)](#) service feature option applies only to Disk or eligible SSD/Flash Drives replaced by Hewlett Packard Enterprise due to malfunction. [Comprehensive Defective Material Retention \(CDMR\)](#) allows you to keep all data retentive components.

HPE GreenLake

[HPE GreenLake edge-to-cloud platform](#) is HPE's market-leading as-a-Service offering that brings the cloud experience to apps and data everywhere – data centers, multi-clouds, and edges – with one unified operating model, on premises, fully managed in a pay per use model.

If you are looking for more services, like **IT financing solutions**, please explore them [here](#).

**Make the right purchase decision.
Contact our presales specialists.**

[Call for availability](#)



Explore **HPE GreenLake**



Share now



Get updates

© Copyright 2023 Hewlett Packard Enterprise Development LP. The information contained herein is subject to change without notice. The only warranties for Hewlett Packard Enterprise products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. Hewlett Packard Enterprise shall not be liable for technical or editorial errors or omissions contained herein.

Parts and Materials: HPE will provide HPE-supported replacement parts and materials required to maintain the covered hardware.

Parts and components that have reached their maximum supported lifetime and/or the maximum usage limitations as set forth in the manufacturer's operating manual, product quick-specs, or the technical product data sheet will not be provided, repaired, or replaced as part of these services.

© Copyright 2017 Hewlett Packard Enterprise Development LP

Image may differ from the actual product
[PSN1011737250EEEN](#), December, 2023.

**Hewlett Packard
Enterprise**